# (19) World Intellectual Property Organization International Bureau





# (43) International Publication Date 5 June 2003 (05.06.2003)

### **PCT**

# (10) International Publication Number WO 03/046124 A2

(51) International Patent Classification<sup>7</sup>:

C12N

- (21) International Application Number: PCT/US02/33645
- (22) International Filing Date:

20 November 2002 (20.11.2002)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/331,951 21 November 2001 (21.11.2001) US 60/366,798 22 March 2002 (22.03.2002) US

- (71) Applicant (for all designated States except US): THE TRUSTEES OF THE UNIVERSITY OF PENN-SYLVANIA [US/US]; 3160 Chestnut Street, Suite 200, Philadelphia, PA 19104 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): WILSON, James, M. [US/US]; 1350 N. Avignon Drive, Gladwyne, PA 19035 (US). GAO, Guangping [US/US]; 408 Yorkshire Road, Rosemont, PA 19010 (US). ROY, Soumitra [US/US]; 240 Pugh Road, Wayne, PA 19087 (US).

- (74) Agents: Kodroff, Cathy, A. et al.; Howson and Howson, Spring House Corporate Center, P.O. Box 457, Spring House, PA 19477 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

 without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SIMIAN ADENOVIRUS NUCLEIC ACID AND AMINO ACID SEQUENCES, VECTORS CONTAINING SAME, AND METHODS OF USE

(57) Abstract: A recombinant vector comprises simian adenovirus sequences and a heterologous gene under the control of regulatory sequences. A cell line which expresses simian adenovirus gene(s) is also disclosed. Methods of using the vectors and cell lines are provided.

# SIMIAN ADENOVIRUS NUCLEIC ACID AND AMINO ACID SEQUENCES, VECTORS CONTAINING SAME, AND METHODS OF USE

### 5 BACKGROUND OF THE INVENTION

10

15

20

25 🧓

30

Adenovirus is a double-stranded DNA virus with a genome size of about 36 kilobases (kb), which has been widely used for gene transfer applications due to its ability to achieve highly efficient gene transfer in a variety of target tissues and large transgene capacity. Conventionally, E1 genes of adenovirus are deleted and replaced with a transgene cassette consisting of the promoter of choice, cDNA sequence of the gene of interest and a poly A signal, resulting in a replication defective recombinant virus.

Adenoviruses have a characteristic morphology with an icosahedral capsid consisting of three major proteins, hexon (II), penton base (III) and a knobbed fibre (IV), along with a number of other minor proteins, VI, VIII, IX, IIIa and IVa2 [W.C. Russell, *J. Gen Virol.*, **81**:2573-2604 (Nov 2000)]. The virus genome is a linear, double-stranded DNA with a terminal protein attached covalently to the 5' termini, which have inverted terminal repeats (ITRs). The virus DNA is intimately associated with the highly basic protein VII and a small peptide termed mu. Another protein, V, is packaged with this DNA-protein complex and provides a structural link to the capsid via protein VI. The virus also contains a virus-encoded protease, which is necessary for processing of some of the structural proteins to produce mature infectious virus.

Recombinant adenoviruses have been described for delivery of molecules to host cells. See, US Patent 6,083,716, which describes the genome of two chimpanzee adenoviruses.

What is needed in the art are more effective vectors which avoid the effect of preexisting immunity to selected adenovirus serotypes in the population and/or which are useful for repeat administration and for titer boosting by second vaccination, if required.

## Summary of the Invention

The present invention provides the isolated nucleic acid sequences and amino acid sequences of six simian adenoviruses, vectors containing these sequences, and cell lines expressing simian adenovirus genes. Also provided are a number of methods for using the vectors and cells of the invention.

The methods of the invention involve delivering one or more selected heterologous gene(s) to a mammalian patient by administering a vector of the invention. Because the various vector constructs are derived from simian rather than from human adenoviruses, the immune system of the non-simian human or veterinary patient is not primed to respond immediately to the vector as a foreign antigen. Use of the compositions of this invention thus permits a more stable expression of the selected transgene when administered to a non-simian patient. Use of the compositions of this invention for vaccination permits presentation of a selected antigen for the elicitation of protective immune responses. Without wishing to be bound by theory, the ability of the adenoviruses of the invention to transduce human dendritic cells is at least partially responsible for the ability of the recombinant constructs of the invention to induce an immune response. The recombinant simian adenoviruses of this invention may also be used for producing heterologous gene products *in vitro*. Such gene products are themselves useful in a variety for a variety of purposes such as are described herein.

These and other embodiments and advantages of the invention are described in more detail below.

## Brief Description of the Drawings

5

10

15

20

25

30

Fig. 1 provides an alignment of the amino acid sequences of the L1 and a portion of the L2 loops of the capsid protein hexon of the chimpanzee adenovirus C1 [SEQ ID NO:13], chimpanzee adenovirus C68 (Pan-9) [SEQ ID NO:14], and the novel Pan5 [SEQ ID NO:15], Pan6 [SEQ ID NO: 16] and Pan7 [SEQ ID NO: 17] chimpanzee adenovirus sequences of the invention. The intervening conserved region is part of the pedestal domain conserved between adenovirus serotypes.

Fig. 2 provides an alignment of the amino acid sequences of the fiber knob domains of chimpanzee C68 (Pan-9) [SEQ ID NO:18], Pan-6 [SEQ ID NO:19], Pan-7 [SEQ ID NO:20], and Pan-5 [SEQ ID NO:21] and the human adenoviruses serotypes 2 [SEQ ID NO:22] and 5 [SEQ ID NO:23].

# DETAILED DESCRIPTION OF THE INVENTION

The invention provides novel nucleic acid and amino acid sequences from Ad Pan5 [SEQ ID NO:1-4, 15 and 21], Ad Pan6 [SEQ ID NO: 5-8, 16, 19], and Ad serotype

Pan7 [SEQ ID NO: 9-12, 17, 20], which were originally isolated from chimpanzee lymph nodes. In several instances throughout the specification, these adenoviruses are alternatively termed herein C5, C6 and C7, respectively. Also provided are sequences from adenovirus SV1 [SEQ ID NO: 24-28], which was originally isolated from the kidney cells of cynomolgus monkey. The invention also provides sequences of adenoviruses SV-25 [SEQ ID NO:29-33] and SV-39 [SEQ ID NO: 34-37], which were originally isolated from rhesus monkey kidney cells.

5

10

15

20

25

30

The present invention provides novel adenovirus vectors and packaging cell lines to produce those vectors for use in the *in vitro* production of recombinant proteins or fragments or other reagents. The invention further provides compositions for use in delivering a heterologous molecule for therapeutic or vaccine purposes. Such therapeutic or vaccine compositions contain the adenoviral vectors carrying an inserted heterologous molecule. In addition, novel sequences of the invention are useful in providing the essential helper functions required for production of recombinant adeno-associated viral (AAV) vectors. Thus, the invention provides helper constructs, methods and cell lines which use these sequences in such production methods.

The term "substantial homology" or "substantial similarity," when referring to a nucleic acid or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences.

The term "substantial homology" or "substantial similarity," when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid (or its complementary strand), there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or a protein thereof, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

The term "percent sequence identity" or "identical" in the context of nucleic acid sequences refers to the residues in the two sequences that are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome (e.g., about 36 kbp), the full-length of an open reading frame of a gene, protein, subunit, or enzyme [see, e.g., the tables providing the adenoviral coding

regions], or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, "percent sequence identity" may be readily determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

5

10

15

20

25

30

Identity is readily determined using such algorithms and computer programs as are defined herein at default settings. Preferably, such identity is over the full length of the protein, enzyme, subunit, or over a fragment of at least about 8 amino acids in length. However, identity may be based upon shorter regions, where suited to the use to which the identical gene product is being put.

As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as "Clustal W", accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also used. There are also a number of algorithms known in the art that can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1, herein incorporated by reference. Similarly programs are available for performing amino acid alignments. Generally, these programs are used at default settings, although one of skill in the art can alter these settings as needed. Alternatively, one of skill in the art can utilize another algorithm or computer program that provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

As used throughout this specification and the claims, the term "comprise" and its variants including, "comprises", "comprising", among other variants, is inclusive of other components, elements, integers, steps and the like. The term "consists of" or "consisting of" are exclusive of other components, elements, integers, steps and the like.

# I. The Simian Adenovirus Sequences

5

10

15

20

25

30

The invention provides nucleic acid sequences and amino acid sequences of Pan5, Pan6, Pan7, SV1, SV25 and SV39, which are isolated from the other viral material with which they are associated in nature.

### A. Nucleic Acid Sequences

The Pan5 nucleic acid sequences of the invention include nucleotides 1 to 36462 of SEQ ID NO:1. The Pan6 nucleic acid sequences of the invention include nucleotides 1 to 36604 of SEQ ID NO: 5. The Pan7 nucleic acid sequences of the invention include nucleotides 1 to 36535 of SEQ ID NO: 9. The SV1 nucleic acid sequences of the invention include nucleotides 1 to 34264 of SEQ ID NO: 24. The SV25 nucleic acid sequences of the invention include nucleotides 1 to 31044 of SEQ ID NO: 29. The SV39 nucleic acid sequences of the invention include nucleotides 1 to 34115 of SEQ ID NO: 34. See, Sequence Listing, which is incorporated by reference herein.

The nucleic acid sequences of the invention further encompass the strand which is complementary to the sequences of SEQ ID NO: 5, 9, 24, 29 and 34, as well as the RNA and cDNA sequences corresponding to the sequences of these sequences figures and their complementary strands. Further included in this invention are nucleic acid sequences which are greater than 95 to 98%, and more preferably about 99 to 99.9% homologous or identical to the Sequence Listing. Also included in the nucleic acid sequences of the invention are natural variants and engineered modifications of the sequences provided in SEQ ID NO: 5, 9, 24, 29 and 34 and their complementary strands. Such modifications include, for example, labels that are known in the art, methylation, and substitution of one or more of the naturally occurring nucleotides with a degenerate nucleotide.

The invention further encompasses fragments of the sequences of Pan5, Pan6, Pan7, SV1, SV25 and SV39, their complementary strand, cDNA and RNA complementary thereto. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest. For example, a functional fragment can express a desired adenoviral product or may

be useful in production of recombinant viral vectors. Such fragments include the gene sequences and fragments listed in the tables below.

The following tables provide the transcript regions and open reading frames in the simian adenovirus sequences of the invention. For certain genes, the transcripts and open reading frames (ORFs) are located on the strand complementary to that presented in SEQ ID NO: 5, 9, 24, 29 and 34. See, e.g., E2b, E4 and E2a. The calculated molecular weights of the encoded proteins are also shown. Note that the E1a open reading frame Pan5 [nt 576-1436 of SEQ ID NO:1], Pan6 [nt 576 to 1437 of SEQ ID NO: 5] and Pan7 [nt 576 to 1437 of SEQ ID NO: 9] contain internal splice sites. These splice sites are noted in the following tables.

5

10

l	Λ,	1 Dan 5 ICE	O ID NO.	17
	A	l Pan-5 [SE	Q ID NO:	1]
Regio	ons	Start	End	M.W.
		(nt)	(nt)	(Daltons)
ITR		1	120	-
Ela	Transcript	478		
!	13S	576-664,	1233-	28120
		,	1436	20120
Ì	12S	576-1046	5, 1233-	24389
		1436		
	9S	576-644,	1233-	9962
			1436	
	Transcript		1516	•
E1b	Transcript	1552		-
	Small T	1599	2171	22317
	Large T	1904	3412	55595
[	IX	3492	3920	14427
	Transcript		3959	_
E2b	Transcript	10349		_
	PTP	10349	8451	72930
	Polymerase	8448	5083	127237
	IVa2	5604	3980	50466
	Transcript		3960	
28.1 k		5155	5979	28141
Agnor	protein	7864	8580	25755
L1	Transcript	10849		~
	52/55D	10851	12025	
	IIIa	12050	13819	65669
	Transcript		13832	-
	Transcript	13894		
L2	Penton	13898	15490	59292
	VII	15494	16078	21478
	V	16123	17166	39568
	Mu	17189	17422	8524
	transcript		17442	-
	Transcript	17488		-
L3	VI	17491	18222	26192
	Hexon	18315	21116	104874
	Endoprotease	20989	21783	28304
	transcript		21811	-

Ad Pan-5 (cont'd) [SEQ ID NO:1]								
Regio	Regions		End	<i>M.W.</i>				
		Start (nt)	(nt)	(Daltons)				
E2a	Transcript	26782						
	DBP	23386	21845	57358				
	transcript		21788	-				
L4	Transcript	23406						
	100kD	23412	25805	88223				
	33 kD homolog	25525	26356	24538				
	VIII	26428	27111	24768				
	transcript		27421	~				
E3	Transcript	26788		-				
	Orf#1	27112	27432	12098				
	Orf#2	27386	28012	23040				
	Orf#3	27994	28527	19525				
	Orf #4	28557	29156	22567				
	Orf#5	29169	29783	22267				
	Orf#6	29798	30673	31458				
	Orf #7	30681	30956	10477				
	Orf#8	30962	31396	16523				
	Orf #9	31389	31796	15236				
	transcript		31837	-				
L5	Transcript	32032		-				
	Fiber	32035	33372	47670				
	transcript		33443	-				
E4	Transcript	36135		-				
	Orf 7	33710	33462	9191				
	Orf 6	34615	33710	35005				
	Orf 4	34886	34521	13878				
	Orf 3	35249	34896	13641				
	Orf 2	35635	35246	14584				
	Orf 1	36050	35676	13772				
	Transcript		33437					
ITR		36343	36462	-				

TR		Ad Pan-6	S [SEQ ID	NO: 5]	
TTR	Regio	ns	Start (nt)	End	M.W.
E1a				(nt)	(Daltons)
13S			1	123	_
1437	Ela				_
12S		13S		3, 1229-	28291
1437   98   576 - 645, 1229- 101				····	
1437   transcript   1516			1437		24634
E1b		9S		5, 1229-	10102
Small T		transcript		1516	_
LargeT   1905   3413   5555     IX	E1b		1553		
IX			1600	2172	22315
transcript	ĺ		1905	3413	55594
E2b         transcript         10341         725           PTP         10340         8451         725           Polymerase         8445         5089         12696           IVa2         5610         3986         5045           transcript         3966         3966           L1         transcript         10838         420           IIIa         12036         13799         6546           IIIa         12036         13799         6546           Transcript         13812         2806           Agnoprotein         7870         8580         2538           L2         transcript         13874         5467         5931           VII         15471         16055         2156           VI         16100         17137         3938           Mu         17160         17393         856           transcript         17415         17415           L3         transcript         17466         74           VI         17469         18188         2586           Hexon         18284         21112         10613	[	IX	3498	3926	14427
PTP		transcript		3965	No.
Polymerase   8445   5089   12696   1Va2   5610   3986   5042   transcript   3966	E2b		10341	·	-
IVa2   5610   3986   5042     transcript   3966     L1			10340	8451	72570
transcript 3966  L1 transcript 10838				5089	126907
L1       transcript       10838         52/55 kD       10840       12012       4420         IIIa       12036       13799       6540         Transcript       13812         28.1 kd       5161       5985       2800         Agnoprotein       7870       8580       2538         L2       transcript       13878       15467       5930         VII       15471       16055       2150         V       16100       17137       3938         Mu       17160       17393       850         transcript       17466       17465         VI       17469       18188       2586         Hexon       18284       21112       10613			5610	3986	50452
52/55 kD   10840   12012   4420     IIIa   12036   13799   6546     Transcript   13812     28.1 kd   5161   5985   2804     Agnoprotein   7870   8580   2538     L2   transcript   13874     Penton   13878   15467   5931     VII   15471   16055   2150     V   16100   17137   3938     Mu   17160   17393   850     transcript   17466     VI   17469   18188   2586     Hexon   18284   21112   10613     Comparison   10840   12012   10613     Comparison   12012   12012   10613     Comparison   12012   12012   12013     Comparison   12012   12013     Compariso		<del> </del>		3966	-
IIIa	L1		10838		-
Transcript 13812  28.1 kd 5161 5985 2807  Agnoprotein 7870 8580 2538  L2 transcript 13874  Penton 13878 15467 5937  VII 15471 16055 2150  V 16100 17137 3938  Mu 17160 17393 850  transcript 17466  VI 17469 18188 2586  Hexon 18284 21112 10613				12012	44205
28.1 kd       5161       5985       280 kg         Agnoprotein       7870       8580       2538         L2       transcript       13874         Penton       13878       15467       5931         VII       15471       16055       2150         V       16100       17137       3938         Mu       17160       17393       850         transcript       17466         VI       17469       18188       2586         Hexon       18284       21112       10613			12036	13799	65460
Agnoprotein         7870         8580         2538           L2         transcript         13874         5931           VII         15471         16055         2150           V         16100         17137         3938           Mu         17160         17393         850           transcript         17465           VI         17469         18188         2586           Hexon         18284         21112         10613				13812	
L2       transcript       13874         Penton       13878       15467       5931         VII       15471       16055       2150         V       16100       17137       3938         Mu       17160       17393       850         transcript       17415         L3       transcript       17466         VI       17469       18188       2586         Hexon       18284       21112       10613	28.1 k	d	5161	5985	28012
L2       transcript       13874         Penton       13878       15467       5931         VII       15471       16055       2150         V       16100       17137       3938         Mu       17160       17393       850         transcript       17415         L3       transcript       17466         VI       17469       18188       2586         Hexon       18284       21112       10613	Agnop	protein	7870	8580	25382
VII 15471 16055 2156  V 16100 17137 3938  Mu 17160 17393 8566  transcript 17466  VI 17469 18188 25866  Hexon 18284 21112 10613	L2	transcript	13874		-
VII     15471     16055     2150       V     16100     17137     3938       Mu     17160     17393     850       transcript     17415       L3     transcript     17466       VI     17469     18188     2586       Hexon     18284     21112     10613		Penton	13878	15467	59314
V     16100     17137     3938       Mu     17160     17393     850       transcript     17415       L3     transcript     17466       VI     17469     18188     2586       Hexon     18284     21112     10613			15471	16055	21508
Mu     17160     17393     850       transcript     17415       L3     transcript     17466       VI     17469     18188     2586       Hexon     18284     21112     10613			16100	17137	39388
L3 transcript 17466 VI 17469 18188 2586 Hexon 18284 21112 10613		Mu		17393	8506
VI         17469         18188         2586           Hexon         18284         21112         10613		transcript		17415	-
Hexon 18284 21112 10613	L3	transcript	17466		_
Hexon 18284 21112 10613	Į	VI	17469	18188	25860
		Hexon	18284	21112	106132
Endoprotease 21134 21754 2344		Endoprotease	21134	21754	23445
transcript 21803		transcript			-
E2a transcript 26780	E2a	transcript	26780		_
DBP 23375 21837 5729		DBP	23375	21837	57299
transcript 21780		transcript		21780	_

Ad Pan-6 (cont'd) [SEQ ID NO:5]					
Region	18	Start (nt)	End (nt)	M.W. (Daltons)	
L4	Transcript	23398		-	
	100kD	23404	25806	88577	
	33 kD homolog	25523	26357	24609	
	VIII	26426	27109	24749	
	transcript		27419		
E3	transcript	26786		-	
	Orf#1	27110	27430	12098	
	Orf#2	27384	28007	22880	
	Orf#3	27989	28519	19460	
	Orf #4	28553	29236	25403	
	Orf #5	29249	29860	22350	
	Orf#6	29875	30741	31028	
	Orf #7	30749	31024	10469	
	Orf #8	31030	31464	16540	
	Orf #9	31457	31864	15264	
	transcript		31907	-	
L5	transcript	32159			
	Fiber	32162	33493	47364	
	transcript		33574	-	
E4	transcript	36276		_	
	Orf 7	33841	33593	9177	
	Orf 6	34746	33841	35094	
	Orf 4	35017	34652	13937	
	Orf 3	35380	35027	13627	
	Orf 2	35766	35377	14727	
	Orf 1	36181	35807	13739	
	transcript		33558		
ITR		36482	36604		

	Ad Pan-7 [SEQ ID NO:9]							
Region	าร	Start (nt)	End (nt)	M.W. (Daltons)				
ITR		1	132	-				
Ela	transcript	478		-				
	13S	576 – 1143,	1229-1437	28218				
	12S	576 – 1050,	1229- 1437	24561				
	9S	576 – 645,		10102				
		1229 – 1437						
	transcript		1516	-				
E1b	transcript	1553						
	Small T	1600	2178	22559				
	LargeT	1905	3419	55698				
	IVa2	3992	5616	50210				
	transcript		3971	-				
E2b	transcript	10341		-				
	PTP	10340	8457	72297				
	Polymerase	8451	5095	126994				
	IX	3504	3932	14441				
	transcript		3972	-				
28.1kI	)	5167	5991	28028				
Agnop	rotein	7876	8586	25424				
L1	transcript	10834						
	52/55 kD	10836	12011	44302				
	IIIa	12035	13795	65339				
	transcript		13808	-				
L2	transcript	13870		-				
	Penton	13874	15469	59494				
	VII	15473	16057	21339				
	V	16102	17139	39414				
	Mu	17167	17400	8506				
	transcript		17420	-				
L3	transcript	17467		-				
	VI	17470	18198	26105				
	Hexon	18288	21086	104763				
	Endoprotease	21106	21732	23620				
	transcript		21781	-				
E2a	transcript	26764		-				
	DBP	23353	21815	57199				
	transcript		21755	-				

Ad Pan-7 (cont'd) [SEQ ID NO: 9]							
Regio	ns	Start (nt)	End (nt)	M.W. (Daltons)			
L4	transcript	23370		-			
	100kD	23376	25781	88520			
	33 kD	25489	26338	25155			
	homolog						
	VIII	26410	27093	24749			
	transcript		27403	-			
E3	transcript	26770		_			
	Orf#1	27094	27414	12056			
	Orf #2	27368	27988	22667			
	Orf#3	27970	28500	19462			
	Orf #4	28530	29150	22999			
	Orf #5	29163	29777	22224			
:	Orf#6	29792	30679	32153			
	Orf #7	30687	30962	10511			
	Orf#8	30968	31399	16388			
	Orf #9	31392	31799	15205			
	transcript		31842	-			
L5	transcript	32091		-			
	Fiber	32094	33425	47344			
	transcript		33517	-			
E4	transcript	36208		-			
	Orf 7	33784	33536	9191			
	Orf 6	34689	33784	35063			
	Orf 4	34960	34595	13879			
	Orf 3	35323	34970	13641			
	Orf 2	35709	35320	14644			
	Orf 1	36123	35749	13746			
	transcript		33501	-			
ITR		36404	36535	-			

	Ad SV-1	Ad SV-1		Ad SV-25		Ad SV-39	
	[SEQ ID NO:2	24]	[SEQ ID	[SEQ ID NO:29]		NO: 34]	
Region	Start	End	Start	End	Start	End	
ITR	1	106	1	133	1	150	
E1a	352	1120	· · · · · · · · · · · · · · · · · · ·	-	404	1409	
E1b	1301	2891	359	2273	1518	3877	
E2b	9257	2882	9087	2754	· 10143	3868	
E2a	24415	20281	24034	20086	25381	21228	
E3	24974	27886	24791	25792	25790	29335	
E4	33498	30881	30696	28163	33896	31157	
ITR	34145	34264	30912	31044	33966	34115	

	Ad SV-1		Ad SV-2	Ad SV-25		Ad SV-39	
	[SEQ ID N	[O:24]	[SEQ ID	[SEQ ID NO:29]		NO: 34]	
Region	Start	End	Start	End	Start	End	
ITR	1	106	1	133	1	150	
L1	9513	12376	9343	12206	10416	13383	
L2	12453	15858	12283	15696	13444	16877	
L3	15910	20270	15748	20080	17783	21192	
L4	21715	25603	21526	25420	22659	26427	
L5	28059	30899	25320	28172	29513	31170	
ITR	34145	34264	30912	31044	33966	34115	

	protein	Ad SV-1, SEQ ID NO: 24				
		Start	End	M.W.		
ITR		1	106	-		
Ela	138	459	953	18039		
	12S					
E1b	Small T					
	LargeT	1301	2413	42293		
	IX	2391	2885	16882		
E2b	IVa2	4354	2924	54087		
	Polymerase	6750	4027	102883		
	PTP	9257	7371	72413		
	Agno-protein	6850	7455	20984		
L1	52/55 kD	9515	10642	42675		
	IIIa	10663	12372	636568		
L2	Penton	12454	13965	56725		
	VII	13968	14531	20397		
	V	14588	15625	39374		
	Mu	15645	15857	7568		
L3	VI	15911	16753	30418		
	Hexon	16841	19636	104494		
	Endoprotease	19645	20262	23407		
2a	DBP	21700	20312	52107		
L4	100kD	21721	24009	85508		
	VIII	24591	25292	25390		

	protein	Ad SV-1 (cont'd)					
		SEQ ID NO	D: 24				
		Start	End	M.W.			
E3	Orf #1	25292	25609	11950			
	Orf #2	25563	26081	18940			
	Orf #3	26084	26893	30452			
	Orf #4	26908	27180	10232			
	Orf #5	27177	17512	12640			
	Orf #6	27505	27873	13639			
L5	Fiber #2	28059	29150	39472			
	Fiber #1	29183	30867	61128			
E4	Orf 7	31098	30892	7837			
	Orf 6	31982	31122	33921			
	Orf 4	32277	31915	14338			
	Orf 3	32629	32279	13386			
	Orf 2	33018	32626	14753			
	Orf 1	33423	33043	14301			
ITR		34145	34264				

	protein	Ad SV-	Ad SV-25, SEQ ID NO:29		Ad SV-39, SEQ ID NO:34		
		Start	End	M.W.	Start	End	M.W.
ITR		1	133	1-	1	150	-
Ela	13S	- 4			492	1355	28585
	12S				492	1355	25003
E1b	Small T	478	1030	20274	1518	2075	21652
	Large T	829	2244	52310	1823	3349	55534
	IX	2306	2716	13854	3434	3844	14075
E2b	IVa2	4208	2755	54675	3912	5141	46164
	Poly- merase	6581	3858	102839	7753	5033	103988
	PTP	9087	7207	71326	10143	8335	69274
	Agno- protein	6681	7139	16025	-	-	_
L1	52/55 kD	9345	10472	42703	10418	11608	44232
	IIIa	10493	12202	63598	11574	13364	66078
L2	Penton	12284	13801	56949	13448	14959	56292
	VII	13806	14369	20369	14960	15517	20374
	V	14426	. 15463	39289	15567	16628	39676
	Mu	15483	15695	7598	16650	16871	7497
L3	VI	15749	16591	30347	16925	17695	28043
	Hexon	16681	19446	104035	17785	20538	102579
	Endo- protease	19455	20072	23338	20573	21181	22716
2a	DBP	21511	20123	52189	22631	21231	53160
L4	100kD	21532	23829	85970	22659	25355	100362
	VIII	24408	25109	25347	25410	26108	25229

	protein	Ad SV-25, SEQ ID NO:29			Ad SV-	Ad SV-39, SEQ ID NO:34,		
		(cont'd)			(cont'd)	(cont'd)		
		Start	End	M.W.	Start	End	M.W.	
E3	Orf#1	25109	25426	11890	26375	27484	42257	
	Orf #2				27580	28357	29785	
	Orf#3				28370	28645	10514	
	Orf #4				28863	29333	18835	
	Orf #5							
	Orf#6							
L5	Fiber #2	25380	26423	37529				
	Fiber #1	26457	28136	60707	29515	31116	56382	
E4	Orf 7				31441	31118	11856	
	Orf 6	29255	28395	33905	32292	31438	33437	
	Orf 4	29550	29188	14399	32587	32222	13997	
	Orf 3	29902	29552	13284	32954	32607	13353	
	Orf 2	30291	29899	14853	33348	32959	14821	
	Orf 1	30316	30696	14301	33764	33378	14235	
ITR		30912	31044		33966	34115		

The Pan5, Pan6, Pan7, SV1, SV25 and SV39 adenoviral nucleic acid sequences are useful as therapeutic agents and in construction of a variety of vector systems and host cells. As used herein, a vector includes any suitable nucleic acid molecule including, naked DNA, a plasmid, a virus, a cosmid, or an episome. These sequences and products may be used alone or in combination with other adenoviral sequences or fragments, or in combination with elements from other adenoviral or non-adenoviral sequences. The adenoviral sequences of the invention are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors. Thus, the invention further provides nucleic acid molecules, gene delivery vectors, and host cells which contain the Ad sequences of the invention.

5

10

For example, the invention encompasses a nucleic acid molecule containing simian Ad ITR sequences of the invention. In another example, the invention provides a nucleic acid molecule containing simian Ad sequences of the invention encoding a desired Ad gene product. Still other nucleic acid molecule constructed using the sequences of the invention will be readily apparent to one of skill in the art, in view of the information provided herein.

5

10

15

20

25

30

In one embodiment, the simian Ad gene regions identified herein may be used in a variety of vectors for delivery of a heterologous molecule to a cell. For example, vectors are generated for expression of an adenoviral capsid protein (or fragment thereof) for purposes of generating a viral vector in a packaging host cell. Such vectors may be designed for expression in trans. Alternatively, such vectors are designed to provide cells which stably contain sequences which express desired adenoviral functions, e.g., one or more of E1a, E1b, the terminal repeat sequences, E2a, E2b, E4, E4ORF6 region.

In addition, the adenoviral gene sequences and fragments thereof are useful for providing the helper functions necessary for production of helper-dependent viruses (e.g., adenoviral vectors deleted of essential functions or adeno-associated viruses (AAV)). For such production methods, the simian adenoviral sequences of the invention are utilized in such a method in a manner similar to those described for the human Ad. However, due to the differences in sequences between the simian adenoviral sequences of the invention and those of human Ad, the use of the sequences of the invention essentially eliminate the possibility of homologous recombination with helper functions in a host cell carrying human Ad E1 functions, e.g., 293 cells, which may produce infectious adenoviral contaminants during rAAV production.

Methods of producing rAAV using adenoviral helper functions have been described at length in the literature with human adenoviral serotypes. See, e.g., US Patent 6,258,595 and the references cited therein. See, also, US Patent 5,871,982; WO 99/14354; WO 99/15685; WO 99/47691. These methods may also be used in production of non-human serotype AAV, including non-human primate AAV serotypes. The simian adenoviral gene sequences of the invention which provide the necessary helper functions (e.g., E1a, E1b, E2a and/or E4 ORF6) can be particularly useful in providing the necessary adenoviral function while minimizing or eliminating the possibility of

recombination with any other adenoviruses present in the rAAV-packaging cell which are typically of human origin. Thus, selected genes or open reading frames of the adenoviral sequences of the invention may be utilized in these rAAV production methods.

Alternatively, recombinant adenoviral simian vectors of the invention may be utilized in these methods. Such recombinant adenoviral simian vectors may include, e.g., a hybrid chimp Ad/AAV in which chimp Ad sequences flank a rAAV expression cassette composed of, e.g., AAV 3' and/or 5' ITRs and a transgene under the control of regulatory sequences which control its expression. One of skill in the art will recognize that still other simian adenoviral vectors and/or gene sequences of the invention will be useful for production of rAAV and other viruses dependent upon adenoviral helper.

5

10

15

20

25

30

In still another embodiment, nucleic acid molecules are designed for delivery and expression of selected adenoviral gene products in a host cell to achieve a desired physiologic effect. For example, a nucleic acid molecule containing sequences encoding an adenovirus E1a protein of the invention may be delivered to a subject for use as a cancer therapeutic. Optionally, such a molecule is formulated in a lipid-based carrier and preferentially targets cancer cells. Such a formulation may be combined with other cancer therapeutics (e.g., cisplatin, taxol, or the like). Still other uses for the adenoviral sequences provided herein will be readily apparent to one of skill in the art.

In addition, one of skill in the art will readily understand that the Ad sequences of the invention can be readily adapted for use for a variety of viral and non-viral vector systems for in vitro, ex vivo or in vivo delivery of therapeutic and immunogenic molecules. For example, the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 simian Ad genomes of the invention can be utilized in a variety of rAd and non-rAd vector systems. Such vectors systems may include, e.g., plasmids, lentiviruses, retroviruses, poxviruses, vaccinia viruses, and adeno-associated viral systems, among others. Selection of these vector systems is not a limitation of the present invention.

The invention further provides molecules useful for production of the simian and simian-derived proteins of the invention. Such molecules which carry polynucleotides including the simian Ad DNA sequences of the invention can be in the form of naked DNA, a plasmid, a virus or any other genetic element.

### B. Simian Adenoviral Proteins of the Invention

5

10

15

20

25

30

The invention further provides gene products of the above adenoviruses, such as proteins, enzymes, and fragments thereof, which are encoded by the adenoviral nucleic acids of the invention. The invention further encompasses Pan5, Pan6 and Pan7, SV1, SV25 and SV39 proteins, enzymes, and fragments thereof, having the amino acid sequences encoded by these nucleic acid sequences which are generated by other methods. Such proteins include those encoded by the open reading frames identified in the tables above, in Figs. 1 and 2, and fragments thereof.

Thus, in one aspect, the invention provides unique simian adenoviral proteins which are substantially pure, i.e., are free of other viral and proteinaceous proteins. Preferably, these proteins are at least 10% homogeneous, more preferably 60% homogeneous, and most preferably 95% homogeneous.

In one embodiment, the invention provides unique simian-derived capsid proteins. As used herein, a simian-derived capsid protein includes any adenoviral capsid protein that contains a Pan5, Pan6, Pan7, SV1, SV25 or SV39 capsid protein or a fragment thereof, as defined above, including, without limitation, chimeric capsid proteins, fusion proteins, artificial capsid proteins, synthetic capsid proteins, and recombinantly capsid proteins, without limitation to means of generating these proteins.

Suitably, these simian-derived capsid proteins contain one or more Pan5, Pan6, Pan7, SV1, SV25 or SV39 regions or fragments thereof (e.g., a hexon, penton, fiber or fragment thereof) in combination with capsid regions or fragments thereof of different adenoviral serotypes, or modified simian capsid proteins or fragments, as described herein. A "modification of a capsid protein associated with altered tropism" as used herein includes an altered capsid protein, i.e, a penton, hexon or fiber protein region, or fragment thereof, such as the knob domain of the fiber region, or a polynucleotide encoding same, such that specificity is altered. The simian-derived capsid may be constructed with one or more of the simian Ad of the invention or another Ad serotypes which may be of human or non-human origin. Such Ad may be obtained from a variety of sources including the ATCC, commercial and academic sources, or the sequences of the Ad may be obtained from GenBank or other suitable sources.

The amino acid sequences of the simian adenoviruses penton proteins of the invention are provided herein. The AdPan5 penton protein is provided in SEQ ID

NO:2. The AdPan7 penton is provided in SEQ ID NO:6. The AdPan6 penton is provided in SEQ ID NO:10. The SV1 penton is provided in SEQ ID NO:25. The SV25 penton protein is provided in SEQ ID NO:30. The SV39 penton is provided in SEQ ID NO:35. Suitably, any of these penton proteins, or unique fragments thereof, may be utilized for a variety of purposes. Examples of suitable fragments include the penton having N-terminal and/or C-terminal truncations of about 50, 100, 150, or 200 amino acids, based upon the amino acid numbering provided above and in SEQ ID NO:2; SEQ ID NO:6; SEQ ID NO:25; SEQ ID NO:30, or SEQ ID NO:35. Other suitable fragments include shorter internal, C-terminal, or N-terminal fragments. Further, the penton protein may be modified for a variety of purposes known to those of skill in the art.

5

10

15

20

25

30

The invention further provides the amino acid sequences of the hexon protein of Pan5 [SEQ ID NO:3], Pan6 [SEQ ID NO:7], Pan 7 [SEQ ID NO:11], SV1 [SEQ ID NO:26], SV25 [SEQ ID NO:31], and/or SV39 [SEQ ID NO:36]. Suitably, this hexon protein, or unique fragments thereof, may be utilized for a variety of purposes. Examples of suitable fragments include the hexon having N-terminal and/or C-terminal truncations of about 50, 100, 150, 200, 300, 400, or 500 amino acids, based upon the amino acid numbering provided above and in SEQ ID NO: 3, 7, 11, 26, 31 and 36. Other suitable fragments include shorter internal, C-terminal, or N-terminal fragments. For example, one suitable fragment the loop region (domain) of the hexon protein, designated DE1 and FG1, or a hypervariable region thereof. Such fragments include the regions spanning amino acid residues about 125 to 443; about 138 to 441, or smaller fragments. such as those spanning about residue 138 to residue 163; about 170 to about 176; about 195 to about 203; about 233 to about 246; about 253 to about 264; about 287 to about 297; and about 404 to about 430 of the simian hexon proteins, with reference to SEQ ID NO: 3, 7, 11, 26, 31 or 36. Other suitable fragments may be readily identified by one of skill in the art. Further, the hexon protein may be modified for a variety of purposes known to those of skill in the art. Because the hexon protein is the determinant for serotype of an adenovirus, such artificial hexon proteins would result in adenoviruses having artificial serotypes. Other artificial capsid proteins can also be constructed using the chimp Ad penton sequences and/or fiber sequences of the invention and/or fragments thereof.

In one example, it may be desirable to generate an adenovirus having an altered hexon protein utilizing the sequences of a hexon protein of the invention. One suitable method for altering hexon proteins is described in US Patent 5,922,315, which is incorporated by reference. In this method, at least one loop region of the adenovirus hexon is changed with at least one loop region of another adenovirus serotype. Thus, at least one loop region of such an altered adenovirus hexon protein is a simian Ad hexon loop region of the invention (e.g. Pan7). In one embodiment, a loop region of the Pan7 hexon protein is replaced by a loop region from another adenovirus serotype. In another embodiment, the loop region of the Pan7 hexon is used to replace a loop region from another adenovirus serotype. Suitable adenovirus serotypes may be readily selected from among human and non-human serotypes, as described herein. Pan7 is selected for purposes of illustration only; the other simian Ad hexon proteins of the invention may be similarly altered, or used to alter another Ad hexon. The selection of a suitable serotype is not a limitation of the present invention. Still other uses for the hexon protein sequences of the invention will be readily apparent to those of skill in the art.

The invention further encompasses the fiber proteins of the simian adenoviruses of the invention. The fiber protein of AdPan 5 has the amino acid sequence of SEQ ID NO:4. The fiber protein AdPan6 has the amino acid sequence of SEQ ID NO: 8. The fiber protein of AdPan7 has the amino acid sequence of SEQ ID NO: 12. SV-1 has two fiber proteins; fiber 2 has the amino acid sequence of SEQ ID NO:27 and fiber 1 has the amino acid sequence of SEQ ID NO:28. SV-25 also has two fiber proteins; fiber 2 has the amino acid sequence of SEQ ID NO:32 and fiber 1 has the amino acid sequence of SEQ ID NO:33. The fiber protein of SV-39 has the amino acid sequence of SEQ ID NO:37.

Suitably, this fiber protein, or unique fragments thereof, may be utilized for a variety of purposes. One suitable fragment is the fiber knob, which spans about amino acids 247 to 425 of SEQ ID NO: 4, 8, 12, 28, 32, 33 and 37. See Fig. 2. Examples of other suitable fragments include the fiber having N-terminal and/or C-terminal truncations of about 50, 100, 150, or 200 amino acids, based upon the amino acid numbering provided above and in SEQ ID NO: 4, 8, 12, 28, 32, 33 and 37. Still other suitable fragments include internal fragments. Further, the fiber protein may be modified using a variety of techniques known to those of skill in the art.

The invention further encompasses unique fragments of the proteins of the invention which are at least 8 amino acids in length. However, fragments of other desired lengths can be readily utilized. In addition, the invention encompasses such modifications as may be introduced to enhance yield and/or expression of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product, e.g., construction of a fusion molecule in which all or a fragment of the Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product is fused (either directly or via a linker) with a fusion partner to enhance. Other suitable modifications include, without limitation, truncation of a coding region (e.g., a protein or enzyme) to eliminate a pre- or pro-protein ordinarily cleaved and to provide the mature protein or enzyme and/or mutation of a coding region to provide a secretable gene product. Still other modifications will be readily apparent to one of skill in the art. The invention further encompasses proteins having at least about 95% to 99% identity to the Pan5, Pan6, Pan7, SV1, SV25 or SV39 proteins provided herein.

5

10

15

20

25

30

As described herein, vectors of the invention containing the adenoviral capsid proteins of the invention are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other Ad serotype based vectors, as well as other viral vectors. The rAd vectors of the invention are particularly advantageous in readministration for repeat gene therapy or for boosting immune response (vaccine titers).

Under certain circumstances, it may be desirable to use one or more of the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 gene products (e.g., a capsid protein or a fragment thereof) to generate an antibody. The term "an antibody," as used herein, refers to an immunoglobulin molecule which is able to specifically bind to an epitope. Thus, the antibodies of the invention bind, preferably specifically and without cross-reactivity, to a Pan5, Pan6, Pan7, SV1, SV25 or SV39 epitope. The antibodies in the present invention exist in a variety of forms including, for example, high affinity polyclonal antibodies, monoclonal antibodies, synthetic antibodies, chimeric antibodies, recombinant antibodies and humanized antibodies. Such antibodies originate from immunoglobulin classes IgG, IgM, IgA, IgD and IgE.

Such antibodies may be generated using any of a number of methods know in the art. Suitable antibodies may be generated by well-known conventional techniques, e.g. Kohler and Milstein and the many known modifications thereof.

Similarly desirable high titer antibodies are generated by applying known recombinant techniques to the monoclonal or polyclonal antibodies developed to these antigens [see, e.g., PCT Patent Application No. PCT/GB85/00392; British Patent Application Publication No. GB2188638A; Amit et al., 1986 Science, 233:747-753; Queen et al., 1989 Proc. Nat'l. Acad. Sci. USA, 86:10029-10033; PCT Patent Application No. 5 PCT/WO9007861; and Riechmann et al., Nature, 332:323-327 (1988); Huse et al, 1988a Science, 246:1275-1281]. Alternatively, antibodies can be produced by manipulating the complementarity determining regions of animal or human antibodies to the antigen of this invention. See, e.g., E. Mark and Padlin, "Humanization of Monoclonal Antibodies", Chapter 4, The Handbook of Experimental Pharmacology, Vol. 113, The Pharmacology 10 of Monoclonal Antibodies, Springer-Verlag (June, 1994); Harlow et al., 1999, Using Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory Press, NY; Harlow et al., 1989, Antibodies: A Laboratory Manual, Cold Spring Harbor, New York; Houston et al., 1988, Proc. Natl. Acad. Sci. USA 85:5879-5883; and Bird et al., 1988, Science 242:423-426. Further provided by the present invention are anti-idiotype antibodies 15 (Ab2) and anti-anti-idiotype antibodies (Ab3). See, e.g., M. Wettendorff et al., "Modulation of anti-tumor immunity by anti-idiotypic antibodies." In Idiotypic Network and Diseases, ed. by J. Cerny and J. Hiernaux, 1990 J. Am. Soc. Microbiol., Washington DC: pp. 203-229]. These anti-idiotype and anti-anti-idiotype antibodies are produced 20 using techniques well known to those of skill in the art. These antibodies may be used for a variety of purposes, including diagnostic and clinical methods and kits.

Under certain circumstances, it may be desirable to introduce a detectable label or a tag onto a Pan5, Pan6, Pan7, SV1, SV25 or SV39 gene product, antibody or other construct of the invention. As used herein, a detectable label is a molecule which is capable, alone or upon interaction with another molecule, of providing a detectable signal. Most desirably, the label is detectable visually, e.g. by fluorescence, for ready use in immunohistochemical analyses or immunofluorescent microscopy. For example, suitable labels include fluorescein isothiocyanate (FITC), phycoerythrin (PE), allophycocyanin (APC), coriphosphine-O (CPO) or tandem dyes, PE-cyanin-5 (PC5), and PE-Texas Red (ECD). All of these fluorescent dyes are commercially available, and their uses known to the art. Other useful labels include a colloidal gold label. Still other useful labels include radioactive compounds or elements. Additionally, labels include a variety of enzyme

25

30

systems that operate to reveal a colorimetric signal in an assay, e.g., glucose oxidase (which uses glucose as a substrate) releases peroxide as a product which in the presence of peroxidase and a hydrogen donor such as tetramethyl benzidine (TMB) produces an oxidized TMB that is seen as a blue color. Other examples include horseradish peroxidase (HRP) or alkaline phosphatase (AP), and hexokinase in conjunction with glucose-6-phosphate dehydrogenase which reacts with ATP, glucose, and NAD+ to yield, among other products, NADH that is detected as increased absorbance at 340 nm wavelength.

5

10

15

20

25

30

Other label systems that are utilized in the methods of this invention are detectable by other means, e.g., colored latex microparticles [Bangs Laboratories, Indiana] in which a dye is embedded are used in place of enzymes to form conjugates with the target sequences provide a visual signal indicative of the presence of the resulting complex in applicable assays.

Methods for coupling or associating the label with a desired molecule are similarly conventional and known to those of skill in the art. Known methods of label attachment are described [see, for example, Handbook of Fluorescent probes and Research Chemicals, 6th Ed., R. P. M. Haugland, Molecular Probes, Inc., Eugene, OR, 1996; Pierce Catalog and Handbook, Life Science and Analytical Research Products, Pierce Chemical Company, Rockford, IL, 1994/1995]. Thus, selection of the label and coupling methods do not limit this invention.

The sequences, proteins, and fragments of the invention may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Suitable production techniques are well known to those of skill in the art. See, e.g., Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press (Cold Spring Harbor, NY). Alternatively, peptides can also be synthesized by the well known solid phase peptide synthesis methods (Merrifield, *J. Am. Chem. Soc.*, **85**:2149 (1962); Stewart and Young, Solid Phase Peptide Synthesis (Freeman, San Francisco, 1969) pp. 27-62). These and other suitable production methods are within the knowledge of those of skill in the art and are not a limitation of the present invention.

In addition, one of skill in the art will readily understand that the Ad sequences of the invention can be readily adapted for use for a variety of viral and non-viral vector systems for *in vitro*, *ex vivo* or *in vivo* delivery of therapeutic and

immunogenic molecules. For example, in one embodiment, the simian Ad capsid proteins and other simian adenovirus proteins described herein are used for non-viral, protein-based delivery of genes, proteins, and other desirable diagnostic, therapeutic and immunogenic molecules. In one such embodiment, a protein of the invention is linked, directly or indirectly, to a molecule for targeting to cells with a receptor for adenoviruses. Preferably, a capsid protein such as a hexon, penton, fiber or a fragment thereof having a ligand for a cell surface receptor is selected for such targeting. Suitable molecules for delivery are selected from among the therapeutic molecules described herein and their gene products. A variety of linkers including, lipids, polyLys, and the like may be utilized as linkers. For example, the simian penton protein may be readily utilized for such a purpose by production of a fusion protein using the simian penton sequences in a manner analogous to that described in Medina-Kauwe LK, et al, Gene Ther. 2001 May; 8(10):795-803 and Medina-Kauwe LK, et al, Gene Ther. 2001 Dec; 8(23): 1753-1761. Alternatively, the amino acid sequences of simian Ad protein IX may be utilized for targeting vectors to a cell surface receptor, as described in US Patent Appln 20010047081. Suitable ligands include a CD40 antigen, an RGD-containing or polylysine-containing sequence, and the like. Still other simian Ad proteins, including, e.g., the hexon protein and/or the fiber protein, may be used for used for these and similar purposes.

Still other adenoviral proteins of the invention may be used as alone, or in combination with other adenoviral protein, for a variety of purposes which will be readily apparent to one of skill in the art. In addition, still other uses for the adenoviral proteins of the invention will be readily apparent to one of skill in the art.

## 25 II. Recombinant Adenoviral Vectors

5

10

15

20

30

The compositions of this invention include vectors that deliver a heterologous molecule to cells, either for therapeutic or vaccine purposes. As used herein, a vector may include any genetic element including, without limitation, naked DNA, a phage, transposon, cosmid, episome, plasmid, or a virus. Such vectors contain simian adenovirus DNA of Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 and a minigene. By "minigene" is meant the combination of a selected heterologous gene and the other

5

10

15

20

25

30

regulatory elements necessary to drive translation, transcription and/or expression of the gene product in a host cell.

Typically, an adenoviral vector of the invention is designed such that the minigene is located in a nucleic acid molecule which contains other adenoviral sequences in the region native to a selected adenoviral gene. The minigene may be inserted into an existing gene region to disrupt the function of that region, if desired. Alternatively, the minigene may be inserted into the site of a partially or fully deleted adenoviral gene. For example, the minigene may be located in the site of such as the site of a functional E1 deletion or functional E3 deletion, among others that may be selected. The term "functionally deleted" or "functional deletion" means that a sufficient amount of the gene region is removed or otherwise damaged, e.g., by mutation or modification, so that the gene region is no longer capable of producing functional products of gene expression. If desired, the entire gene region may be removed. Other suitable sites for gene disruption or deletion are discussed elsewhere in the application.

For example, for a production vector useful for generation of a recombinant virus, the vector may contain the minigene and either the 5' end of the adenoviral genome or the 3' end of the adenoviral genome, or both the 5' and 3' ends of the adenoviral genome. The 5' end of the adenoviral genome contains the 5' cis-elements necessary for packaging and replication; i.e., the 5' inverted terminal repeat (ITR) sequences (which functions as origins of replication) and the native 5' packaging enhancer domains (that contain sequences necessary for packaging linear Ad genomes and enhancer elements for the E1 promoter). The 3' end of the adenoviral genome includes the 3' cis-elements (including the ITRs) necessary for packaging and encapsidation. Suitably, a recombinant adenovirus contains both 5' and 3' adenoviral cis-elements and the minigene is located between the 5' and 3' adenoviral sequences. Any adenoviral vector of the invention may also contain additional adenoviral sequences.

Suitably, these adenoviral vectors of the invention contain one or more adenoviral elements derived from an adenoviral genome of the invention. In one embodiment, the vectors contain adenoviral ITRs from Pan5, Pan6, Pan7, SV1, SV25 or SV39 and additional adenoviral sequences from the same adenoviral serotype. In another embodiment, the vectors contain adenoviral sequences that are derived from a different

adenoviral serotype than that which provides the ITRs. As defined herein, a pseudotyped adenovirus refers to an adenovirus in which the capsid protein of the adenovirus is from a different serotype than the serotype which provides the ITRs. The selection of the serotype of the ITRs and the serotype of any other adenoviral sequences present in vector is not a limitation of the present invention. A variety of adenovirus strains are available from the American Type Culture Collection, Manassas, Virginia, or available by request from a variety of commercial and institutional sources. Further, the sequences of many such strains are available from a variety of databases including, e.g., PubMed and GenBank. Homologous adenovirus vectors prepared from other simian or from human adenoviruses are described in the published literature [see, for example, US Patent No. 5,240,846]. The DNA sequences of a number of adenovirus types are available from GenBank, including type Ad5 [GenBank Accession No. M73260]. The adenovirus sequences may be obtained from any known adenovirus serotype, such as serotypes 2, 3, 4, 7, 12 and 40, and further including any of the presently identified human types. Similarly adenoviruses known to infect non-human animals (e.g., simians) may also be employed in the vector constructs of this invention. See, e.g., US Patent No. 6,083,716.

The viral sequences, helper viruses, if needed, and recombinant viral particles, and other vector components and sequences employed in the construction of the vectors described herein are obtained as described above. The DNA sequences of the Pan5, Pan6, Pan7, SV1, SV25 and/or SV39 simian adenovirus sequences of the invention are employed to construct vectors and cell lines useful in the preparation of such vectors.

Modifications of the nucleic acid sequences forming the vectors of this invention, including sequence deletions, insertions, and other mutations may be generated using standard molecular biological techniques and are within the scope of this invention.

# A. The "Minigene"

5

10

15

20

25

30

The methods employed for the selection of the transgene, the cloning and construction of the "minigene" and its insertion into the viral vector are within the skill in the art given the teachings provided herein.

### 1. The transgene

The transgene is a nucleic acid sequence, heterologous to the vector sequences flanking the transgene, which encodes a polypeptide, protein, or other product, of interest. The nucleic acid coding sequence is operatively linked to regulatory

components in a manner which permits transgene transcription, translation, and/or expression in a host cell.

5

10

15

20

25

30

The composition of the transgene sequence will depend upon the use to which the resulting vector will be put. For example, one type of transgene sequence includes a reporter sequence, which upon expression produces a detectable signal. Such reporter sequences include, without limitation, DNA sequences encoding βlactamase, β-galactosidase (LacZ), alkaline phosphatase, thymidine kinase, green fluorescent protein (GFP), chloramphenicol acetyltransferase (CAT), luciferase, membrane bound proteins including, for example, CD2, CD4, CD8, the influenza hemagglutinin protein, and others well known in the art, to which high affinity antibodies directed thereto exist or can be produced by conventional means, and fusion proteins comprising a membrane bound protein appropriately fused to an antigen tag domain from, among others, hemagglutinin or Myc. These coding sequences, when associated with regulatory elements which drive their expression, provide signals detectable by conventional means, including enzymatic, radiographic, colorimetric, fluorescence or other spectrographic assays, fluorescent activating cell sorting assays and immunological assays, including enzyme linked immunosorbent assay (ELISA), radioimmunoassay (RIA) and immunohistochemistry. For example, where the marker sequence is the LacZ gene, the presence of the vector carrying the signal is detected by assays for betagalactosidase activity. Where the transgene is GFP or luciferase, the vector carrying the signal may be measured visually by color or light production in a luminometer.

However, desirably, the transgene is a non-marker sequence encoding a product which is useful in biology and medicine, such as proteins, peptides, RNA, enzymes, or catalytic RNAs. Desirable RNA molecules include tRNA, dsRNA, ribosomal RNA, catalytic RNAs, and antisense RNAs. One example of a useful RNA sequence is a sequence which extinguishes expression of a targeted nucleic acid sequence in the treated animal.

The transgene may be used for treatment, e.g., of genetic deficiencies, as a cancer therapeutic or vaccine, for induction of an immune response, and/or for prophylactic vaccine purposes. As used herein, induction of an immune response refers to the ability of a molecule (e.g., a gene product) to induce a T cell and/or a humoral immune response to the molecule. The invention further includes using multiple

transgenes, e.g., to correct or ameliorate a condition caused by a multi-subunit protein. In certain situations, a different transgene may be used to encode each subunit of a protein. or to encode different peptides or proteins. This is desirable when the size of the DNA encoding the protein subunit is large, e.g., for an immunoglobulin, the platelet-derived growth factor, or a dystrophin protein. In order for the cell to produce the multi-subunit protein, a cell is infected with the recombinant virus containing each of the different subunits. Alternatively, different subunits of a protein may be encoded by the same transgene. In this case, a single transgene includes the DNA encoding each of the subunits, with the DNA for each subunit separated by an internal ribozyme entry site (IRES). This is desirable when the size of the DNA encoding each of the subunits is small, e.g., the total size of the DNA encoding the subunits and the IRES is less than five kilobases. As an alternative to an IRES, the DNA may be separated by sequences encoding a 2A peptide, which self-cleaves in a post-translational event. See, e.g., M.L. Donnelly, et al, J. Gen. Virol., 78(Pt 1):13-21 (Jan 1997); Furler, S., et al, Gene Ther., 8(11):864-873 (June 2001); Klump H., et al., Gene Ther., 8(10):811-817 (May 2001). This 2A peptide is significantly smaller than an IRES, making it well suited for use when space is a limiting factor. However, the selected transgene may encode any biologically active product or other product, e.g., a product desirable for study.

Suitable transgenes may be readily selected by one of skill in the art. The selection of the transgene is not considered to be a limitation of this invention.

### 2. Regulatory Elements

5

10

15

20

25

30

In addition to the major elements identified above for the minigene, the vector also includes conventional control elements necessary which are operably linked to the transgene in a manner that permits its transcription, translation and/or expression in a cell transfected with the plasmid vector or infected with the virus produced by the invention. As used herein, "operably linked" sequences include both expression control sequences that are contiguous with the gene of interest and expression control sequences that act in *trans* or at a distance to control the gene of interest.

Expression control sequences include appropriate transcription initiation, termination, promoter and enhancer sequences; efficient RNA processing signals such as splicing and polyadenylation (polyA) signals; sequences that stabilize cytoplasmic mRNA; sequences that enhance translation efficiency (i.e., Kozak consensus

sequence); sequences that enhance protein stability; and when desired, sequences that enhance secretion of the encoded product. A great number of expression control sequences, including promoters which are native, constitutive, inducible and/or tissue-specific, are known in the art and may be utilized.

5

10

15

20

25

30

Examples of constitutive promoters include, without limitation, the retroviral Rous sarcoma virus (RSV) LTR promoter (optionally with the RSV enhancer), the cytomegalovirus (CMV) promoter (optionally with the CMV enhancer) [see, e.g., Boshart *et al*, *Cell*, **41**:521-530 (1985)], the SV40 promoter, the dihydrofolate reductase promoter, the β-actin promoter, the phosphoglycerol kinase (PGK) promoter, and the EF1α promoter [Invitrogen].

Inducible promoters allow regulation of gene expression and can be regulated by exogenously supplied compounds, environmental factors such as temperature, or the presence of a specific physiological state, e.g., acute phase, a particular differentiation state of the cell, or in replicating cells only. Inducible promoters and inducible systems are available from a variety of commercial sources, including, without limitation, Invitrogen, Clontech and Ariad. Many other systems have been described and can be readily selected by one of skill in the art. For example, inducible promoters include the zinc-inducible sheep metallothionine (MT) promoter and the dexamethasone (Dex)-inducible mouse mammary tumor virus (MMTV) promoter. Other inducible systems include the T7 polymerase promoter system [WO 98/10088]; the ecdysone insect promoter [No et al, Proc. Natl. Acad. Sci. USA, 93:3346-3351 (1996)], the tetracycline-repressible system [Gossen et al, Proc. Natl. Acad. Sci. USA, 89:5547-5551 (1992)], the tetracycline-inducible system [Gossen et al, Science, 268:1766-1769] (1995), see also Harvey et al, Curr. Opin. Chem. Biol., 2:512-518 (1998)]. Other systems include the FK506 dimer, VP16 or p65 using castradiol, diphenol murislerone, the RU486-inducible system [Wang et al, Nat. Biotech., 15:239-243 (1997) and Wang et al, Gene Ther., 4:432-441 (1997)] and the rapamycin-inducible system [Magari et al, J. Clin. Invest., 100:2865-2872 (1997)]. The effectiveness of some inducible promoters increases over time. In such cases one can enhance the effectiveness of such systems by inserting multiple repressors in tandem, e.g., TetR linked to a TetR by an IRES. Alternatively, one can wait at least 3 days before screening for the desired function. One can enhance expression of desired proteins by known means to enhance the effectiveness

of this system. For example, using the Woodchuck Hepatitis Virus Posttranscriptional Regulatory Element (WPRE).

In another embodiment, the native promoter for the transgene will be used. The native promoter may be preferred when it is desired that expression of the transgene should mimic the native expression. The native promoter may be used when expression of the transgene must be regulated temporally or developmentally, or in a tissue-specific manner, or in response to specific transcriptional stimuli. In a further embodiment, other native expression control elements, such as enhancer elements, polyadenylation sites or Kozak consensus sequences may also be used to mimic the native expression.

5

10

15

20

25

30

Another embodiment of the transgene includes a transgene operably linked to a tissue-specific promoter. For instance, if expression in skeletal muscle is desired, a promoter active in muscle should be used. These include the promoters from genes encoding skeletal β-actin, myosin light chain 2A, dystrophin, muscle creatine kinase, as well as synthetic muscle promoters with activities higher than naturally occurring promoters (see Li et al., Nat. Biotech., 17:241-245 (1999)). Examples of promoters that are tissue-specific are known for liver (albumin, Miyatake et al., J. Virol., 71:5124-32 (1997); hepatitis B virus core promoter, Sandig et al., Gene Ther., 3:1002-9 (1996); alpha-fetoprotein (AFP), Arbuthnot et al., Hum. Gene Ther., 7:1503-14 (1996)), bone osteocalcin (Stein et al., Mol. Biol. Rep., 24:185-96 (1997)); bone sialoprotein (Chen et al., J. Bone Miner. Res., 11:654-64 (1996)), lymphocytes (CD2, Hansal et al., J. Immunol., 161:1063-8 (1998); immunoglobulin heavy chain; T cell receptor chain), neuronal such as neuron-specific enolase (NSE) promoter (Andersen et al., Cell. Mol. Neurobiol., 13:503-15 (1993)), neurofilament light-chain gene (Piccioli et al., Proc. Natl. Acad. Sci. USA, 88:5611-5 (1991)), and the neuron-specific vgf gene (Piccioli et al., Neuron, 15:373-84 (1995)), among others.

Optionally, vectors carrying transgenes encoding therapeutically useful or immunogenic products may also include selectable markers or reporter genes may include sequences encoding geneticin, hygromicin or purimycin resistance, among others. Such selectable reporters or marker genes (preferably located outside the viral genome to be packaged into a viral particle) can be used to signal the presence of the plasmids in bacterial cells, such as ampicillin resistance. Other components of the vector may include

an origin of replication. Selection of these and other promoters and vector elements are conventional and many such sequences are available [see, e.g., Sambrook et al, and references cited therein].

These vectors are generated using the techniques and sequences provided herein, in conjunction with techniques known to those of skill in the art.

Such techniques include conventional cloning techniques of cDNA such as those described in texts [Sambrook et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring Harbor, NY], use of overlapping oligonucleotide sequences of the adenovirus genomes, polymerase chain reaction, and any suitable method which provides the desired nucleotide sequence.

## III. Production of the Recombinant Viral Particle

5

10

15

20

25

30

In one embodiment, the simian adenoviral plasmids (or other vectors) are used to produce recombinant adenoviral particles. In one embodiment, the recombinant adenoviruses are functionally deleted in the E1a or E1b genes, and optionally bearing other mutations, e.g., temperature-sensitive mutations or deletions in other genes. In other embodiments, it is desirable to retain an intact E1a and/or E1b region in the recombinant adenoviruses. Such an intact E1 region may be located in its native location in the adenoviral genome or placed in the site of a deletion in the native adenoviral genome (e.g., in the E3 region).

In the construction of useful simian adenovirus vectors for delivery of a gene to the human (or other mammalian) cell, a range of adenovirus nucleic acid sequences can be employed in the vectors. For example, all or a portion of the adenovirus delayed early gene E3 may be eliminated from the simian adenovirus sequence which forms a part of the recombinant virus. The function of simian E3 is believed to be irrelevant to the function and production of the recombinant virus particle. Simian adenovirus vectors may also be constructed having a deletion of at least the ORF6 region of the E4 gene, and more desirably because of the redundancy in the function of this region, the entire E4 region. Still another vector of this invention contains a deletion in the delayed early gene E2a. Deletions may also be made in any of the late genes L1 through L5 of the simian adenovirus genome. Similarly, deletions in the intermediate genes IX and IVa<sub>2</sub> may be useful for some purposes. Other deletions may be made in the other structural or non-

structural adenovirus genes. The above discussed deletions may be used individually, i.e., an adenovirus sequence for use in the present invention may contain deletions in only a single region. Alternatively, deletions of entire genes or portions thereof effective to destroy their biological activity may be used in any combination. For example, in one exemplary vector, the adenovirus sequence may have deletions of the E1 genes and the E4 gene, or of the E1, E2a and E3 genes, or of the E1 and E3 genes, or of E1, E2a and E4 genes, with or without deletion of E3, and so on. As discussed above, such deletions may be used in combination with other mutations, such as temperature-sensitive mutations, to achieve a desired result.

An adenoviral vector lacking any essential adenoviral sequences (e.g., E1a, E1b, E2a, E2b, E4 ORF6, L1, L2, L3, L4 and L5) may be cultured in the presence of the missing adenoviral gene products which are required for viral infectivity and propagation of an adenoviral particle. These helper functions may be provided by culturing the adenoviral vector in the presence of one or more helper constructs (e.g., a plasmid or virus) or a packaging host cell. See, for example, the techniques described for preparation of a "minimal" human Ad vector in International Patent Application WO96/13597, published May 9, 1996, and incorporated herein by reference.

## 1. Helper Viruses

5

10

15

20

25

30

Thus, depending upon the simian adenovirus gene content of the viral vectors employed to carry the minigene, a helper adenovirus or non-replicating virus fragment may be necessary to provide sufficient simian adenovirus gene sequences necessary to produce an infective recombinant viral particle containing the minigene. Useful helper viruses contain selected adenovirus gene sequences not present in the adenovirus vector construct and/or not expressed by the packaging cell line in which the vector is transfected. In one embodiment, the helper virus is replication-defective and contains a variety of adenovirus genes in addition to the sequences described above. Such a helper virus is desirably used in combination with an E1-expressing cell line.

Helper viruses may also be formed into poly-cation conjugates as described in Wu *et al*, *J. Biol. Chem.*, **264**:16985-16987 (1989); K. J. Fisher and J. M. Wilson, *Biochem. J.*, **299**:49 (April 1, 1994). Helper virus may optionally contain a second reporter minigene. A number of such reporter genes are known to the art. The presence of a reporter gene on the helper virus which is different from the transgene on

the adenovirus vector allows both the Ad vector and the helper virus to be independently monitored. This second reporter is used to enable separation between the resulting recombinant virus and the helper virus upon purification.

## 2. Complementation Cell Lines

5

10

15

20

25

30

To generate recombinant simian adenoviruses (Ad) deleted in any of the genes described above, the function of the deleted gene region, if essential to the replication and infectivity of the virus, must be supplied to the recombinant virus by a helper virus or cell line, i.e., a complementation or packaging cell line. In many circumstances, a cell line expressing the human E1 can be used to transcomplement the chimp Ad vector. This is particularly advantageous because, due to the diversity between the chimp Ad sequences of the invention and the human AdE1 sequences found in currently available packaging cells, the use of the current human E1-containing cells prevents the generation of replication-competent adenoviruses during the replication and production process. However, in certain circumstances, it will be desirable to utilize a cell line which expresses the E1 gene products can be utilized for production of an E1-deleted simian adenovirus. Such cell lines have been described. See, e.g., US Patent 6,083,716.

If desired, one may utilize the sequences provided herein to generate a packaging cell or cell line that expresses, at a minimum, the adenovirus E1 gene from Pan5, Pan6, Pan7, SV1, SV25 or SV39 under the transcriptional control of a promoter for expression in a selected parent cell line. Inducible or constitutive promoters may be employed for this purpose. Examples of such promoters are described in detail elsewhere in this specification. A parent cell is selected for the generation of a novel cell line expressing any desired AdPan5, Pan6, Pan7, SV1, SV25 or SV39 gene. Without limitation, such a parent cell line may be HeLa [ATCC Accession No. CCL 2], A549 [ATCC Accession No. CCL 185], HEK 293, KB [CCL 17], Detroit [e.g., Detroit 510, CCL 72] and WI-38 [CCL 75] cells, among others. These cell lines are all available from the American Type Culture Collection, 10801 University Boulevard, Manassas, Virginia 20110-2209. Other suitable parent cell lines may be obtained from other sources.

Such E1-expressing cell lines are useful in the generation of recombinant simian adenovirus E1 deleted vectors. Additionally, or alternatively, the invention provides cell lines that express one or more simian adenoviral gene products,

e.g., E1a, E1b, E2a, and/or E4 ORF6, can be constructed using essentially the same procedures for use in the generation of recombinant simian viral vectors. Such cell lines can be utilized to transcomplement adenovirus vectors deleted in the essential genes that encode those products, or to provide helper functions necessary for packaging of a helper-dependent virus (e.g., adeno-associated virus). The preparation of a host cell according to this invention involves techniques such as assembly of selected DNA sequences. This assembly may be accomplished utilizing conventional techniques. Such techniques include cDNA and genomic cloning, which are well known and are described in Sambrook et al., cited above, use of overlapping oligonucleotide sequences of the adenovirus genomes, combined with polymerase chain reaction, synthetic methods, and any other suitable methods which provide the desired nucleotide sequence.

5

10

15

20

25

30

In still another alternative, the essential adenoviral gene products are provided in *trans* by the adenoviral vector and/or helper virus. In such an instance, a suitable host cell can be selected from any biological organism, including prokaryotic (e.g., bacterial) cells, and eukaryotic cells, including, insect cells, yeast cells and mammalian cells. Particularly desirable host cells are selected from among any mammalian species, including, without limitation, cells such as A549, WEHI, 3T3, 10T1/2, HEK 293 cells or PERC6 (both of which express functional adenoviral E1) [Fallaux, FJ *et al*, (1998), *Hum Gene Ther*, **9**:1909-1917], Saos, C2C12, L cells, HT1080, HepG2 and primary fibroblast, hepatocyte and myoblast cells derived from mammals including human, monkey, mouse, rat, rabbit, and hamster. The selection of the mammalian species providing the cells is not a limitation of this invention; nor is the type of mammalian cell, i.e., fibroblast, hepatocyte, tumor cell, etc.

3. Assembly of Viral Particle and Transfection of a Cell Line Generally, when delivering the vector comprising the minigene by transfection, the vector is delivered in an amount from about 5 μg to about 100 μg DNA, and preferably about 10 to about 50 μg DNA to about 1 x 10<sup>4</sup> cells to about 1 x 10<sup>13</sup> cells, and preferably about 10<sup>5</sup> cells. However, the relative amounts of vector DNA to host cells may be adjusted, taking into consideration such factors as the selected vector, the delivery method and the host cells selected.

The vector may be any vector known in the art or disclosed above, including naked DNA, a plasmid, phage, transposon, cosmids, episomes, viruses, etc.

Introduction into the host cell of the vector may be achieved by any means known in the art or as disclosed above, including transfection, and infection. One or more of the adenoviral genes may be stably integrated into the genome of the host cell, stably expressed as episomes, or expressed transiently. The gene products may all be expressed transiently, on an episome or stably integrated, or some of the gene products may be expressed stably while others are expressed transiently. Furthermore, the promoters for each of the adenoviral genes may be selected independently from a constitutive promoter, an inducible promoter or a native adenoviral promoter. The promoters may be regulated by a specific physiological state of the organism or cell (i.e., by the differentiation state or in replicating or quiescent cells) or by exogenously-added factors, for example.

5

10

15

20

25

30

Introduction of the molecules (as plasmids or viruses) into the host cell may also be accomplished using techniques known to the skilled artisan and as discussed throughout the specification. In preferred embodiment, standard transfection techniques are used, e.g., CaPO<sub>4</sub> transfection or electroporation.

Assembly of the selected DNA sequences of the adenovirus (as well as the transgene and other vector elements into various intermediate plasmids, and the use of the plasmids and vectors to produce a recombinant viral particle are all achieved using conventional techniques. Such techniques include conventional cloning techniques of cDNA such as those described in texts [Sambrook et al, cited above], use of overlapping oligonucleotide sequences of the adenovirus genomes, polymerase chain reaction, and any suitable method which provides the desired nucleotide sequence.

Standard transfection and co-transfection techniques are employed, e.g., CaPO<sub>4</sub> precipitation techniques. Other conventional methods employed include homologous recombination of the viral genomes, plaquing of viruses in agar overlay, methods of measuring signal generation, and the like.

For example, following the construction and assembly of the desired minigene-containing viral vector, the vector is transfected *in vitro* in the presence of a helper virus into the packaging cell line. Homologous recombination occurs between the helper and the vector sequences, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant viral vector particles. The current method for producing such virus particles is transfection-based. However, the invention is not limited to such methods.

The resulting recombinant simian adenoviruses are useful in transferring a selected transgene to a selected cell. In *in vivo* experiments with the recombinant virus grown in the packaging cell lines, the E1-deleted recombinant simian adenoviral vectors of the invention demonstrate utility in transferring a transgene to a non-simian, preferably a human, cell.

#### IV. Use of the Recombinant Adenovirus Vectors

5

10

15

20

25

30

The recombinant simian adenovirus vectors of the invention are useful for gene transfer to a human or non-simian veterinary patient *in vitro*, *ex vivo*, and *in vivo*.

The recombinant adenovirus vectors described herein can be used as expression vectors for the production of the products encoded by the heterologous genes *in vitro*. For example, the recombinant adenoviruses containing a gene inserted into the location of an E1 deletion may be transfected into an E1-expressing cell line as described above. Alternatively, replication-competent adenoviruses may be used in another selected cell line. The transfected cells are then cultured in the conventional manner, allowing the recombinant adenovirus to express the gene product from the promoter. The gene product may then be recovered from the culture medium by known conventional methods of protein isolation and recovery from culture.

A Pan5, Pan6, Pan7, SV1, SV25 or SV39-derived recombinant simian adenoviral vector of the invention provides an efficient gene transfer vehicle that can deliver a selected transgene to a selected host cell *in vivo or ex vivo* even where the organism has neutralizing antibodies to one or more AAV serotypes. In one embodiment, the rAAV and the cells are mixed *ex vivo*; the infected cells are cultured using conventional methodologies; and the transduced cells are re-infused into the patient. These compositions are particularly well suited to gene delivery for therapeutic purposes and for immunization, including inducing protective immunity.

More commonly, the Pan 5, Pan6, Pan7, SV1, SV25, or SV39 recombinant adenoviral vectors of the invention will be utilized for delivery of therapeutic or immunogenic molecules, as described below. It will be readily understood for both applications, that the recombinant adenoviral vectors of the invention are particularly well suited for use in regimens involving repeat delivery of recombinant adenoviral vectors. Such regimens typically involve delivery of a series of viral vectors in which the viral

5

10

15

20

25

30

capsids are alternated. The viral capsids may be changed for each subsequent administration, or after a pre-selected number of administrations of a particular serotype capsid (e.g., one, two, three, four or more). Thus, a regimen may involve delivery of a rAd with a first simian capsid, delivery with a rAd with a second simian capsid, and delivery with a third simian capsid. A variety of other regimens which use the Ad capsids of the invention alone, in combination with one another, or in combination with other Ad serotypes will be apparent to those of skill in the art. Optionally, such a regimen may involve administration of rAd with capsids of other non-human primate adenoviruses, human adenoviruses, or artificial serotypes such as are described herein. Each phase of the regimen may involve administration of a series of injections (or other delivery routes) with a single Ad serotype capsid followed by a series with another Ad serotype capsid. Alternatively, the recombinant Ad vectors of the invention may be utilized in regimens involving other non-adenoviral-mediated delivery systems, including other viral systems, non-viral delivery systems, protein, peptides, and other biologically active molecules.

The following sections will focus on exemplary molecules which may be delivered via the adenoviral vectors of the invention.

#### A. Ad-Mediated Delivery of Therapeutic Molecules

In one embodiment, the above-described recombinant vectors are administered to humans according to published methods for gene therapy. A simian viral vector bearing the selected transgene may be administered to a patient, preferably suspended in a biologically compatible solution or pharmaceutically acceptable delivery vehicle. A suitable vehicle includes sterile saline. Other aqueous and non-aqueous isotonic sterile injection solutions and aqueous and non-aqueous sterile suspensions known to be pharmaceutically acceptable carriers and well known to those of skill in the art may be employed for this purpose.

The simian adenoviral vectors are administered in sufficient amounts to transduce the target cells and to provide sufficient levels of gene transfer and expression to provide a therapeutic benefit without undue adverse or with medically acceptable physiological effects, which can be determined by those skilled in the medical arts. Conventional and pharmaceutically acceptable routes of administration include, but are not limited to, direct delivery to the retina and other intraocular delivery methods, direct delivery to the liver, inhalation, intranasal, intravenous, intramuscular, intratracheal.

subcutaneous, intradermal, rectal, oral and other parenteral routes of administration. Routes of administration may be combined, if desired, or adjusted depending upon the transgene or the condition. The route of administration primarily will depend on the nature of the condition being treated.

5

10

15

20

25

30

Dosages of the viral vector will depend primarily on factors such as the condition being treated, the age, weight and health of the patient, and may thus vary among patients. For example, a therapeutically effective adult human or veterinary dosage of the viral vector is generally in the range of from about 100 µL to about 100 mL of a carrier containing concentrations of from about  $1 \times 10^6$  to about  $1 \times 10^{15}$  particles. about  $1 \times 10^{11}$  to  $1 \times 10^{13}$  particles, or about  $1 \times 10^{9}$  to  $1 \times 10^{12}$  particles virus. Dosages will range depending upon the size of the animal and the route of administration. For example, a suitable human or veterinary dosage (for about an 80 kg animal) for intramuscular injection is in the range of about 1 x 10<sup>9</sup> to about 5 x 10<sup>12</sup> particles per mL, for a single site. Optionally, multiple sites of administration may be delivered. In another example, a suitable human or veterinary dosage may be in the range of about  $1 \times 10^{11}$  to about  $1 \times 10^{15}$  particles for an oral formulation. One of skill in the art may adjust these doses, depending the route of administration, and the therapeutic or vaccinal application for which the recombinant vector is employed. The levels of expression of the transgene, or for an immunogen, the level of circulating antibody, can be monitored to determine the frequency of dosage administration. Yet other methods for determining the timing of frequency of administration will be readily apparent to one of skill in the art.

An optional method step involves the co-administration to the patient, either concurrently with, or before or after administration of the viral vector, of a suitable amount of a short acting immune modulator. The selected immune modulator is defined herein as an agent capable of inhibiting the formation of neutralizing antibodies directed against the recombinant vector of this invention or capable of inhibiting cytolytic T lymphocyte (CTL) elimination of the vector. The immune modulator may interfere with the interactions between the T helper subsets (T<sub>H1</sub> or T<sub>H2</sub>) and B cells to inhibit neutralizing antibody formation. Alternatively, the immune modulator may inhibit the interaction between T<sub>H1</sub> cells and CTLs to reduce the occurrence of CTL elimination of the vector. A variety of useful immune modulators and dosages for use of same are disclosed, for example, in Yang *et al.*, *J. Virol.*, 70(9) (Sept., 1996); International Patent

Application No. WO96/12406, published May 2, 1996; and International Patent Application No.PCT/US96/03035, all incorporated herein by reference.

## 1. Therapeutic Transgenes

5

10

15

20

25

30

Useful therapeutic products encoded by the transgene include hormones and growth and differentiation factors including, without limitation, insulin, glucagon, growth hormone (GH), parathyroid hormone (PTH), growth hormone releasing factor (GRF), follicle stimulating hormone (FSH), luteinizing hormone (LH), human chorionic gonadotropin (hCG), vascular endothelial growth factor (VEGF), angiopoietins, angiostatin, granulocyte colony stimulating factor (GCSF), erythropoietin (EPO), connective tissue growth factor (CTGF), basic fibroblast growth factor (bFGF), acidic fibroblast growth factor (aFGF), epidermal growth factor (EGF), transforming growth factor (TGF), platelet-derived growth factor (PDGF), insulin growth factors I and II (IGF-I and IGF-II), any one of the transforming growth factor superfamily, including TGF, activins, inhibins, or any of the bone morphogenic proteins (BMP) BMPs 1-15, any one of the heregluin/neuregulin/ARIA/neu differentiation factor (NDF) family of growth factors, nerve growth factor (NGF), brain-derived neurotrophic factor (BDNF), neurotrophins NT-3 and NT-4/5, ciliary neurotrophic factor (CNTF), glial cell line derived neurotrophic factor (GDNF), neurturin, agrin, any one of the family of semaphorins/collapsins, netrin-1 and netrin-2, hepatocyte growth factor (HGF), ephrins, noggin, sonic hedgehog and tyrosine hydroxylase.

Other useful transgene products include proteins that regulate the immune system including, without limitation, cytokines and lymphokines such as thrombopoietin (TPO), interleukins (IL) IL-1 through IL-25 (including, e.g., IL-2, IL-4, IL-12 and IL-18), monocyte chemoattractant protein, leukemia inhibitory factor, granulocyte-macrophage colony stimulating factor, Fas ligand, tumor necrosis factors and, interferons, and, stem cell factor, flk-2/flt3 ligand. Gene products produced by the immune system are also useful in the invention. These include, without limitation, immunoglobulins IgG, IgM, IgA, IgD and IgE, chimeric immunoglobulins, humanized antibodies, single chain antibodies, T cell receptors, chimeric T cell receptors, single chain T cell receptors, class I and class II MHC molecules, as well as engineered immunoglobulins and MHC molecules. Useful gene products also include complement

5

10

15

20

25

30

regulatory proteins such as complement regulatory proteins, membrane cofactor protein (MCP), decay accelerating factor (DAF), CR1, CF2 and CD59.

Still other useful gene products include any one of the receptors for the hormones, growth factors, cytokines, lymphokines, regulatory proteins and immune system proteins. The invention encompasses receptors for cholesterol regulation, including the low density lipoprotein (LDL) receptor, high density lipoprotein (HDL) receptor, the very low density lipoprotein (VLDL) receptor, and the scavenger receptor. The invention also encompasses gene products such as members of the steroid hormone receptor superfamily including glucocorticoid receptors and estrogen receptors, Vitamin D receptors and other nuclear receptors. In addition, useful gene products include transcription factors such as *jun*, *fos*, max, mad, serum response factor (SRF), AP-1, AP2, *myb*, MyoD and myogenin, ETS-box containing proteins, TFE3, E2F, ATF1, ATF2, ATF3, ATF4, ZF5, NFAT, CREB, HNF-4, C/EBP, SP1, CCAAT-box binding proteins, interferon regulation factor (IRF-1), Wilms tumor protein, ETS-binding protein, STAT, GATA-box binding proteins, e.g., GATA-3, and the forkhead family of winged helix proteins.

Other useful gene products include, carbamoyl synthetase I, ornithine transcarbamylase, arginosuccinate synthetase, arginosuccinate lyase, arginase, fumarylacetacetate hydrolase, phenylalanine hydroxylase, alpha-1 antitrypsin, glucose-6-phosphatase, porphobilinogen deaminase, factor VIII, factor IX, cystathione beta-synthase, branched chain ketoacid decarboxylase, albumin, isovaleryl-coA dehydrogenase, propionyl CoA carboxylase, methyl malonyl CoA mutase, glutaryl CoA dehydrogenase, insulin, beta-glucosidase, pyruvate carboxylate, hepatic phosphorylase, phosphorylase kinase, glycine decarboxylase, H-protein, T-protein, a cystic fibrosis transmembrane regulator (CFTR) sequence, and a dystrophin cDNA sequence.

Other useful gene products include non-naturally occurring polypeptides, such as chimeric or hybrid polypeptides having a non-naturally occurring amino acid sequence containing insertions, deletions or amino acid substitutions. For example, single-chain engineered immunoglobulins could be useful in certain immunocompromised patients. Other types of non-naturally occurring gene sequences include antisense molecules and catalytic nucleic acids, such as ribozymes, which could be used to reduce overexpression of a target.

Reduction and/or modulation of expression of a gene are particularly desirable for treatment of hyperproliferative conditions characterized by hyperproliferating cells, as are cancers and psoriasis. Target polypeptides include those polypeptides which are produced exclusively or at higher levels in hyperproliferative cells as compared to normal cells. Target antigens include polypeptides encoded by oncogenes such as myb, myc, fyn, and the translocation gene bcr/abl, ras, src, P53, neu, trk and EGRF. In addition to oncogene products as target antigens, target polypeptides for anti-cancer treatments and protective regimens include variable regions of antibodies made by B cell lymphomas and variable regions of T cell receptors of T cell lymphomas which, in some embodiments, are also used as target antigens for autoimmune disease. Other tumor-associated polypeptides can be used as target polypeptides such as polypeptides which are found at higher levels in tumor cells including the polypeptide recognized by monoclonal antibody 17-1A and folate binding polypeptides.

10

15

20

25

30

Other suitable therapeutic polypeptides and proteins include those which may be useful for treating individuals suffering from autoimmune diseases and disorders by conferring a broad based protective immune response against targets that are associated with autoimmunity including cell receptors and cells which produce self-directed antibodies. T cell mediated autoimmune diseases include Rheumatoid arthritis (RA), multiple sclerosis (MS), Sjögren's syndrome, sarcoidosis, insulin dependent diabetes mellitus (IDDM), autoimmune thyroiditis, reactive arthritis, ankylosing spondylitis, scleroderma, polymyositis, dermatomyositis, psoriasis, vasculitis, Wegener's granulomatosis, Crohn's disease and ulcerative colitis. Each of these diseases is characterized by T cell receptors (TCRs) that bind to endogenous antigens and initiate the inflammatory cascade associated with autoimmune diseases.

The simian adenoviral vectors of the invention are particularly well suited for therapeutic regimens in which multiple adenoviral-mediated deliveries of transgenes is desired, e.g., in regimens involving redelivery of the same transgene or in combination regimens involving delivery of other transgenes. Such regimens may involve administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian adenoviral vector, followed by re-administration with a vector from the same serotype adenovirus. Particularly desirable regimens involve administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian adenoviral vector of the invention, in which the serotype of the viral

5

10

15

20

25

30

vector delivered in the first administration differs from the serotype of the viral vector utilized in one or more of the subsequent administrations. For example, a therapeutic regimen involves administration of a Pan5, Pan6, Pan7, SV1, SV25 or SV39 vector and repeat administration with one or more adenoviral vectors of the same or different serotypes. In another example, a therapeutic regimen involves administration of an adenoviral vector followed by repeat administration with a Pan5, Pan6, Pan7, SV1, SV25 or SV39 vector of the invention which differs from the serotype of the first delivered adenoviral vector, and optionally further administration with another vector which is the same or, preferably, differs from the serotype of the vector in the prior administration steps. These regimens are not limited to delivery of adenoviral vectors constructed using the Pan5, Pan6, Pan7, SV1, SV25 or SV39 simian serotypes of the invention. Rather, these regimens can readily utilize vectors other adenoviral serotypes, including, without limitation, other simian adenoviral serotypes (e.g., Pan9 or C68, C1, etc), other nonhuman primate adenoviral serotypes, or human adenoviral serotypes, in combination with one or more of the Pan5, Pan6, Pan7, SV1, SV25 or SV39 vectors of the invention. Examples of such simian, other non-human primate and human adenoviral serotypes are discussed elsewhere in this document. Further, these therapeutic regimens may involve either simultaneous or sequential delivery of Pan 5, Pan6, Pan7, SV1, SV25, and/or SV39 adenoviral vectors of the invention in combination with non-adenoviral vectors, non-viral vectors, and/or a variety of other therapeutically useful compounds or molecules. The present invention is not limited to these therapeutic regimens, a variety of which will be readily apparent to one of skill in the art.

#### B. Ad-Mediated Delivery of Immunogenic Transgenes

The recombinant simian adenoviruses may also be employed as immunogenic compositions. As used herein, an immunogenic composition is a composition to which a humoral (e.g., antibody) or cellular (e.g., a cytotoxic T cell) response is mounted to a transgene product delivered by the immunogenic composition following delivery to a mammal, and preferably a primate. The present invention provides a recombinant simian Ad that can contain in any of its adenovirus sequence deletions a gene encoding a desired immunogen. The simian adenovirus is likely to be better suited for use as a live recombinant virus vaccine in different animal species compared to an adenovirus of human origin, but is not limited to such a use. The

recombinant adenoviruses can be used as prophylactic or therapeutic vaccines against any pathogen for which the antigen(s) crucial for induction of an immune response and able to limit the spread of the pathogen has been identified and for which the cDNA is available.

Such vaccinal (or other immunogenic) compositions are formulated in a suitable delivery vehicle, as described above. Generally, doses for the immunogenic compositions are in the range defined above for therapeutic compositions. The levels of immunity of the selected gene can be monitored to determine the need, if any, for boosters. Following an assessment of antibody titers in the serum, optional booster immunizations may be desired.

5

10

15

20

25

30

Optionally, a vaccinal composition of the invention may be formulated to contain other components, including, e.g. adjuvants, stabilizers, pH adjusters, preservatives and the like. Such components are well known to those of skill in the vaccine art. Examples of suitable adjuvants include, without limitation, liposomes, alum, monophosphoryl lipid A, and any biologically active factor, such as cytokine, an interleukin, a chemokine, a ligands, and optimally combinations thereof. Certain of these biologically active factors can be expressed *in vivo*, e.g., via a plasmid or viral vector. For example, such an adjuvant can be administered with a priming DNA vaccine encoding an antigen to enhance the antigen-specific immune response compared with the immune response generated upon priming with a DNA vaccine encoding the antigen only.

The recombinant adenoviruses are administered in a "an immunogenic amount", that is, an amount of recombinant adenovirus that is effective in a route of administration to transfect the desired cells and provide sufficient levels of expression of the selected gene to induce an immune response. Where protective immunity is provided, the recombinant adenoviruses are considered to be vaccine compositions useful in preventing infection and/or recurrent disease.

Alternatively, or in addition, the vectors of the invention may contain a transgene encoding a peptide, polypeptide or protein which induces an immune response to a selected immunogen. The recombinant adenoviruses of this invention are expected to be highly efficacious at inducing cytolytic T cells and antibodies to the inserted heterologous antigenic protein expressed by the vector.

5

10

15

20

25

30

For example, immunogens may be selected from a variety of viral families. Example of desirable viral families against which an immune response would be desirable include, the picornavirus family, which includes the genera rhinoviruses, which are responsible for about 50% of cases of the common cold; the genera enteroviruses, which include polioviruses, coxsackieviruses, echoviruses, and human enteroviruses such as hepatitis A virus; and the genera apthoviruses, which are responsible for foot and mouth diseases, primarily in non-human animals. Within the picornavirus family of viruses, target antigens include the VP1, VP2, VP3, VP4, and VPG. Another viral family includes the calcivirus family, which encompasses the Norwalk group of viruses, which are an important causative agent of epidemic gastroenteritis. Still another viral family desirable for use in targeting antigens for inducing immune responses in humans and non-human animals is the togavirus family, which includes the genera alphavirus, which include Sindbis viruses, RossRiver virus, and Venezuelan, Eastern & Western Equine encephalitis, and rubivirus, including Rubella virus. The flaviviridae family includes dengue, yellow fever, Japanese encephalitis, St. Louis encephalitis and tick borne encephalitis viruses. Other target antigens may be generated from the Hepatitis C or the coronavirus family, which includes a number of non-human viruses such as infectious bronchitis virus (poultry), porcine transmissible gastroenteric virus (pig), porcine hemagglutinating encephalomyelitis virus (pig), feline infectious peritonitis virus (cats), feline enteric coronavirus (cat), canine coronavirus (dog), and human respiratory coronaviruses, which may cause the common cold and/or non-A, B or C hepatitis. Within the coronavirus family, target antigens include the E1 (also called M or matrix protein), E2 (also called S or Spike protein), E3 (also called HE or hemagglutin-elterose) glycoprotein (not present in all coronaviruses), or N (nucleocapsid). Still other antigens may be targeted against the rhabdovirus family, which includes the genera vesiculovirus (e.g., Vesicular Stomatitis Virus), and the general lyssavirus (e.g., rabies). Within the rhabdovirus family, suitable antigens may be derived from the G protein or the N protein. The family filoviridae, which includes hemorrhagic fever viruses such as Marburg and Ebola virus, may be a suitable source of antigens. The paramyxovirus family includes parainfluenza Virus Type 1, parainfluenza Virus Type 3, bovine parainfluenza Virus Type 3, rubulavirus (mumps virus), parainfluenza Virus Type 2, parainfluenza virus Type 4, Newcastle disease virus (chickens), rinderpest,

morbillivirus, which includes measles and canine distemper, and pneumovirus, which includes respiratory syncytial virus. The influenza virus is classified within the family orthomyxovirus and is a suitable source of antigen (e.g., the HA protein, the N1 protein). The bunyavirus family includes the genera bunyavirus (California encephalitis, La Crosse), phlebovirus (Rift Valley Fever), hantavirus (puremala is a hemahagin fever virus), nairovirus (Nairobi sheep disease) and various unassigned bungaviruses. The arenavirus family provides a source of antigens against LCM and Lassa fever virus. The reovirus family includes the genera reovirus, rotavirus (which causes acute gastroenteritis in children), orbiviruses, and cultivirus (Colorado Tick fever, Lebombo (humans), equine encephalosis, blue tongue).

5

10

15

20

25

30

The retrovirus family includes the sub-family oncorivirinal which encompasses such human and veterinary diseases as feline leukemia virus, HTLVI and HTLVII, lentivirinal (which includes human immunodeficiency virus (HIV), simian immunodeficiency virus (SIV), feline immunodeficiency virus (FIV), equine infectious anemia virus, and spumavirinal). Among the lentiviruses, many suitable antigens have been described and can readily be selected. Examples of suitable HIV and SIV antigens include, without limitation the gag, pol, Vif, Vpx, VPR, Env, Tat, Nef, and Rev proteins, as well as various fragments thereof. For example, suitable fragments of the Env protein may include any of its subunits such as the gp120, gp160, gp41, or smaller fragments thereof, e.g., of at least about 8 amino acids in length. Similarly, fragments of the tat protein may be selected. [See, US Patent 5,891,994 and US Patent 6,193,981.] See, also, the HIV and SIV proteins described in D.H. Barouch et al, J. Virol., 75(5):2462-2467 (March 2001), and R.R. Amara, et al, Science, 292:69-74 (6 April 2001). In another example, the HIV and/or SIV immunogenic proteins or peptides may be used to form fusion proteins or other immunogenic molecules. See, e.g., the HIV-1 Tat and/or Nef fusion proteins and immunization regimens described in WO 01/54719, published August 2, 2001, and WO 99/16884, published April 8, 1999. The invention is not limited to the HIV and/or SIV immunogenic proteins or peptides described herein. In addition, a variety of modifications to these proteins have been described or could readily be made by one of skill in the art. See, e.g., the modified gag protein that is described in US Patent 5,972,596. Further, any desired HIV and/or SIV immunogens may be delivered alone or in combination. Such combinations may include expression from a single vector or from

5

10

15

20

25

30

multiple vectors. Optionally, another combination may involve delivery of one or more expressed immunogens with delivery of one or more of the immunogens in protein form. Such combinations are discussed in more detail below.

The papovavirus family includes the sub-family polyomaviruses (BKU and JCU viruses) and the sub-family papillomavirus (associated with cancers or malignant progression of papilloma). The adenovirus family includes viruses (EX, AD7, ARD, O.B.) which cause respiratory disease and/or enteritis. The parvovirus family feline parvovirus (feline enteritis), feline panleucopeniavirus, canine parvovirus, and porcine parvovirus. The herpesvirus family includes the sub-family alphaherpesvirinae, which encompasses the genera simplexvirus (HSVI, HSVII), varicellovirus (pseudorabies, varicella zoster) and the sub-family betaherpesvirinae, which includes the genera cytomegalovirus (HCMV, muromegalovirus) and the sub-family gammaherpesvirinae, which includes the genera lymphocryptovirus, EBV (Burkitts lymphoma), infectious rhinotracheitis, Marek's disease virus, and rhadinovirus. The poxvirus family includes the sub-family chordopoxvirinae, which encompasses the genera orthopoxvirus (Variola (Smallpox) and Vaccinia (Cowpox)), parapoxvirus, avipoxvirus, capripoxvirus, leporipoxvirus, suipoxvirus, and the sub-family entomopoxvirinae. The hepadnavirus family includes the Hepatitis B virus. One unclassified virus which may be suitable source of antigens is the Hepatitis delta virus. Still other viral sources may include avian infectious bursal disease virus and porcine respiratory and reproductive syndrome virus. The alphavirus family includes equine arteritis virus and various Encephalitis viruses.

The present invention may also encompass immunogens which are useful to immunize a human or non-human animal against other pathogens including bacteria, fungi, parasitic microorganisms or multicellular parasites which infect human and non-human vertebrates, or from a cancer cell or tumor cell. Examples of bacterial pathogens include pathogenic gram-positive cocci include pneumococci; staphylococci; and streptococci. Pathogenic gram-negative cocci include meningococcus; gonococcus. Pathogenic enteric gram-negative bacilli include enterobacteriaceae; pseudomonas, acinetobacteria and eikenella; melioidosis; salmonella; shigella; haemophilus; moraxella; *H. ducreyi* (which causes chancroid); brucella; *Franisella tularensis* (which causes tularemia); yersinia (pasteurella); streptobacillus moniliformis and spirillum; Gram-

5

10

15

20

25

30

positive bacilli include listeria monocytogenes; erysipelothrix rhusiopathiae; Corynebacterium diphtheria (diphtheria); cholera; B. anthracis (anthrax); donovanosis (granuloma inguinale); and bartonellosis. Diseases caused by pathogenic anaerobic bacteria include tetanus; botulism; other clostridia; tuberculosis; leprosy; and other mycobacteria. Pathogenic spirochetal diseases include syphilis; treponematoses: yaws, pinta and endemic syphilis; and leptospirosis. Other infections caused by higher pathogen bacteria and pathogenic fungi include actinomycosis; nocardiosis; cryptococcosis, blastomycosis, histoplasmosis and coccidioidomycosis; candidiasis, aspergillosis, and mucormycosis; sporotrichosis; paracoccidiodomycosis, petriellidiosis, torulopsosis, mycetoma and chromomycosis; and dermatophytosis. Rickettsial infections include Typhus fever, Rocky Mountain spotted fever, Q fever, and Rickettsialpox. Examples of mycoplasma and chlamydial infections include: mycoplasma pneumoniae; lymphogranuloma venereum; psittacosis; and perinatal chlamydial infections. Pathogenic eukaryotes encompass pathogenic protozoans and helminths and infections produced thereby include: amebiasis; malaria; leishmaniasis; trypanosomiasis; toxoplasmosis; Pneumocystis carinii; Trichans; Toxoplasma gondii; babesiosis; giardiasis; trichinosis; filariasis; schistosomiasis; nematodes; trematodes or flukes; and cestode (tapeworm) infections.

Many of these organisms and/or toxins produced thereby have been identified by the Centers for Disease Control [(CDC), Department of Heath and Human Services, USA], as agents which have potential for use in biological attacks. For example, some of these biological agents, include, *Bacillus anthracis* (anthrax), *Clostridium botulinum* and its toxin (botulism), *Yersinia pestis* (plague), variola major (smallpox), *Francisella tularensis* (tularemia), and viral hemorrhagic fevers [filoviruses (e.g., Ebola, Marburg], and arenaviruses [e.g., Lassa, Machupo]), all of which are currently classified as Category A agents; *Coxiella burnetti* (Q fever); Brucella species (brucellosis), *Burkholderia mallei* (glanders), *Burkholderia pseudomallei* (meloidosis), *Ricinus communis* and its toxin (ricin toxin), *Clostridium perfringens* and its toxin (epsilon toxin), *Staphylococcus* species and their toxins (enterotoxin B), *Chlamydia psittaci* (psittacosis), water safety threats (e.g., *Vibrio cholerae*, *Crytosporidium parvum*), Typhus fever (*Richettsia powazekii*), and viral encephalitis (alphaviruses, e.g., Venezuelan equine encephalitis; eastern equine encephalitis; western equine

encephalitis); all of which are currently classified as Category B agents; and Nipan virus and hantaviruses, which are currently classified as Category C agents. In addition, other organisms, which are so classified or differently classified, may be identified and/or used for such a purpose in the future. It will be readily understood that the viral vectors and other constructs described herein are useful to deliver antigens from these organisms, viruses, their toxins or other by-products, which will prevent and/or treat infection or other adverse reactions with these biological agents.

Administration of the vectors of the invention to deliver immunogens against the variable region of the T cells elicit an immune response including CTLs to eliminate those T cells. In RA, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-3, V-14, V-17 and V $\alpha$ -17. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in RA. In MS, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-7 and V $\alpha$ -10. Thus, delivery of a nucleic acid sequence that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in MS. In scleroderma, several specific variable regions of TCRs which are involved in the disease have been characterized. These TCRs include V-6, V-8, V-14 and V $\alpha$ -16, V $\alpha$ -3C, V $\alpha$ -7, V $\alpha$ -14, V $\alpha$ -15, V $\alpha$ -16, V $\alpha$ -28 and V $\alpha$ -12. Thus, delivery of a recombinant simian adenovirus that encodes at least one of these polypeptides will elicit an immune response that will target T cells involved in scleroderma.

#### C. Ad-Mediated Delivery Methods

5

10

15

20

25

30

The therapeutic levels, or levels of immunity, of the selected gene can be monitored to determine the need, if any, for boosters. Following an assessment of CD8+ T cell response, or optionally, antibody titers, in the serum, optional booster immunizations may be desired. Optionally, the recombinant simian adenoviral vectors of the invention may be delivered in a single administration or in various combination regimens, e.g., in combination with a regimen or course of treatment involving other active ingredients or in a prime-boost regimen. A variety of such regimens have been described in the art and may be readily selected.

For example, prime-boost regimens may involve the administration of a DNA (e.g., plasmid) based vector to prime the immune system to second, booster, administration with a traditional antigen, such as a protein or a recombinant virus carrying the sequences encoding such an antigen. See, e.g., WO 00/11140, published March 2, 2000, incorporated by reference. Alternatively, an immunization regimen may involve the administration of a recombinant simian adenoviral vector of the invention to boost the immune response to a vector (either viral or DNA-based) carrying an antigen, or a protein. In still another alternative, an immunization regimen involves administration of a protein followed by booster with a vector encoding the antigen.

5

10

15

20

25

30

In one embodiment, the invention provides a method of priming and boosting an immune response to a selected antigen by delivering a plasmid DNA vector carrying said antigen, followed by boosting with a recombinant simian adenoviral vector of the invention. In one embodiment, the prime-boost regimen involves the expression of multiproteins from the prime and/or the boost vehicle. See, e.g., R.R. Amara, *Science*, **292**:69-74 (6 April 2001) which describes a multiprotein regimen for expression of protein subunits useful for generating an immune response against HIV and SIV. For example, a DNA prime may deliver the Gag, Pol, Vif, VPX and Vpr and Env, Tat, and Rev from a single transcript. Alternatively, the SIV Gag, Pol and HIV-1 Env is delivered in a recombinant adenovirus construct of the invention. Still other regimens are described in WO 99/16884 and WO 01/54719.

However, the prime-boost regimens are not limited to immunization for HIV or to delivery of these antigens. For example, priming may involve delivering with a first chimp vector of the invention followed by boosting with a second chimp vector, or with a composition containing the antigen itself in protein form. In one example, the prime-boost regimen can provide a protective immune response to the virus, bacteria or other organism from which the antigen is derived. In another desired embodiment, the prime-boost regimen provides a therapeutic effect that can be measured using convention assays for detection of the presence of the condition for which therapy is being administered.

The priming composition may be administered at various sites in the body in a dose dependent manner, which depends on the antigen to which the desired immune response is being targeted. The invention is not limited to the amount or situs of

injection(s) or to the pharmaceutical carrier. Rather, the regimen may involve a priming and/or boosting step, each of which may include a single dose or dosage that is administered hourly, daily, weekly or monthly, or yearly. As an example, the mammals may receive one or two doses containing between about 10 µg to about 50 µg of plasmid in carrier. A desirable amount of a DNA composition ranges between about 1 µg to about 10,000 µg of the DNA vector. Dosages may vary from about 1 µg to 1000 µg DNA per kg of subject body weight. The amount or site of delivery is desirably selected based upon the identity and condition of the mammal.

The dosage unit of the vector suitable for delivery of the antigen to the mammal is described herein. The vector is prepared for administration by being suspended or dissolved in a pharmaceutically or physiologically acceptable carrier such as isotonic saline; isotonic salts solution or other formulations that will be apparent to those skilled in such administration. The appropriate carrier will be evident to those skilled in the art and will depend in large part upon the route of administration. The compositions of the invention may be administered to a mammal according to the routes described above, in a sustained release formulation using a biodegradable biocompatible polymer, or by on-site delivery using micelles, gels and liposomes. Optionally, the priming step of this invention also includes administering with the priming composition, a suitable amount of an adjuvant, such as are defined herein.

Preferably, a boosting composition is administered about 2 to about 27 weeks after administering the priming composition to the mammalian subject. The administration of the boosting composition is accomplished using an effective amount of a boosting composition containing or capable of delivering the same antigen as administered by the priming DNA vaccine. The boosting composition may be composed of a recombinant viral vector derived from the same viral source (e.g., adenoviral sequences of the invention) or from another source. Alternatively, the "boosting composition" can be a composition containing the same antigen as encoded in the priming DNA vaccine, but in the form of a protein or peptide, which composition induces an immune response in the host. In another embodiment, the boosting composition contains a DNA sequence encoding the antigen under the control of a regulatory sequence directing its expression in a mammalian cell, e.g., vectors such as well-known bacterial or viral vectors. The primary requirements of the boosting composition are that the antigen

of the composition is the same antigen, or a cross-reactive antigen, as that encoded by the priming composition.

In another embodiment, the simian adenoviral vectors of the invention are

also well suited for use in a variety of other immunization and therapeutic regimens.

Such regimens may involve delivery of simian adenoviral vectors of the invention simultaneously or sequentially with Ad vectors of different serotype capsids, regimens in which adenoviral vectors of the invention are delivered simultaneously or sequentially with non-Ad vectors, regimens in which the adenoviral vectors of the invention are delivered simultaneously or sequentially with proteins, peptides, and/or other biologically useful therapeutic or immunogenic compounds. Such uses will be readily apparent to one of skill in the art.

The following examples illustrate the cloning of the simian adenoviruses and the construction of exemplary recombinant adenovirus vectors of the present invention. These examples are illustrative only, and do not limit the scope of the present invention.

#### Example 1 - Viral Propagation

15

20

25

30

The Pan5 [ATCC Accession No. VR-591], Pan6 [ATCC Accession No. VR-592], and Pan7 [ATCC Accession No. VR-593] viruses, originally isolated from lymph nodes from chimpanzees, were propagated in 293 cells [ATCC CRL1573]. Typically, these cells are cultured in Dulbecco's Modified Eagles Medium (DMEM; Sigma, St. Louis, MO.) supplemented with 10% fetal calf serum (FCS) [Sigma or Hyclone, Logan, UT] and 1 % Penicillin-Streptomycin (Sigma). Infection of 293 cells is carried out in DMEM supplemented with 2% FCS for the first 24 hours, after which FCS is added to bring the final concentration to 10%. Infected cells are harvested when 100% of the cells exhibit virus-induced cytopathic effect (CPE), and are then collected, and concentrated by centrifugation. Cell pellets are resuspended in 10 mM Tris (pH 8.0), and lysed by 3 cycles of freezing and thawing. Virus preparations are obtained following two ultra centrifugation steps on cesium chloride density gradients and stocks of virus are diluted to 1 to 5 x 10<sup>12</sup> particles/ml in 10 mM Tris/100 mM NaCl/50% glycerol and stored at -70°C.

The ability of 293 cells to propagate these adenoviruses exceeded expectations which were based on knowledge of other non-human adenovirus serotypes.

	<u>Virus</u>	Yield (virus particles produced in 8x10 <sup>8</sup> cells)
	Pan5	$8.8 \times 10^{13}$
5	Pan6	$1.6 \times 10^{14}$
	Pan7	$8.8 \times 10^{13}$

Example 2 – Characterization of Viral Genomic DNA

10

15

20

25

30

Genomic DNA was isolated from the purified virus preparations of Example 1 and digested with HindIII or BamHI restriction enzymes following the manufacturers' recommendations. The results (not shown) revealed that that the Pan5, Pan6, Pan7 genomes of the invention and the published Pan 9 (C68) genome show different restriction patterns, and thus, are distinct from each other.

The nucleotide sequences of Pan5, Pan6 and Pan7 were determined. The nucleotide sequence of the top strand of Pan5 DNA is reported in SEQ ID NO: 1. The nucleotide sequence of the top strand of Pan6 DNA is reported in SEQ ID NO: 5. The nucleotide sequence of the top strand of Pan7 DNA is reported in SEQ ID NO: 9.

Regulatory and coding regions in the viral DNA sequences were identified by homology to known adenoviral sequences using the "Clustal W" program described above at conventional settings. See the tables above providing the adenoviral sequences. Open reading frames were translated and the predicted amino acid sequences examined for homology to previously described adenoviral protein sequences, Ad4, Ad5, Ad7, Ad12, and Ad40.

Analysis of the sequence revealed a genome organization that is similar to that present in human adenoviruses, with the greatest similarity to human Ad4. However, substantial differences in the hexon hypervariable regions were noted between the chimpanzee adenoviruses and other known adenoviruses, including AdHu4. These differences fit well with the serological cross-reactivity data that has been obtained (see below).

An alignment of a portion of the hexon sequences is shown in Fig. 1. The portion shown is from the region of the hexon that corresponds to the outwardly disposed extended loops DE1 and FG1 where the most variability between serotypes is observed.

An intervening portion that contributes to the base of the hexon (corresponding to residues 308-368 of the published AdC68 sequence; US Patent 6,083,716), and is highly conserved between serotypes, is also present. The following table summarizes the pairwise comparisons of the amino acids in the hexon proteins.

5

10

Comp	arison	Hexon amino-acid
		Similarity (%)
#1	#2	
AdC5	AdC7	99.0
AdC5	AdC68	98.3
AdC5	AdC6	88.0
AdC5	AdC1	84.9
AdC6	AdC7	87.7
AdC6	AdC68	87.3
AdC6	AdC1	84.9
AdC7	AdC68	97.5
AdC7	AdC1	84.8
AdC68	AdC1	84.9

Analysis of the fiber knob domain (which is responsible for receptor binding) of the chimpanzee adenoviruses shows an overall similarity in structure (Fig. 2).

The degree of sequence similarity between the E1 proteins of huAd5 and C68 (see Tables below) is similar to that between huAd5 and Pan-5, Pan-6, and Pan-7.

Con	nparison	Ela (13S) amino-acid	
		identity (%)	
#1	#2		
AdHu5	AdC5	36.6	
AdHu5	AdC6	28.5	
AdHu5	AdC7	34.9	
AdHu5	AdC68	35.6	
AdHu5	AdC1	35.6	
AdC5	AdC6	68.3	
AdC5	AdC7	96.9	
AdC5	AdC68	80.4	
AdC5	AdC1	51.3	
AdC6	AdC7	69.3	
AdC6	AdC68	59.4	
AdC6	AdC1	37.7	
AdC7	AdC68	81.5	
AdC7	AdC1	51.0	
AdC68	AdC1	54.9	

	Sequence Identity with human		
	Ad5		
	E1b Small T E1b Large T		
	Protein Protein		
C68	47.3%	55.8%	
Pan-5	43.2%	54.5%	
Pan-6	45.3%	54.5%	
Pan-7	46.4%	53.8%	

Replication-defective versions of AdC5, AdC6 and AdC7 were created by molecular cloning methods described in the following examples in which minigene cassettes were inserted into the place of the E1a and E1b genes. The molecular clones of the recombinant viruses were rescued and grown up in 293 cells for large-scale purification using the published CsCl sedimentation method [K. Fisher *et al.*, J. Virol., 70:520 (1996)]. Vector yields were based on 50 plate (150 mm) preps in which approximately 1 x 10<sup>9</sup> 293 cells were infected with the corresponding viruses. Yields were determined by measuring viral particle concentrations spectrophotometrically. After having constructed E1-deleted vectors, it was determined that HEK 293 cells (which express human adenovirus serotype 5 E1 functions) trans-complement the E1 deletions of the novel viral vectors and allow for the production of high titer stocks. Examples of virus yields for a few of these recombinant viruses are shown in the table below.

10

15

The transgenes for these vectors,  $\beta$ -galactosidase (LacZ), green fluorescent protein (GFP), alpha-1-anti-trypsin (A1AT), ebola glycoprotein (ebo), a soluble ebola glycoprotein variant lacking the transmembrane and cytoplasmic domains (sEbo), and three deletion mutants of the ebola glycoprotein (Ebo $\Delta$ 2, Ebo $\Delta$ 3, and Ebo $\Delta$ 4), were expressed by the cytomegalovirus promoter (CMV). In the following table, ND indicates that the study has not yet been done.

Transgene	Viral backbone/Vector yield (Viral particles x 10 <sup>13</sup> )				
	AdHu5	AdC7	AdC68	AdC6	
CMVLacZ	1.5	1.4	3.3	6.1	
CMVGFP	2.5	3.6	8	10	
CMVA1AT	3.7	6	10	ND	
CMVEbo	1.1	4.3	ND	ND	
CMVsEbo	4.9	5.4	ND	ND	
CMVEboΔ2	1	9.3	ND	ND	
CMVEbo∆3	0.8	9.5	ND	ND	
CMVEbo∆4	1.4	6.2	ND	ND	

The ability of human adenovirus E1 to trans-complement the E1-deleted chimpanzee viruses of the invention is highly advantageous, as it permits the production of E1-deleted chimpanzee adenoviral vectors of the invention, while reducing or eliminating the risk of homologous recombination due to the differences in sequences between human Ad and the chimpanzee adenoviruses described herein.

# Example 3 – Serological Studies of Pan 5, 6, and 7 Viruses

5

10

15

20

Because of the differences in the hexon hypervariable region, it was anticipated that the C5, C6, and C7 viruses would be serologically distinct from human adenoviruses, including AdHu4.

## 1. Cross-Reactivity of Wild-type Viruses

For screening of wild-type viruses in order to make a determination of antibody cross-reactivity, the replication competent viruses were used and inhibition of cytopathic effects (CPE) was measured. Briefly, preparations of adenoviruses (Adhu5, Pan-5, Pan-6, Pan-7 and AdC68) stored at  $5\times10^{12}$  particles/ml were diluted 1/600 for the assays. This concentration of virus was selected since it results in 100% CPE within 48 hours in the absence of neutralization. Prior to adding the virus to 293 cells ( $4\times10^4$  cells/well in a 96 well dish), 1:20 dilutions of sera were added. The assay is read as the presence or absence of CPE; full neutralization would read as no cytopathic effect. The results are summarized in the Table below. The fact that 9/36 human sera neutralized Adhu5 induced CPE is consistent with previous estimates of neutralizing antibodies in the human population. The numbers indicate the total individuals who showed neutralization (numerator) versus the total number screened (denominator). ND = not determined.

Neutralization by 1/20 diln of serum

	Human	Rhesus	Chimpanzee
	(N=36)	(N=52)	(N=20)
Adhu5	9/36	ND	ND
AdC68	1/36	0/52	12/20
Pan 5	0/36	0/52	10/20
Pan 6	0/36	0/52	9/20
Pan 7	0/36	0/52	12/20

Of all human sera screened, 35/36 were negative for neutralization to AdC68 while 36/36 were negative for neutralization to Pan-5, Pan-6 and Pan-7. Of 52 rhesus monkeys screened, none showed neutralization to any chimpanzee adenovirus; rhesus monkey is the preferred pre-clinical model for evaluating HIV vaccines. Between 9 to 12 out of 20 chimpanzees had substantial neutralization to one or another of the chimpanzee adenoviruses consistent with the fact these are indeed endemic chimpanzee-specific pathogens. Interestingly, there are chimpanzees with neutralizing antibodies only to Pan-5, Pan-6 or AdC68 supporting the hypothesis that several of these chimpanzee adenoviral vectors will not cross neutralize each other and are distinct serotypes.

The same assay was carried out for 20 chimpanzee serum samples. Fifty percent (50%) of the samples reacted serologically, in different degrees to Pan5; 40% to Pan6; 55% to Pan7 and 60% to C68. Among the positive serum samples, one of them had strong neutralizing activity to all four chimp viruses.

#### 2. Cross-neutralization with Recombinant Viruses

High-titer polyclonal antibodies were obtained to each of the simian adenoviruses in order to more precisely gauge the degree of cross-neutralization among the different serotypes. This was done by intramuscular immunization of rabbits using a recombinant virus containing GFP based on previously the described C68 chimpanzee adenovirus as an adjuvant. The serum was then used to assay for neutralizing activity against each of the three chimpanzee adenoviruses of the invention, AdC5, AdC6 and AdC7. A rabbit was injected with 5x10<sup>12</sup> viral particle per kg of C68CMVGFP vector intramuscularly and boosted 5 weeks later using the same dose. A bleed collected at the 9 week time point revealed extremely potent neutralizing activity against C68 as well as Pan-5 and Pan-7 but not against Pan-6 (see Table below), indicating that the administration of a C68 (or Pan-5 and Pan-7) based vaccine could be effectively followed by a boost using a vector based on Pan-6. However, it has been found that this level of inter-relatedness does not necessarily prevent with re-administration in a setting where antiviral antibody titers were not as high as was achieved in this rabbit. In the following table, + indicates 33% CPE; +++ indicates 66% CPE; ++++ indicates 100% CPE.

30

5

10

15

20

25

Infection on 293 cells with virus:					
Pan5	Pan6	Pan7	Pan9(C68)	C68	Serum
				GFP	Dilution
_	+++	-	-	_	1/20
	+++	_	_	-	1/40
_	+++	_	-	-	1/80
_	+++	_	-	_	1/160
_	+++		_	-	1/320
_	+++	-	-	_	1/640
_	+++	_	-		1/1,280
_	+++	_	-	-	1/2,560
_	+++	-	_	_	1/5,120
+	+++	-	-	-	1/10,240
+	+++	++	_	-	1/20,480
++	+++	+++	-	-	1/40,960
++	+++	+++	+	+	1/81,920
+++	+++	+++	++	++	1/163,840
+++	+++	+++	+++	+++	1/327,680
++++	+++	+++	+++	+++	1/665,360
+++	+++	+++	++-	+++	1/1,310,720
+++	+++	+++	+-+-+	+++	1/2,621,440

## 3. Quantitative Assay for Detection of Neutralizing Antibody

The result was validated by a more quantitative-based assay for detecting neutralizing antibody, which is based on transduction of a GFP vector. Briefly, groups of C57BL/6 mice were immunized intramuscularly or intravenously with 5.0 x 10<sup>10</sup> particles/ml Pan5, Pan6, Pan7 or C68. Sera from day 28 bleeds were tested for crossneutralizing activity against C68CMVEGFP at dilutions of 1/20 and 1/80. In summary, when a pharmaceutical preparation of human immunoglobulin was tested for serological reactions to Pan 5, 6, and 7, and C68, some low levels of neutralizing activities against Pan 7 and C68 were detected. No neutralizing activity against Pan5 or Pan6 was detected. Serum samples from 36 human subjects were run for the same assay. Serum samples were tested at a 1/20 dilution. The results indicated that only one individual has clear neutralizing activity to C68. No neutralizing activity to Pan5, Pan6 or Pan7 was detected.

#### 4. In Vitro Cross-Neutralization

Cross-neutralization of the simian adenoviruses by high-titer rabbit polyclonal antibodies raised against each of the adenoviruses Pan-5, Pan-6, Pan-7, and C68 was tested.

Rabbits were immunized with intra-muscular injections of 10<sup>13</sup> particles of each of the chimpanzee adenoviruses and boosted 40 days later with the same dose with incomplete Freund's adjuvant. Sera were analyzed or the presence of neutralizing antibodies by incubating serial two-fold dilutions with 10<sup>9</sup> genome copies of each of the appropriate chimpanzee adenovirus vector expressing GFP and testing for the attenuation of GFP expression when applied to 293 cells. The serum dilution which produced a 50% reduction of GFP expression was scored as the neutralizing antibody titer against that particular virus.

The results are shown in the Table. The data are consistent with the expectation from sequence analysis of the hexon amino-acid sequences, which indicated that Ad Pan-6 was likely to be the most serologically distinct compared to the other chimpanzee adenoviruses.

5

10

15

20

25

	Infection of 293 cells with 10 <sup>9</sup> genome copies of			
Serum from rabbit immunized with:	Ad Pan-5	Ad Pan-6	Ad Pan-7	Ad C68
Ad Pan-5	1/5120	<1/20	1/2560	1/2560
Ad Pan-6	No neutralization	1/20,480	<1/20	<1/20
Ad Pan-7	1/2560	1/160	1/163,840	1/2560
Ad C68	No neutralization	<1/20	<1/20	1/5120

In order to determine whether antibodies cross-reacting with the simian adenoviruses were likely to be of low prevalence in humans, simian adenoviruses SV1, SV39, and SV25 were tested for their ability to withstand neutralization when incubated with commercially available pooled human immunoglobulins (Ig). The same assay was also performed with Adhu5 and the chimpanzee adenoviruses Pan-5, Pan-6, Pan-7, and C68. In a further study, sera from mice has been immunized with one of the chimpanzee adenoviruses C5, C6, C7, and C68 and their ability to cross-neutralize the simian adenoviruses SV-15, SV-23, SA-17, and Baboon Adenovirus has been tested. No cross-reactivity was observed in any case.

#### Example 4 – Generation of Recombinant E1-Deleted Pan5 Vector

5

10

15

20

A modified pX plasmid was prepared by destroying the FspI site in the bla gene region of pX (Clontech) by site-directed mutagenesis. The resulting modified plasmid, termed pX', is a circular plasmid of 3000 bp which contains an fI ori and an ampicillin resistance gene (AmpR-cds).

#### A. Production of Pan-5 Adenovirus Plasmid

A polylinker for sequential cloning of the Pan5 DNA fragments into pX' is created. The polylinker is substituted for the existing pX' polylinker following digestion with *MluI* and *EcoRI*. The blunt-*FseI* fragment of the Pan 5 is inserted into the *SmaI* and *FseI* sites of the polylinker. This fragment contains the 5' end

of the adenoviral genome (bp 1 to 3606, SEQ ID NO:1). The *SnaBI-FspI* fragment of Pan 5 (bp 455 to 3484, SEQ ID NO:1) is replaced with a short sequence flanked by *I-Ceu* and *PI-Sce* sites from pShuttle (Clontech), to eliminate the E1 region of the adenoviral genome. The *EcoRI*-blunt fragment of Pan5 (bp 28658 to 36462, SEQ ID NO:1) is inserted into the *EcoRI* and *EcoRV* sites of the polylinker (to provide the 3' end of the adenoviral genome); the *FseI-MluI* fragment (bp 3606 to 15135, SEQ ID NO:1) is inserted into the polylinker; and the *MluI-EcoRI* fragment is inserted into the polylinker (bp 15135 to 28658, SEQ ID NO:1). Optionally, a desired transgene is inserted into *I-CeuI* and *PI-SceI* sites of the newly created pX'Pan5ΔE1 vector.

5

10

15

20

25

30

B. Alternative Method of Generating  $pX'Pan5\Delta E1$ .

The initial plasmid pX is derived from pAdX adenovirus plasmid available from Clontech, as described above. Thereafter, a *PacI-XhoI* region of pX' was deleted and the blunt-ended Pan5 polylinker was inserted into the *FspI* site to generate pX'PLNK (2994 bp). The 5'end-*FseI* region of Pan 5 (bp 1-3607, SEQ ID NO:1) was inserted into *SmaI* and *FseI* sites of pX'LNK to generate the pX'Pan5-5' plasmid (6591 bp). The *SnaBi-NdeI* region of pX'Pan5-5' was excised and replaced with the *Ceu/Sce* cassette, which had been PCR amplified from pRCS to create pX'Pan5-5'\Delta E1 (4374 bp). Briefly, a sequence containing *I-CeuI* and *PI-SceI* rare cutter sites was PCR amplified from pRCS (3113bp). The 3' PCR primer was introduced an *NdeI* site into the PCR product.

To extend the Pan5 DNA in pX'Pan5-5'ΔE1 (4374 bp), the *FseI-MluI* region of Pan 5 (bp 3607-15135, SEQ ID NO:1) is added, to create pX'Pan5-5'Mlu (15900 bp). The remaining MluI-3' end of the Pan5 sequence (bp 15135-36462, SEQ ID NO:1) is added to the vector between the MluI and EcoRV sites of the vector polylinker to form pX'Pan5ΔE1 which contains the full-length Pan5 sequence containing a deletion in the E1 region.

## C. Generation of Recombinant Viruses

To generate the recombinant adenoviruses from pX'Pan5∆E1, the plasmid is co-transfected with a helper expressing E1, or from an E1-expressing packaging cell line, such as 293 cell line or a cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of

the Pan5∆E1 into a virion capsid. In another embodiment, the packaging cell transfected with pX'Pan5∆E1 is transfected with an adenovirus vector as described above bearing the transgene of interest. Homologous recombination occurs between the helper and the plasmid, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant adenovirus.

Transfection is followed by an agar overlay for 2 weeks, after which the viruses are plaqued, expanded and screened for expression of the transgene. Several additional rounds of plaque purification are followed by another expansion of the cultures. Finally the cells are harvested, a virus extract prepared and the recombinant chimpanzee adenovirus containing the desired transgene is purified by buoyant density ultracentrifugation in a CsCl gradient or by alternative means known to those of skill in the art.

- Example 5 Generation of Recombinant E1-Deleted Pan6 Vector
  - A. Strategy for Construction of Pan-6 Adenoviral Plasmid
    - 1. Cloning of terminal fragments

Pan 6 virus is deproteinated by pronase and proteanase K treatment and phenol extraction. Synthetic 12 bp Pme I linkers are ligated onto the viral DNA as described by Berkner and Sharp, *Nucleic Acids Research*, **11**: 6003 (1983). The viral DNA is then digested with Xba I to isolate a 5' terminal fragment (6043 bp). The Ad6 XbaI 5' fragment is then ligated into pX link at Sma I and Xba I sites to form pX-AdPan6-0-16.5. The viral DNA with Pme I linkers is also digested with Pac I to isolate the 6475 bp 3' terminal fragment and cloned into pX link at Pac I and Sma I sites, resulting in pXAdPan6-82-100.

2. Deletion of E1 from the 5' clone

To delete E1 (m.u.1.2-9), the BsiWi-Xba I fragment in pX-AdPan6-0-16.5 is replaced with a PCR fragment spanning m.u.9-16.7 fragment treated with BsiWi and Xba I, leading to pX-Ad-Pan6 m.u.0-1, 9-16.5.

20

25

5

10

3. Fusion of 5' and 3' clones and to create an anchor site to accept the middle Hind III fragment

First, the 5' clone, pX-Ad-Pan6 m.u.0-1, 9-16.5, is further expanded by inserting the 2<sup>nd</sup> Xba I fragment (4350 bp, m.u.16.5 – 28) from Pan 6 genome into the Xba I site in the pX-Ad-Pan6 m.u.0-1, 9-16.5. This construct is named pXAd-Pan6-mu 0-1, 9-28.

Second, the 3' clone is also expanded by inserting the 15026 bp Mlu I/Pac I fragment covering m.u.41-82 from Pan 6 genome into the Mlu I/Pac I sites of pXAdPan6-82-100, generating pXAdPan6-m.u.41-100.

Then, a 8167 bp Hind III/Eco 47III Pan 6 fragment is isolated from pXAd-Pan6-mu 0-1, 9-28 and subcloned into pXAdPan6-m.u.41-100 at Hind III and Xba I blunt sites. This 5' and 3' fusion clone is called pXAdPan6mu0-1, 9-19.5, 64-100.

4. Drop of the middle fragment of the genome into the fusion

15 *clone* 

5

10

20

25

30

A 16335 bp Hind III fragment (m.u.19.5 – 64) from Pan 6 is inserted into Hind III site of pXAdPan6mu0-1, 9-19.5, 64-100 to form pXAdPan6-0-1, 9-100.

5. Introduction of a PKGFP selective marker into the final construct for direct cloning the gene of interest and green/white selection of recombinant transformants.

A minigene cassette that expresses GFP under a lac promoter and is flanked with recognition sites of rare intron encoding restriction enzymes, PI-Sce I and I-Ceu I, was isolated from pShuttle-pkGFP (bare) by Sap I and Dra III digestions followed by filling-in reaction. The pShuttle-pkGFP (bare) plasmid is 4126 bp in length, and contains a ColE1-Ori, a kanamycin resistance gene, plac, a LacZ promoter-GFPmut3-1 cds (Clontech), and a GFPmut3-1 cds (Clontech). This cassette is subcloned into Srf I cut and blunted pXAdPan6-0-1, 9-100. This final construct is called pX-Pan6-pkGFP mu.0-1, 9-100, which is useful for generating recombinant E1-deleted Pan 6 molecular clones carrying genes of interest by direct ligation and green/white selection in combination with the generic pShuttlepkGFP vectors.

## B. Alternative Strategy for Generation of Pan-6 Plasmid

1. Cloning of 5' terminal fragment

The Pan 6 virus is deproteinated by pronase and proteanase K treatment and phenol extraction as described above and synthetic 12 bp Pme I linkers are ligated onto the viral DNA as described. The AdPan6 5' XbaI fragment is isolated and ligated into pX to form pX-AdPan6-0-16.5 (9022 bp) as described in Part A above.

5

10

30

- 2. Deletion of E1 from the 5' clone

  To delete E1 (m.u. 1.2-9), pX-AdPan6-0-16.5 is digested with SnaBI and NdeI to remove the regions encoding the E1a and E1b proteins (3442-6310 bp). This vector is subsequently digested with BsiWI in preparation for blunting with the minigene cassette carrying a selective marker.
- 3. Introduction of a selective marker

  A minigene cassette that expressed GFP under a lac

  promoter and which is flanked with recognition sites of rare intron encoding restriction enzymes, PI-XceI and I-CeuI, was isolated from pShuttle-pkGFP as described above. The DraIII-SapI fragment is then ligated with the digested pX-AdPan6-0-16.5 to form pX-AdPan6 MU 0-16.5ΔΕ1 (7749 bp).
- 4. Extension of Pan-6 Adenoviral Sequences
   pX-AdPan6 MU 0-16.5ΔE1 was subjected to XbaI
   digestion to permit insertion of an XbaI-RsrII linker. An XbaI/RsrII digestion fragment
   from the AdPan6 genome was isolated (mu 28-100, 26240 bp) and ligated into the
   Xba/RsrII-digested pX-AdPan6 MU 0-16.5ΔE1 to provide pX-AdPan6 MU 0-1, 9-16.5,
   28-100. A second XbaI fragment from the Pan6 genome (mu 16.5-28, 4350 bp) is then
   ligated into this plasmid to form pX-AdPan6 MU 0-1, 9-100 (38551 bp).

## C. Generation of Recombinant Adenoviruses

To generate the recombinant adenoviruses from a E1-deleted Pan6 plasmid prepared as described in Parts A or b, the plasmid is co-transfected with a helper expressing E1, or from an E1-expressing packaging cell line, such as 293 cell line or a cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of the Pan6-pkGFP mu.0-1, 9-100 into a virion capsid. Alternatively, the packaging cell transfected with pX-Pan6-pkGFP mu.0-1, 9-100 is

transfected with an adenovirus vector as described above bearing another transgene of interest.

# Example 6 – Generation of Recombinant E1-Deleted Pan7 Vector

#### A. Generation of Pan7 Plasmids

5

10

15

20

25

30

A synthetic linker containing the restriction sites PacI-SmaI-FseI-MluI-EcoRV-PacI was cloned into pBR322 that was cut with EcoRI and NdeI. The left end (bp1 to 3618) of Ad Pan7 was cloned into the linker between the SmaI and FseI sites. The adenovirus E1 was then excised from the cloned left end by cutting with SnaBI and NdeI and inserting an I-CeuI-GFP-PI-SceI cassette from pShuttle (Clontech) in its place. The resulting plasmid was cut with FseI and MluI and Ad Pan7 fragment FseI (bp 3618) to MluI (bp 155114 was inserted to extend the left end. The construct (pPan7pGFP) was completed by inserting the 21421 bp Ad Pan7 right end fragment from the MluI site (bp 15114) into the above plasmid between MluI and EcoRV to generate a complete molecular clone of E1 deleted adenovirus Pan7 suitable for the generation of recombinant adenoviruses. Optionally, a desired transgene is inserted into the I-CeuI and PI-SceI sites of the newly created pPan7 vector plasmid.

#### B. Construction of E1-Deleted Pan7 Viral Vectors

To generate the recombinant adenoviruses from pPan7 $\triangle$ E1, the plasmid is co-transfected with a helper expressing E1, or from an E1-expressing packaging cell line, such as 293 cell line or a cell line prepared as described herein. The expression of E1 in the packaging cell permits the replication and packaging of the Pan7 $\triangle$ E1 into a virion capsid. In another embodiment, the packaging cell transfected with pX'Pan7 $\triangle$ E1 is transfected with an adenovirus vector as described above bearing the transgene of interest. Homologous recombination occurs between the helper and the plasmid, which permits the adenovirus-transgene sequences in the vector to be replicated and packaged into virion capsids, resulting in the recombinant adenovirus. Transfection and purification is as described above.

## Example 7 - Generation of Plasmid Vectors Expressing the E1 Genes

Plasmid vectors are constructed which encode the Pan5 E1 region gene, and these plasmids are used to generate stable cell lines expressing viral E1 proteins.

The E1 region of Pan5 is cloned into pX', essentially as described in Example 4 above, prior to replacement of this region with the fragment from pShuttle (Clontech). The expression plasmid contains the Pan5 adenoviral genome sequence spanning at least bp 1 to 3959 in the Pan5 genomic sequence. Thus, the expression plasmid contains the sequence encoding E1a and E1b of chimpanzee Ad Pan5 under the control of a heterologous promoter. Similar expression plasmids can be generated using the Ad Pan6 and AdPan 7 E1 regions, identified in the tables above.

Example 8 - Generation of Cell Lines Expressing Chimpanzee Adenovirus E1 Proteins

Cell lines expressing viral E1 proteins are generated by transfecting HeLa (ATCC Acc. No. CCL2) with the plasmid of Example 6. These cell lines are useful for the production of E1-deleted recombinant chimpanzee adenoviruses by co-transfection of genomic viral DNA and the expression plasmids described above. Transfection of these cell lines, as well as isolation and purification of recombinant chimpanzee adenoviruses therefrom are performed by methods conventional for other adenoviruses, i.e., human adenoviruses [see, e.g., Horwitz, cited above and other standard texts].

A. Cell lines expressing Pan5 E1 proteins

5

10

15

20

25

30

HeLa cells in 10cm dishes are transfected with 10 μg of pX-Pan51-E1 DNA using a Cellphect<sup>TM</sup> kit (Pharmacia, Uppsala, Sweden) and following the manufacturer's protocol. 22 hours post-transfection, the cells are subjected to a three minute glycerol shock (15% glycerol in Hepes Buffered Saline, pH 7.5) washed once in DMEM (HeLa) or F12K (A549; Life Technologies, Inc., Grand Island, NY) media supplemented with 10% FCS, 1% Pen-Strep, then incubated for six hours at 37°C in the above described media. The transfected cells are then split into duplicate 15cm plates at ratios of 1:20, 1:40, 1:80, 1:160, and 1:320. Following incubation at 37°C overnight, the media is supplemented with G418 (Life Technologies, Inc.) at a concentration of 1 μg/ml. The media is replaced every 5 days and clones are isolated 20 days post-transfection.

HeLa E1 cell clones are isolated and assayed for their ability to augment adeno-associated virus (AAV) infection and expression of recombinant LacZ protein as described below.

5

10

15

20

25

30

B. AAV Augmentation Assay for Screening E1 Expressing Cell Lines

AAV requires adenovirus-encoded proteins in order to complete its life cycle. The adenoviral E1 proteins as well as the E4 region-encoded ORF6 protein are necessary for the augmentation of AAV infection. An assay for E1 expression based on AAV augmentation is used. Briefly, the method for identifying adenoviral E1-expressing cells comprises the steps of infecting in separate cultures a putative adenovirus E1-expressing cell and a cell containing no adenovirus sequence, with both an adeno-associated virus (AAV) expressing a marker gene and an AAV expressing the ORF6 of the E4 gene of human adenovirus, for a suitable time. The marker gene activity in the resulting cells is measured and those cells with significantly greater measurable marker activity than the control cells are selected as confirmed E1-expressing cells. In the following experiment, the marker gene is a lacZ gene and the marker activity is the appearance of blue stain.

For example, the cell lines described above, as well as untransfected control cells (HeLa) are infected with 100 genomes per cell of an AAV vector bearing a marker gene, e.g., AV.LacZ [K. Fisher et al., J. Virol., 70:520 (1996)] and an AAV vector expressing the ORF6 region of human 5 (AV.orf6). The DNA sequence of the plasmid generates a novel recombinant adeno-associated virus (rAAV) containing the LacZ transgene and the Ad E4 ORF 6, which is an open reading frame whose expression product facilitates single-stranded (ss) to double-stranded (ds) conversion of rAAV genomic DNA. These vectors are incubated in medium containing 2% FCS and 1% Pen-Strep at 37°C for 4 hours, at which point an equal volume of medium containing 10% FCS is added. It should be understood by one of skill in the art that any marker gene (or reporter gene) may be employed in the first AAV vector of this assay, e.g., alkaline phosphatase, luciferase, and others. An antibody-enzyme assay can also be used to quantitate levels of antigen, where the marker expresses an antigen. The assay is not limited by the identity of the marker gene. Twenty to twenty-four hours post-infection, the cells are stained for LacZ activity using standard methods. After 4 hours the cells are observed microscopically and cell lines with significantly more blue cells than the A549 or HeLa cell controls are scored as positive.

## Example 9 - Delivery of Transgene to Host Cell

5

10

15

20

25

30

The resulting recombinant chimpanzee adenovirus described in Example 4, 5 or 6 above is then employed to deliver the transgene to a mammalian, preferably human, cell. For example, following purification of the recombinant virus, human embryonic kidney 293 cells are infected at an MOI of 50 particles per cell. GFP expression was documented 24 hours post-infection.

A. Gene Transfer in Mouse Models via Pan-6, Pan-7, and Pan-9 vectors
Gene transfer efficiencies and toxicological profile of recombinant
chimpanzee adenoviruses were compared in mouse liver directed gene transfer, mouse
lung directed gene transfer, and mouse muscle directed gene transfer.

E1-deleted adenoviral vectors containing LacZ under the control of the CMV promoter were constructed using the techniques herein for human Ad5, chimpanzee Pan 6, chimpanzee Pan 7 and chimpanzee Pan 9 (C68). The vectors were delivered to immune-deficient NCR nude mice (80 for each study) as follows. For the liver study, 100 μl (1 x10<sup>11</sup> particles) were injected into the tail vein. For the lung study, 50 μl (5 x10<sup>10</sup> particles) were delivered intratracheally. For the muscle study, 25 μl (5 x10<sup>10</sup> particles) were injected into tibialis anterior. The mice were sacrificed on days 3, 7, 14 and 28 post-vector injection (5 animals per group at each time point). At each necropsy, the liver/lung/muscle tissue was harvested and prepared for cryoblocks and paraffin embedding. The cryoblocks were sectioned for X-gal staining and the paraffin sections are H&E stained for histopathic analysis. At each time point, terminal bleeding was performed. Serum samples were subjected to liver function tests.

It was observed in this experiment the chimpanzee adenoviruses Pan-6, Pan-7, and Pan-9 were less efficient than huAd5 in gene transfer to the liver and to the lung. However, this may be desirable in certain circumstances, to reduce liver toxicity observed for huAd5. The gene transfer efficiency in muscle varied less between serotypes.

B. Mouse study to feasibility of re-administration of adenovirus vectors by serotype switching between Adhu5, Pan-6, Pan-7, and Pan-9 vectors

Mice were administered (C57/Bl6; 4/group) LacZ vectors based on huAd5, Pan-6, Pan-7, and Pan-9 (H5.040CMVLacZ, Pan6.000CMVLacZ, Pan7.000CMVLacZ, Pan9.000CMVLacZ; 10<sup>11</sup> particles/injection) by tail vein. Thirty days later the mice were re-administered adenovirus vectors expressing α1-antitrypsin

(H5.040CMVhA1AT, Pan6.000CMVhA1AT,  $1x10^{11}$  particles, Pan7.000CMVhA1AT, Pan9.000CMVhA1AT,  $10^{11}$  particles/injection). Successful transduction by the readministered vector is monitored by measuring serum  $\alpha 1$ -antitrypsin on days 3 and 7, following re-administration.

The ability of adenovirus vectors based on huAd5, Pan-6, Pan-7, and Pan-9 respectively to transduce the livers of mice in the presence of neutralizing antibodies to the other serotypes was determined. The results are tabulated here.

	<u> </u>	
1 <sup>st</sup> injection	2 <sup>nd</sup> injection	Cross-neutralization
Adhu5	Adhu5	Yes (+ve control)
	Pan-6	No
	Pan-7	No
	Pan-9 (C68)	No
Pan-6	Adhu5	No
	Pan-6	Yes (+ve control)
	Pan-7	Yes
	Pan-9 (C68)	No
Pan-7	Adhu5	No
	Pan-6	Yes
	Pan-7	Yes (+ve control)
	Pan-9 (C68)	Yes

1 <sup>st</sup> injection	2 <sup>nd</sup> injection	Cross-neutralization
Pan-9 (C68)	Adhu5	No
	Pan-6	No
	Pan-7	Yes
	Pan-9 (C68)	Yes (+ve control)

Ability of vectors to transduce murine liver in the presence of neutralizing antibodies to other serotypes.

Thus, immunization with huAd5 does not prevent re-administration with either of the chimpanzee adenovirus vectors Pan-6, Pan-7, or Pan-9 (C68). This experiment also appears to indicate that Pan-7 is between Pan-6 and Pan-9 in the spectrum of antigenic relatedness and cross-reacts with both; however Pan-6 and Pan-9 do not neutralize each other. This is a surprising result based on homology comparisons, which indicates that Pan-6 is quite distinct from Pan-7 and Pan-9. Evaluation of antisera generated against Pan-9 indicated no cross-neutralization against Pan-6 but some neutralization against Pan-7, arguing that Pan-6 is distinct from the others.

## Example 10 - Generation of Recombinant E1-Deleted SV-25 Vector

5

10

15

20

25

A plasmid was constructed containing the complete SV-25 genome except for an engineered E1 deletion. At the site of the E1 deletion recognition sites for the restriction enzymes I-CeuI and PI-SceI which would allow insertion of transgene from a shuttle plasmid where the transgene expression cassette is flanked by these two enzyme recognition sites were inserted.

A synthetic linker containing the restriction sites SwaI-SnaBI-SpeI-AfIII-EcoRV-SwaI was cloned into pBR322 that was cut with EcoRI and NdeI. This was done by annealing together two synthetic oligomers SV25T (5'-AAT TTA AAT ACG TAG CGC ACT AGT CGC GCT AAG CGC GGA TAT CAT TTA AA-3', SEQ ID NO: 38) and SV25B (5'-TAT TTA AAT GAT ATC CGC GCT TAA GCG CGA CTA GTG CGC

TAC GTA TTT A-3', SEQ ID NO:39) and inserting it into pBR322 digested with EcoRI and NdeI. The left end (bp1 to 1057, SEQ ID NO:29) of Ad SV25 was cloned into the above linker between the SnaBI and SpeI sites. The right end (bp28059 to 31042, SEQ ID NO: 29) of Ad SV25 was cloned into the linker between the AfIII and EcoRV sites. The adenovirus E1 was then excised between the EcoRI site (bp 547) to XhoI (bp 2031) from the cloned left end as follows. A PCR generated I-CeuI-PI-SceI cassette from pShuttle (Clontech) was inserted between the EcoRI and SpeI sites. The 10154 bp XhoI fragment of Ad SV-25 (bp2031 to 12185, SEQ ID NO:29) was then inserted into the SpeI site. The resulting plasmid was digested with HindIII and the construct (pSV25) was completed by inserting the 18344 bp Ad SV-25 HindIII fragment (bp11984 to 30328, SEQ ID NO:29) to generate a complete molecular clone of E1 deleted adenovirus SV25 suitable for the generation of recombinant adenoviruses. Optionally, a desired transgene is inserted into the I-CeuI and PI-SceI sites of the newly created pSV25 vector plasmid.

To generate an AdSV25 carrying a marker gene, a GFP (green fluorescent protein) expression cassette previously cloned in the plasmid pShuttle (Clontech) was excised with the restriction enzymes I-CeuI and PI-SceI and ligated into pSV25 (or another of the Ad chimp plasmids described herein) digested with the same enzymes. The resulting plasmid (pSV25GFP) was digested with SwaI to separate the bacterial plasmid backbone and transfected into the E1 complementing cell line HEK 293. About 10 days later, a cytopathic effect was observed indicating the presence of replicative virus. The successful generation of an Ad SV25 based adenoviral vector expressing GFP was confirmed by applying the supernatant from the transfected culture on to fresh cell cultures. The presence of secondarily infected cells was determined by observation of green fluorescence in a population of the cells.

Example 11 - Construction of E3 deleted Pan-5, Pan-6, Pan-7 and C68 vectors

In order to enhance the cloning capacity of the adenoviral vectors, the E3 region
can be deleted because this region encodes genes that are not required for the propagation
of the virus in culture. Towards this end, E3-deleted versions of Pan-5, Pan-6, Pan-7, and
C68 have been made (a 3.5 kb Nru-AvrII fragment containing E31-9 is deleted).

## A. E3 deleted Pan5 based vector

5

10

15

20

25

30

E1-deleted pPan5-pkGFP plasmid was treated with Avr II endonuclease to isolate a 5.8 kb fragment containing the E3 region and re-circulate pPan5-pkGFP with Avr II deletion to form construct pPan5-pkGFP-E3-Avr II. Subsequently, the 5.8 kb Avr II fragment was subcloned into pSL-Pan5-E3-Avr II for a further deletion of E3 region by Nru I digestion. This led to a plasmid pSL-Pan5-E3-deletion. The final construct pPan5-E3-pkGFP was produced by removing a 4.3 kb Avr II/Spe I fragment from pSL-Pan5-E3-deletion plasmid and inserting into pPan5-pkGFP-E3-Avr II at Avr II site. In this final construct, a 3.1 kb deletion in E3 region was accomplished.

## B. E3 deletion in Pan6 based vector

E1-deleted pPan6- pkGFP molecular clone was digested with Sbf I and Not I to isolate 19.3 kb fragment and ligated back at Sbf I site. The resulting construct pPan6-Sbf I-E3 was treated with Eco 47 III and Swa I, generating pPan6-E3. Finally, 21 kb Sbf I fragment from Sbf I digestion of pPan6- pkGFP was subcloned into pPan6-E3 to create pPan6-E3-pkGFP with a 4 kb deletion in E3.

## C. E3 deleted Pan7 and Pan9 vectors

The same strategy was used to achieve E3 deletions in both vectors. First, a 5.8 kb Avr II fragment spanning the E3 region was subcloned pSL-1180, followed by deletion of E3 by Nru I digestion. The resulting plasmids were treated with Spe I and Avr II to obtain 4.4 kb fragments and clone into pPan7- pkGFP and pPan9-pkGFP at Avr II sites to replace the original E3 containing Avr II fragments, respectively. The final pPan7-E3- pkGFP and pPan9-E3- pkGFP constructs have 3.5 kb E3-deletions.

# Example 12 - Construction of E3- and E4-deleted Pan-7 vector

Although the deletion of the E1 region of adenoviruses (first generation adenovirus vectors) renders them replication-incompetent, expression of the adenoviral vector backbone genes is not fully abolished. Deletion of the E4 region considerably attenuates this residual gene expression and may confer a safety advantage. An E4-deleted Pan-7 vector containing a 2.5 kb deletion (a PvuII-AgeI fragment containing E4ORF1-ORF7 is deleted) has been constructed. High titer stocks of this virus were generated using a HEK 293-based cell line, which in addition to E1, expresses an essential E4 gene (orf 6).

1. E4 deletion in the molecular clone of Pan7

5

10

15

30

A 19 kb Xba I fragment was deleted from pPan7- pkGFP to create pPan7-Xba I from which a 2.5 kb E4 fragment was deleted by Age I and Pvu II partial digestion, resulting in pPan7-Xba I-E4. pPan7-E4- pkGFP plasmid was generated from pPan7-Xba I-E4 in two sequential cloning steps, adding 19 kb Xba I and 15 kb I-Ceu I/Mlu I fragments, both of which came from pPan7- pkGFP construct.

- 2. Introduction of E3 and E4 deletions in Pan9 vector
- A 11 kb plasmid, pPan9-EcoRI, containing E4 region was created by retrieving 11 kb EcoRI fragment from pPan9 pkGFP after EcoRI digestion and self-ligation. E4 region was deleted from this construct by Age I digestion/filled in and Pvu II partial digestion and slef-ligation to generate pPan9-EcoR I-E4. A 23 kb EcoR I fragment was isolated from pPan9-pkGFP and inserted into pPan9-EcoR I-E4 at EcoR I site, followed by adding 5.8 kb Avr II fragment from pPan9-pkGFP, to form the final product pPan9-E3-E4- pkGF. Compared to the genome size of wild type Pan9, this E1-E3-E4-deleted vector could have a transgene capacity up to 8 kb.
- 3. Introduction of minigene cassettes with genes of interest including reporter genes, glyco- and nuclear proteins of Ebo into molecular clones of Pan vectors
- A highly efficient direct cloning and green/white selection procedure was employed for creating molecular clones of recombinant viruses. Briefly, genes of interest were cloned into pShuttlepkGFP by screening white colonies for recombinants. Subsequently, the minigene cassettes were transferred into chimpanzee adenovirus backbone plasmids, pPanX-pkGFP with various deletions, easily by swapping with pkGFP cassette at I-Ceu I and PI-Sce I sites and screening a few white colonies for correct recombinants.
  - 4. Rescue of molecular clones of Pan vectors with multiple deletions in early regions and virus propagation

For rescue of E1-E3-deleted molecular clones of chimpanzee adenovirus vectors, the clones were linearized with appropriate restriction enzymes and transfected into regular 293 cells. Once a full cytopathic effect (CPE) observed in the transfected

cells, crude lysate was harvested and expanded in 293 cells to large-scale infections. The viruses were purified by CsCl sedimentation method.

For E1-E4 and E1-E3-E4-deleted Pan vectors, 10-3 cells, a 293-based E1-E4-complementing cell line, were used for rescue and propagation of vectors. E4 ORF6 gene expression in 10-3 cells was induced by addition of 150  $\mu$ M ZnSO<sup>4</sup> to the culture medium.

5

10

15

20

Example 13 - Vaccination with adenovirus vectors expressing wild type and variant EboZ GP.

AdHu5 or AdC7 vectors expressing Ebola envelope chimeras were produced for *in vivo* immunization experiments in C57BL/6 mice. Recombinant viruses with different viral backbones were created by molecular cloning method in which the minigene cassettes were inserted into the place of E1-deletions. The molecular clones of all recombinant viruses were rescued and grown up in 293 cells for large-scale purification using CsCl sedimentation method. Five EboZ variants encoded by AdHu5 or AdPan7 (C7) were selected and produced to evaluate their relative immunogenicity following an intramuscular Ad injection. The wt Ebo, a soluble Ebo variant, Ebo $\Delta$ 1, Ebo $\Delta$ 2, Ebo $\Delta$ 3, Ebo $\Delta$ 4, Ebo $\Delta$ 5S, Ebo $\Delta$ 6S, Ebo $\Delta$ 7S and Ebo $\Delta$ 8S were evaluated in the initial vaccine studies. For the data summarized in the following table, the number of viral particles (per ml or total) produced and amplified from infected 293 cells was

established by spectrophotometry reading.

Table: Production of Adhu5 or AdC7 Adenoviral vector encoding EboZ variant.

	HuAd5		AdC7		
Gene	Titer (VP x 10 <sup>12</sup> /ml)	Total yield (VP x 10 <sup>12</sup> )	Titer (VP x 10 <sup>12</sup> /ml)	Total yield (VP x 10 <sup>12</sup> )	
Ebo wt	2.6	12	4.3	43	
EboS	4.9	49	4.6	55	
EboΔ2	2.1	9	5.8	93	
EboΔ3	1.7	8	5.3	95	
Ebo∆4	3	12	4.1	62	

Vector was administered intramuscularly (10<sup>11</sup> genome copies/cell) in C57BL/6 mice and the presence of virus neutralizing antibody (VNA0 was evaluated 28 days later as a first measure of an immune response generated against the Ebola envelope glycoprotein. VNA is defined here as serum antibody able to inhibit transduction of HeLa cells mediated by HIV-based vector pseudotyped with the wild-type Ebola envelope.

VNA to the EboZ pseudotypes was detected with AdPan7 (C7) yielding higher titers than AdHu5. The EboZΔ3 elicited the highest VNA in terms of the transgene targets. For the data summarized in the following table, neutralizing antibody titers to HIV-EboZ-GFP pseudotypes (reciprocal dilution) are provided (N=5 animals/group).

	VNA Titers				
	EboZ wildtype	EboZs	EboZΔ3		
AdHu5	12	16	12		
AdC7	44	12	140		

5

10

Example 14 – Pan7-mediated Expression of Ebola Proteins

5

Mouse studies to evaluate Pan-7 vectors expressing Ebola envelope proteins and the Ebola nuclear antigen have been initiated. These are directed towards evaluation of neutralizing antibodies in C57Bl/6 mice injected intramuscularly (IM) with Adhu5 or Pan-7 expressing each of 4 Ebola env constructs.

A. Evaluation of CTL from C57Bl/6 mice injected IM with Adhu5 or Pan-7 expressing the Ebola env constructs.

1. Challenge experiment in mice with Ebola virus.

Neutralizing antibody (NAB) responses to the Ebola envelope were analyzed by looking at immunized mouse sera mediated neutralization of a lentiviral 10 (HIV) vector pseudotyped with the several constructs (eEbo, NTD2, NTD3, NTD4) of the Ebola envelope glycoprotein. C57BL/6 or BALB/c mice received a single intramuscular injection of 5 x 10<sup>10</sup> particles per mouse of C7 (Ad Pan-7) encoding Ebola envelope variant. Neutralizing antibody was evaluated 30 days post-vaccination. Briefly, Ebola Zaire pseudotyped HIV vector encoding for \( \beta \)-galactosidase (EboZ-HIV-LacZ) was 15 incubated for 2 hr at 37°C with different dilution of heat inactivated mouse serum. Following the incubation with serum, EboZ-HIV-LacZ was then used to infect HeLa cells for 16 hr at 37°C. Infectivity was revealed by X-gal staining of transduced HeLa cells positive for ß-galactosidase. Neutralizing titer represent the serum reciprocal dilution where a 50% decrease in the number of \( \beta\_{\text{galactosidase}} \) positive blue cells was observed. 20 Sera were collected 30 days post-immunization, which consisted in a single intramuscular (I.M.) administration of 5 x 10<sup>10</sup> particles/animal. Neutralizing antibody to Ebola pseudotyped HIV could be detected from all groups with antibody titers ranging from 20 for Ad-EboZ (Adhu5 expressing EboZ), Ad-NTD3 (Adhu5 expressing NTD3) and C7sEbo (Ad Pan-7 expressing soluble EboZ) to over 130 for C7-NTD3 (Ad Pan-7 25 expressing soluble NTD3) and C7-NTD4 (Ad Pan-7 expressing soluble NTD3). The same immunization strategy in BALB/c mice resulted in lower neutralizing antibody titers for Ad- and C7-NTD2, and NTD4.

## B. Cellular Immune Response

The cellular immune response to the Ebola envelope in C57BL/6 mice was evaluated 8 days after a single I.M. administration of 5 x 10<sup>10</sup> particles of C7-LacZ or C7-Ebola envelope variant per animal. Mice were vaccinated I.M. with 5 x 10<sup>10</sup> particles

of C7 encoding LacZ or Ebola envelope variant. Splenic lymphocytes from immunized mice were collected 8 days post vaccination and stimulated in vitro with feeder cells (splenic lymphocytes from untreated mice infected with human Adenovirus serotype 5 encoding for the wild-type Ebola envelope and irradiated). Standard 5-hr CTL assays were performed using <sup>51</sup>Cr-labeled syngenic C57 cells transfected with an expressor of EboZ.

A positive MHC-restricted cytotoxic T lymphocyte (CTL) response was observed from all AdPan-7 encoding for Ebola envelope variants with a higher response from NTD2, NTD3 or NTD4 immunized mice. Indeed, effector cells from C7 encoding Ebola envelope variant immunized mice recognized EboZ transfected target cells and gave recall CTL responses up to 30% specific lysis. Less than 5% lysis was seen with effector cells from naïve or LacZ immunized control mice confirming that lysis was specific for Ebola envelope antigens.

## C. Protection Studies

The most direct means of evaluating C7 (Ad Pan-7) encoding for the EboZ variants as a successful vaccine in mice was to assess protection against weight loss and death following lethal challenge with mouse adapted Ebola Zaire virus. BALB/c mice were immunized with a single dose of 5 x 10<sup>10</sup> particles per animal as performed previously and vaccinated animals were challenged with 200 LD<sub>50</sub> of mouse adapted Ebola Zaire 21 days later. All control mice (vehicle and C7-LacZ) died between day 5 to day 9 post-challenge. In contrast, all vaccinated mice but one, (from the C7-sEbo group), survived the challenge with Ebola Zaire.

Weight loss was observed from mice vaccinated with C7-sEbo from day 4 to day 7. Signs of illness such as pilo-erection and from light to severe lethargy were also noted from mice vaccinated with C7-sEbo, NTD2 and NTD3 between day 4 to day 7. Mice immunized with C7-EboZ and C7-NTD4 did not show sign of illness. Overall, a single dose of C7-EboZ and C7-NTD4 completely protected immunized mice from illness and death possibly due to a significant T cell mediated immunity.

5

10

15

20

25

All documents recited above are incorporated herein by reference. Numerous modifications and variations of the present invention are included in the scope of the above-identified specification and are expected to be obvious to one of skill in the art. Such modifications and alterations to the compositions and processes of the present invention, such as selections of different minigenes or selection or dosage of the vectors or immune modulators are believed to be within the scope of the claims appended hereto.

5

## WHAT IS CLAIMED IS:

- 1. An isolated simian adenovirus nucleic acid sequence selected from the group consisting of:
  - (a) Pan5 having the sequence of nucleic acids 1 to 36462 of SEQ ID

NO:1;

(b) Pan6 having the sequence of nucleic acids 1 to 36604 of SEQ ID

NO:5;

(c) Pan7 having the sequence of nucleic acids 1 to 36535 of SEQ ID

NO:9;

(d) SV1 having the sequence of nucleic acids 1 to 34264 of SEQ ID NO:

24;

(e) SV25 having the sequence of nucleic acids 1 to 31044 of SEQ ID NO:

29;

(f) SV39 having the sequence of to nucleic acids 1 to 34115 of SEQ ID

NO: 34, and

- (g) a nucleic acid sequence complementary to the sequence of any of (a) to (f).
- 2. An isolated simian adenovirus serotype nucleic acid sequence selected from one or more of the group consisting of:
  - (a) 5' inverted terminal repeat (ITR) sequences;
- (b) the adenovirus E1a region, or a fragment thereof selected from among the 13S, 12S and 9S regions;
- (c) the adenovirus E1b region, or a fragment thereof selected from among the group consisting of the small T, large T, IX, and IVa2 regions;
  - (d) the E2b region;
- (e) the L1 region, or a fragment thereof selected from among the group consisting of the 28.1 kD protein, polymerase, agnoprotein, 52/55 kD protein, and IIIa protein;

(f) the L2 region, or a fragment thereof selected from the group consisting of the penton, VII, VI, and Mu proteins;

- (g) the L3 region, or a fragment thereof selected from the group consisting of the VI, hexon, or endoprotease;
  - (h) the 2a protein;
- (i) the L4 region, or a fragment thereof selected from the group consisting of the 100 kD protein, the 33 kD homolog, and VIII;
- (j) the E3 region, or a fragment thereof selected from the group consisting of E3 ORF1, E3 ORF2, E3 ORF3, E3 ORF4, E3 ORF5, E3 ORF6, E3 ORF7, E3 ORF8, and E3 ORF9;
- (k) the L5 region, or a fragment thereof selected from a fiber protein;
- (l) the E4 region, or a fragment thereof selected from the group consisting of E4 ORF7, E4 ORF6, E4 ORF4, E4 ORF3, E4 ORF2, and E4 ORF1; and (m) the 3' ITR,

of any of Pan5 SEQ ID NO:1; Pan6 SEQ ID NO:5; Pan7 SEQ ID NO:9; SV1 SEQ ID NO: 24; SV25 SEQ ID NO: 29; and SV39 SEQ ID NO: 34, or sequence complementary to any of (a) to (m).

- 3. A simian adenovirus protein encoded by the nucleic acid sequence according to claim 2.
- 4. A nucleic acid molecule comprising a heterologous simian adenoviral sequence according to claim 2.
- 5. The nucleic acid molecule according to claim 4, wherein said simian adenoviral sequence encodes an adenoviral gene product and is operatively linked to regulatory control sequences which direct expression of the adenoviral gene product in a host cells.

6. The nucleic acid molecule according to claim 4 or 5, wherein said simian adenoviral sequence comprises the E1a region of Pan5 SEQ ID NO:1; Pan6 SEQ ID NO:5; Pan7 SEQ ID NO:9; SV1 SEQ ID NO: 24; SV25 SEQ ID NO: 29; and SV39 SEQ ID NO: 34.

- 7. A pharmaceutical composition comprising the nucleic acid molecule according to claim 6 and a physiologically compatible carrier.
- 8. An isolated simian adenoviral capsid protein selected from the group consisting of:
- (a) a hexon protein of Pan5 SEQ ID NO:3, Pan6 SEQ ID NO:7, Pan7 SEQ ID NO:11, SV1 SEQ ID NO:26, SV25 SEQ ID NO:31or SV39 SEQ ID NO:36, or fragment thereof;
- (b) a penton protein of Pan5 SEQ ID NO:2, Pan6 SEQ ID NO:6, Pan7 SEQ ID NO:10, SV1 SEQ ID NO:25, SV25 SEQ ID NO: 30 or SV39 SEQ ID NO:35;
- (c) a fiber protein of Pan5 SEQ ID NO:4, Pan6 SEQ ID NO:8, Pan7 SEQ ID NO:12, SV1 SEQ ID NO: 27 and SEQ ID NO:28, SV25 SEQ ID NO: 32 and SEQ ID NO:33 or SV39 SEQ ID NO: 37, or a fragment thereof.
- 9. An artificial adenovirus serotype comprising a capsid protein according to claim 8 or a fragment thereof.
- 10. The artificial adenovirus serotype according to claim 9, wherein said capsid comprises a fragment of the hexon protein selected from the group consisting of Pan5 SEQ ID NO: 15, Pan6 SEQ ID NO:16 and Pan7 SEQ ID NO:17.
- 11. The artificial adenovirus serotype according to claim 9 or 10, wherein said capsid comprises a fragment of the fiber protein selected from the group consisting of Pan6 SEQ ID NO: 19, Pan7 SEQ ID NO:20 and Pan5 SEQ ID NO:21.

12. A nucleic acid molecule comprising a heterologous sequence encoding a protein according to claims 3 or 8 or an artificial adenovirus serotype according to any of claims 9 to 11.

- 13. A recombinant vector comprising a simian adenovirus sequence according to claim 2 or a nucleic acid molecule according to claim 4 or 12 and a heterologous gene operatively linked to sequences which direct expression of said gene in a host cell.
- 14. The recombinant vector according to claim 13, further comprising 5' and 3' adenovirus cis-elements necessary for replication and encapsidation.
- 15. The recombinant vector according to claim 13 or claim 14, wherein said vector is a virus.
- 16. The recombinant vector according to any of claims 13 to 15 wherein said vector lacks all or a part of the E1 gene.
- 17. A recombinant virus comprising a simian capsid protein according to claim 3 or an artificial adenovirus serotype according to any of claims 9 to 11.
  - 18. A host cell comprising a nucleic acid molecule according to any of claims 4 to 6 or 12, a recombinant vector according to any of claims 13 to 16, or a recombinant virus according to claim 17.
  - 19. The host cell according to claim 18, wherein said host cell is stably transformed with the nucleic acid molecule or the recombinant vector.

20. The host cell according to claim 18 or claim 19, wherein said host cell expresses one or more adenoviral gene products from said nucleic acid molecule or recombinant vector, said adenoviral gene products selected from the group consisting of E1a, E1b, E2a, and E4 ORF6.

- 21. The host cell according to any of claims 18 to 20, wherein said host cell is stably transformed with a nucleic acid molecule comprising the simian adenovirus inverted terminal repeats.
- 22. A composition comprising a recombinant vector in a pharmaceutically acceptable carrier, said vector comprising a simian adenovirus sequence according to any of claims 1 or 2 and a selected heterologous gene operatively linked to regulatory sequences which direct expression of said gene in a host cell.
- 23. A method for delivering a heterologous gene to a mammalian cell comprising introducing into said cell an effective amount of the vector of any of claims 13 to 16 or a virus according to claim 17.
- 24. A method for repeat administration of a heterologous gene to a mammal comprising the steps of:
- (a) introducing into said mammal a first vector which comprises the heterologous gene and
- (b) introducing into said mammal a second vector which comprises the heterologous gene;

wherein at least the first virus or the second vector is a virus according to claim 17 and wherein the first and second recombinant vector are different.

25. A method for producing a selected gene product comprising infecting a mammalian cell with the vector of any of claims 13 to 16 or a virus according to claim 17, culturing said cell under suitable conditions and recovering from said cell culture the expressed gene product.

26. A method for eliciting an immune response in a mammalian host against an infective agent comprising administering to said host an effective amount of the recombinant adenovirus of claim 17, wherein said heterologous gene encodes an antigen of the infective agent.

- 27. The method according to claim 26, comprising the step of priming the host with a DNA vaccine comprising the heterologous gene prior to administering the recombinant adenovirus.
- 28. A composition comprising a simian adenovirus capsid protein according to claim 8 linked to a heterologous molecule for delivery to a selected host cell.
- 29. A method for targeting a cell having an adenoviral receptor comprising delivering to a subject a composition according to claim 28.

# FIGURE 1

APKGAPNPCEWDEAATALEINLEEEDDDNEDEVDEQAEQQKTHVFGQAPYSGINITKEGIQIGVEGQT APKGAPNSSQWEQAKTG	PKYADKTEQPEPQIGESQWYETEINHAAGRVLKKTTPMKPCYGSYAKPTNENGGQGILVKQQNG NKPIYADKTFQPEPQVGEENWQETENFYGGRALKKDTNMKPCYGSYARPTNEKGGQAKLKVGDDGVP -QPIYADKTYQPEPQVGDAEWHDITGTDEKYGGRALKPDTKMKPCYGSFAKPTNKEGGQANVKTETGG -QAIYADETYQPEPQVGDAEWHDITGTDEKYGGRALKPDTKMKPCYGSFAKPTNKEGGQANVKTETGG	KLESQVEMQFFSTTEATAGNGDNLTPKVVLYSEDVDIETPDTHISYMPTIKEGNSRELMGQQSMPNRPNY 6 TKEFDIDLAFFDTPGGTVNGQDEYKADIVMYTENTYLETPDTHVVYKPGKDDASSEINLVQQSMPNRPNY 5 TKEYDIDMAFFDNRSAAAGLAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINLGQQSMPNRPNY 7 TKEYDIDMAFFDNRSAAAAGLAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINLGQQSMPNRPNY 9 TKEYDIDMAFFDNRSAAAGLAPEIVLYTENVDLETPDTHIVYKAGTDDSSSSINLGQQAMPNRPNY	IAFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP 6 IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP 5 IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP 7 IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP 9 IGFRDNFIGLMYYNSTGNMGVLAGQASQLNAVVDLQDRNTELSYQLLLDSIGDRTRYFSMWNQAVDSYDP	DVRIIENHGTEDELPNYCFPLGGVINTETLTKVKPKTGQENGWEKDATEFSDKNEIRVGNNFAMEI  DVRIIENHGVEDELPNYCFPLDGSGTNAAYQGVKVKDGQDGDVESEWENDDTVA-ARNQLCKGNIFAMEI  DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKANGADQTTWTKDDTVN-DANELGKGNPFAMEI  DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKANGDNQTTWTKDDTVN-DANELGKGNPFAMEI  DVRIIENHGVEDELPNYCFPLDAVGRTDTYQGIKANGTDQTTWTKDDSVN-DANEIGKGNPFAMEI
Hu5 Pan-6 Pan-5 Pan-7	Hu5 Pan-6 Pan-5 Pan-7 Pan-9	Hu5 Pan-6 Pan-5 Pan-7 Pan-9	Hu5 Pan-6 Pan-5 Pan-7 Pan-9	Hu5 Pan-6 Pan-5 Pan-7

$\sigma$	Bessel bessel	1 24 闰 日 1 1	
T.WTTPDFSFWQLLSDRIAKLTDCLTKGSSSIAGTVAVAATVGSG-NENP MLWTTPDFSFWQLLSDRIAKFTTCLTKGSSSILGTVAVAATVGSALNP TLWTTPDFSFWCRLHSDNBCKFTVLTKGSSVLATWAALAWSGDESS MLWTTPADFSFWCRLNAEKDAKLTTCLTKGSSILGTWTVLAVNG-SENP TLWTTADFSFWCKIYSEKBAKLTTCLTKGSSILGTWTVLAVNG-SENP TLWTTADFSFWCHIYSEKBAKLTTCLTKGSSILGTWTVLAVNG-SENP	ITGTWSSAQVELREDANG TLTEHSTLKKYNGYRQEDSIDGTEYTNAVGINDS IND WSALIVELREDSDC MASNSSMYGD, NNFEGGTTQSVA THAVY MTGTWASVSIFLREDQNG MENSSLKKHYNNFRNGNSTNANPYTHAVY ISGTWQSAHLIIR DENG TUNNSFLDPE, NNFENGDLTEGTA THAVY ITNIWSTALVSLKEDANG TQSSSTLDKE, NNFERGEDVTPAEPYTHALVILKEDANG TQSSSTLDSD, NNFERGEDVTPAEATTRAL	MENLKARF KSQSSTTRNNI VGOV DANGDVSKRALTT TANGEDDS MPNIGA PRTQSKTPRNS VSOVKLIGETTMEMTIT TANGEDEK-DTTP NENLLARFRYGSQTARNNI VSOVKLIGETTREMIET TANGESESTETSE MENLSAF KSHGKTARSNI VSOVKLNGDKTKRVIET TANGE SESTETSE MENLSAF KSHGKTARSNI VSOVKLNGDEAKFLAMI TENEREDAT MPNIKA PRNTSAASKSHI VGKVLNGDEAKFLAMI TENEREDAT	NST. SMS. SYTWT-NGSYVGATFGANSYTÆS (RAQE VST. SMT. TWQWTGDYKDKNITFATNSFSFSYTAQE VST. SMS. TWSWE-SGKYTTETFATNSYTÆS (RAQE PSA. SMS. SWDWS-GHNYINEIFATS YTÆS (RAQE -CT. SITT QWKWD-STKYTGETLATS FTÆS (RAQE -CT. SITT QWKWD-STKYTGETLATS FTÆS (RAKE
	(50) (51) (49) (49) (50)	(100) (101) (99) (99) (100)	(145) (150) (149) (148) (146)
9 fiber knob 6 fiber knob 2 fiber knob 5 fiber knob 7 fiber knob 5 fiber knob	9 fiber knob 6 fiber knob 2 fiber knob 5 fiber knob 7 fiber knob	9 fiber knob 6 fiber knob 2 fiber knob 5 fiber knob 7 fiber knob	9 fiber knob 6 fiber knob 2 fiber knob 5 fiber knob 7 fiber knob
Pan-9 Pan-6 Ad 2 Ad 5 Pan-7	Pan-9 Pan-6 Ad 2 Ad 5 Ad 5 Pan-7	Pan-9 Pan-6 Ad 2 Ad 5 Pan-7	Pan-9 Pan-6 Ad 2 Ad 5 Pan-7
	0.40		

## SEQUENCE LISTING

<110>	The Trustees of the University of Pennsylvania Wilson, James M. Gao, Guangping Roy, Soumitra	
<120>	Simian Adenovirus Nucleic Acid and Amino Acid Sequences, Vectors Containing Same, and Methods of Use	
<130>	UPN-02677PCT	
<150> <151>	US 60/331,951 2001-11-21	
<150> <151>	US 60/366,798 2002-03-22	
<160>	39	
<170>	PatentIn version 3.1	
<210> <211> <212> <213>	1 36462 DNA chimpanzee adenovirus serotype Pan5	
<220> <221> <222> <223>	(13898)(15490)	
<220> <221> <222> <223>	CDS (18315)(21116) L3 Hexon	
<220> <221> <222> <223>	(32035)(33372)	
<400>	1	
catcato	caat aatatacctc aaacttttgg tgcgcgttaa tatgcaaatg aggtatttga	60
atttgg	ggat gcggggcggt gattggctgc gggagcggcg accgttaggg gcggggcggg	.20
tgacgtt	ttg atgacgtggc cgtgaggcgg agccggtttg caagttctcg tgggaaaagt 1	.80
gacgtca	aaac gaggtgtggt ttgaacacgg aaatactcaa ttttcccgcg ctctctgaca 2	40
ggaaato	gagg tgtttctggg cggatgcaag tgaaaacggg ccattttcgc gcgaaaactg 3	00
aatgagg	gaag tgaaaatctg agtaattccg cgtttatggc agggaggagt atttgccgag 3	60
ggccgag	rtag actttgaccg attacgtggg ggtttcgatt accgtatttt tcacctaaat 4	20

ttccgcgtac ggtgtcaaag tccggtgttt ttacgtaggt gtcagctgat c	cgccagggta	480
tttaaacctg cgctctctag tcaagaggcc actcttgagt gccagcgagt a	agagttttct	540
cctccgcgcc gcgagtcaga tctacacttt gaaagatgag gcacctgaga g	gacctgcccg	600
gtaatgtttt cctggctact gggaacgaga ttctggaact ggtggtggac g	gccatgatgg	660
gtgacgaccc tccggagccc cctaccccat ttgaagcgcc ttcgctgtac g	gatttgtatg	720
atctggaggt ggatgtgccc gagaacgacc ccaacgagga ggcggtgaat g	gatttgttta	780
gcgatgccgc gctgctggct gccgagcagg ctaatacgga ctctggctca g	gacagcgatt	840
cctctctcca taccccgaga cccggcagag gtgagaaaaa gatccccgag c	ttaaagggg .	900
aagagetega eetgegetge tatgaggaat gettgeetee gagegatgat g	aggaggacg	960
aggaggcgat tcgagctgca gcgaaccagg gagtgaaaac agcgagcgag g	gctttagcc	1020
tggactgtcc tactctgccc ggacacggct gtaagtcttg tgaatttcat c	gcatgaata	1080
ctggagataa gaatgtgatg tgtgccctgt gctatatgag agcttacaac c	attgtgttt	1140
acagtaagtg tgattaactt tagctgggga ggcagagggt gactgggtgc to	gactggttt	1200
atttatgtat atgtttttta tgtgtaggtc ccgtctctga cgtagatgag a	cccccacta	1260
cagagtgcat ttcatcaccc ccagaaattg gcgaggaacc gcccgaagat a	ttattcata	1320
gaccagttgc agtgagagtc accgggcgta gagcagctgt ggagagtttg ga	atgacttgc	1380
tacagggtgg ggatgaacct ttggacttgt gtacccggaa acgccccagg ca	actaagtgc	1440
cacacatgtg tgtttactta aggtgatgtc agtatttata gggtgtggag tg	gcaataaaa	1500
teegtgttga etttaagtge gtggtttatg aeteaggggt ggggaetgtg gg	gtatataag	1560
caggtgcaga cctgtgtggt cagttcagag caggactcat ggagatctgg ac	cagtcttgg	1620
aagactttca ccagactaga cagctgctag agaactcatc ggagggagtc to	cttacctgt	1680
ggagattctg cttcggtggg cctctagcta agctagtcta tagggccaag ca	aggattata	1740
aggatcaatt tgaggatatt ttgagagagt gtcctggtat ttttgactct ct	tcaacttgg	1800
gccatcagtc tcactttaac cagagtattc tgagagccct tgacttttct ac	ctcctggca	1860
gaactaccgc cgcggtagcc ttttttgcct ttatccttga caaatggagt ca	aagaaaccc	1920
atttcagcag ggattaccgt ctggactgct tagcagtagc tttgtggaga ac	catggaggt	1980
gccagcgcct gaatgcaatc tccggctact tgccagtaca gccggtagac ac	cgctgagga	2040
tectgagtet ecagteacee caggaacace aacgeegeca geageegeag ca	ıggagcagc	2100

agcaagagga	ggaccgagaa	gagaacctga	gagccggtct	ggaccctccg	gtggcggagg	2160
aggaggagta	gctgacttgt	ttcccgagct	gcgccgggtg	ctgactaggt	cttccagtgg	2220
acgggagagg	gggattaagc	gggagaggca	tgaggagact	agccacagaa	ctgaactgac	2280
tgtcagtctg	atgagtcgca	ggcgcccaga	atcggtgtgg	tggcatgagg	tgcagtcgca	2340
ggggatagat	gaggtctcag	tgatgcatga	gaaatattcc	ctagaacaag	tcaagacttg	2400
ttggttggag	cccgaggatg	attgggaggt	agccatcagg	aattatgcca	agctggctct	2460
gaggccagac	aagaagtaca	agattaccaa	actgattaat	atcagaaatt	cctgctacat	2520
ttcagggaat	ggggccgagg	tggagatcag	tacccaggag	agggtggcct	tcagatgctg	2580
catgatgaat	atgtacccgg	gggtggtggg	catggaggga	gtcaccttta	tgaacgcgag	2640
gttcaggggt	gatgggtata	atggggtggt	ctttatggcc	aacaccaagc	tgacagtgca	2700
cggatgctcc	ttctttggct	tcaataacat	gtgcattgag	gcctggggca	gtgtttcagt	2760
gaggggatgc	agtttttcag	ccaactggat	gggggtcgtg	ggcagaacca	agagcatggt	2820
gtcagtgaag	aaatgcctgt	tcgagaggtg	ccacctgggg	gtgatgagcg	agggcgaagc	2880
caaagtcaaa	cactgcgcct	ctaccgagac	gggctgcttt	gtactgatca	agggcaatgc	2940
caaagtcaag	cataatatga	tctgtggggc	ctcggatgag	cgcggctacc	agatgctgac	3000
ctgcgccggt	gggaacagcc	atatgctagc	caccgtgcat	gtggcctcgc	acccccgcaa	3060
gacatggccc	gagttcgagc	acaacgtcat	gacccgctgc	aatgtgcacc	tggggtcccg	3120
ccgaggcatg	ttcatgccct	accagtgcaa	catgcaattt	gtgaaggtgc	tgctggagcc	3180
cgatgccatg	tccagagtga	gcctgacggg	ggtgtttgac	atgaatgtgg	agctgtggaa	3240
aattctgaga	tatgatgaat	ccaagaccag	gtgccgggcc	tgcgaatgcg	gaggcaagca	3300
cgccaggctt	cagcccgtgt	gtgtggaggt	gacggaggac	ctgcgacccg	atcatttggt	3360
gttgtcctgc	aacgggacgg	agttcggctc	cagcggggaa	gaatctgact	agagtgagta	3420
gtgtttggga	ctgggtggga	gcctgcatga	tgggcagaat	gactaaaatc	tgtgttttc	3480
tgcgcagcag	catgagcgga	agcgcctcct	ttgagggagg	ggtattcagc	ccttatctga	3540
cggggcgtct	cccctcctgg	gcgggagtgc	gtcagaatgt	gatgggatcc	acggtggacg	3600
geeggeeegt	gcagcccgcg	aactcttcaa	ccctgaccta	cgcgaccctg	agctcctcgt	3660
ccgtggacgc	agctgccgcc	gcagctgctg	cttccgccgc	cagcgccgtg	cgcggaatgg	3720
ccctgggcgc	cggctactac	agctctctgg	tggccaactc	gagttccacc	aataatcccg	3780
ccagcctgaa	cgaggagaag	ctgctgctgc	tgatggccca	gctcgaggcc	ctgacccagc	3840

gcctgggcga	gctgacccag	caggtggctc	agctgcaggc	ggagacgcgg	gccgcggttg	3900
ccacggtgaa	aaccaaataa	aaaatgaatc	aataaataaa	cggagacggt	tgttgatttt	3960
aacacagagt	cttgaatctt	tatttgattt	ttcgcgcgcg	gtaggccctg	gaccaccggt	4020
ctcgatcatt	gagcacccgg	tggatctttt	ccaggacccg	gtagaggtgg	gcttggatgt	4080
tgaggtacat	gggcatgagc	ccgtcccggg	ggtggaggta	gctccattgc	agggcctcgt	4140
gctcgggggt	ggtgttgtaa	atcacccagt	catagcaggg	gcgcagggcg	tggtgctgca	4200
cgatgtcctt	gaggaggaga	ctgatggcca	cgggcagccc	cttggtgtag	gtgttgacga	4260
acctgttgag	ctgggaggga	tgcatgcggg	gggagatgag	atgcatcttg	gcctggatct	4320
tgagattggc	gatgttcccg	cccagatccc	gccgggggtt	catgttgtgc	aggaccacca	4380
gcacggtgta	tccggtgcac	ttggggaatt	tgtcatgcaa	cttggaaggg	aaggcgtgaa	4440
agaatttgga	gacgcccttg	tgaccgccca	ggttttccat	gcactcatcc	atgatgatgg	4500
cgatgggccc	gtgggcggcg	gcttgggcaa	agacgtttcg	ggggtcggac	acatcgtagt	4560
tgtggtcctg	ggtgagctcg	tcataggcca	ttttaatgaa	tttggggcgg	agggtgcccg	4620
actgggggac	gaaggtgccc	tcgatcccgg	gggcgtagtt	gccctcgcag	atctgcatct	4680
cccaggcctt	gagctcggag	ggggggatca	tgtccacctg	cggggcgatg	aaaaaacgg	4740
tttccggggc	gggggagatg	agctgggccg	aaagcaggtt	ccggagcagc	tgggacttgc	4800
cgcagccggt	ggggccgtag	atgaccccga	tgaccggctg	caggtggtag	ttgagggaga	4860
gacagctgcc	gtcctcgcgg	aggaggggg	ccacctcgtt	catcatctcg	cgcacatgca	4920
tgttctcgcg	cacgagttcc	gccaggaggc	gctcgccccc	aagcgagagg	agctcttgca	4980
gcgaggcgaa	gtttttcagc	ggcttgagcc	cgtcggccat	gggcattttg	gagagggtct	5040
gttgcaagag	ttccagacgg	tcccagagct	cggtgatgtg	ctctagggca	tctcgatcca	5100
gcagacctcc	tcgtttcgcg	ggttggggcg	actgcgggag	tagggcacca	ggcgatgggc	5160
gtccagcgag	gccagggtcc	ggtccttcca	ggggcgcagg	gtccgcgtca	gcgtggtctc	5220
cgtcacggtg	aaggggtgcg	cgccgggctg	ggcgcttgcg	agggtgcgct	tcaggctcat	5280
ccggctggtc	gagaaccgct	cccggtcggc	gccctgcgcg	teggeeaggt	agcaattgag	5340
catgagttcg	tagttgagcg	cctcggccgc	gtggcccttg	gcgcggagct	tacctttgga	5400
agtgtgtccg	cagacgggac	agaggaggga	cttgagggcg	tagagcttgg	gggcgaggaa	5460
gacggactcg	ggggcgtagg	cgtccgcgcc	gcagctggcg	cagacggtct	cgcactccac	5520

gagccaggtg	aggtctggcc	ggtcggggtc	aaaaacgagg	tttcctccgt	gctttttgat	5580
gcgtttctta	cctctggtct	ccatgagctc	gtgtccccgc	tgggtgacaa	agaggctgtc	5640
cgtgtccccg	tagaccgact	ttatgggccg	gtcctcgagc	ggggtgccgc	ggtcctcgtc	5700
gtagaggaac	cccgcccact	ccgagacgaa	ggcccgggtc	caggccagca	cgaaggaggc	5760
cacgtgggag	gggtagcggt	cgttgtccac	cagcgggtcc	accttctcca	gggtatgcaa	5820
gcacatgtcc	ccctcgtcca	catccaggaa	ggtgattggc	ttgtaagtgt	aggccacgtg	5880
accgggggtc	ccddccdddd	gggtataaaa	gggggcgggc	ccctgctcgt	cctcactgtc	5940
ttccggatcg	ctgtccagga	gcgccagctg	ttggggtagg	tattccctct	cgaaggcggg	6000
catgacctcg	gcactcaggt	tgtcagtttc	tagaaacgag	gaggatttga	tattgacggt	6060
gccgttggag	acgcctttca	tgagcccctc	gtccatctgg	tcagaaaaga	cgatctttt	6120
gttgtcgagc	ttggtggcga	aggagccgta	gagggcgttg	gagagcagct	tggcgatgga	6180
gcgcatggtc	tggttctttt	ccttgtcggc	gcgctccttg	gcggcgatgt	tgagctgcac	6240
gtactcgcgc	gccacgcact	tccattcggg	gaagacggtg	gtgagcttgt	cgggcacgat	6300
tctgacccgc	cageegeggt	tgtgcagggt	gatgaggtcc	acgctggtgg	ccacctcgcc	6360
gcgcaggggc	tegttggtee	agcagaggcg	cccgcccttg	cgcgagcaga	aggggggcag	6420
cgggtccagc	atgagctcgt	cgggggggtc	ggcgtccacg	gtgaagatgc	cgggcaggag	6480
ctcggggtcg	aagtagctga	tgcaggtgcc	cagatcgtcc	agcgccgctt	gccagtcgcg	6540
cacggccagc	gcgcgctcgt	aggggctgag	gggcgtgccc	cagggcatgg	ggtgcgtgag	6600
cgcggaggcg	tacatgccgc	agatgtcgta	gacgtagagg	ggctcctcga	ggacgccgat	6660
gtaggtgggg	tagcagcgcc	ccccgcggat	gctggcgcgc	acgtagtcgt	acagctcgtg	6720
cgagggcgcg	aggagcccgg	tgccgaggtt	ggagcgctgc	ggcttttcgg	cgcggtagac	6780
gatctggcgg	aagatggcgt	gggagttgga	ggagatggtg	ggcctctgga	agatgttgaa	6840
gtgggcgtgg	ggcagtccga	ccgagtccct	gatgaagtgg	gcgtaggagt	cctgcagctt	6900
ggcgacgagc	tcggcggtga	cgaggacgtc	cagggcgcag	tagtcgaggg	tctcttggat	6960
gatgtcgtac	ttgagctggc	ccttctgctt	ccacagctcg	cggttgagaa	ggaactcttc	7020
geggteette	cagtactctt	cgagggggaa	cccgtcctga	tcggcacggt	aagagcccac	7080
catgtagaac	tggttgacgg	ccttgtaggc	gcagcagccc	ttctccacgg	ggagggcgta	7140
agcttgcgcg	gccttgcgca	gggaggtgtg	ggtgagggcg	aaggtgtcgc	gcaccatgac	7200
cttgaggaac	tggtgcttga	agtcgaggtc	gtcgcagccg	ccctgctccc	agagctggaa	7260

	gtccgtgcgc	ttcttgtagg	cggggttggg	caaagcgaaa	gtaacatcgt	tgaagaggat	7320
	cttgcccgcg	cggggcatga	agttgcgagt	gatgcggaaa	ggctggggca	cctcggcccg	7380
	gttgttgatg	acctgggcgg	cgaggacgat	ctcgtcgaag	ccgttgatgt	tgtgcccgac	7440
	gatgtagagt	tccacgaatc	gcgggcggcc	cttgacgtgg	ggcagcttct	tgagctcgtc	7500
	gtaggtgagc	tcggcggggt	cgctgaggcc	gtgctgctcg	agggcccagt	cggcgaggtg	7560
	ggggttggcg	ccgaggaagg	aagtccagag	atccacggcc	agggcggtct	gcaagcggtc	7620
	ccggtactga	cggaactgct	ggcccacggc	cattttttcg	ggggtgacgc	agtagaaggt	7680
	gcgggggtcg	ccgtgccagc	ggtcccactt	gagctggagg	gcgaggtcgt	gggcgagctc	7740
	gacgagcggc	gggtccccgg	agagtttcat	gaccagcatg	aaggggacga	gctgcttgcc	7800
	gaaggacccc	atccaggtgt	aggtttccac	gtcgtaggtg	aggaagagcc	tttcggtgcg	7860
	aggatgcgag	ccgatgggga	agaactggat	ctcctgccac	cagttggagg	aatggctgtt	7920
	gatgtgatgg	aagtagaaat	gccgacggcg	cgccgagcac	tcgtgcttgt	gtttatacaa	7980
	gcgtccgcag	tgctcgcaac	gctgcacggg	atgcacgtgc	tgcacgagct	gtacctgggt	8040
	tcctttgacg	aggaatttca	gtgggcagtg	gagcgctggc	ggctgcatct	ggtgctgtac	8100
	tacgtcctgg	ccatcggcgt	ggccatcgtc	tgcctcgatg	gtggtcatgc	tgacgaggcc	8160
	gcgcgggagg	caggtccaga	cctcggctcg	gacgggtcgg	agagcgagga	cgagggcgcg	8220
	caggccggag	ctgtccaggg	tcctgagacg	ctgcggagtc	aggtcagtgg	gcagcggcgg	8280
	cgcgcggttg	acttgcagga	gcttttccag	ggcgcgcggg	aggtccagat	ggtacttgat	8340
	ctccacggcg	ccgttggtgg	cgacgtccac	ggcttgcagg	gtcccgtgcc	cctggggcgc	8400
	caccaccgtg	ccccgtttct	tcttgggtgc	tggcggcggc	ggctccatgc	ttagaagcgg	8460
	cggcgaggac	gcgcgccggg	cggcaggggc	ggctcggggc	ccggaggcag	gggcggcagg	8520
	ggcacgtcgg	cgccgcgcgc	gggcaggttc	tggtactgcg	cccggagaag	actggcgtga	8580
	gcgacgacgc	gacggttgac	gtcctggatc	tgacgcctct	gggtgaaggc	cacgggaccc	8640
	gtgagtttga	acctgaaaga	gagttcgaca	gaatcaatct	cggtatcgtt	gacggcggcc	8700
	tgccgcagga	tctcttgcac	gtcgcccgag	ttgtcctggt	aggcgatctc	ggtcatgaac	8760
	tgctcgatct	cctcctcctg	aaggtctccg	cgaccggcgc	gctcgacggt	ggccgcgagg	8820
	tcgttggaga	tgcggcccat	gagctgcgag	aaggcgttca	tgccggcctc	gttccagacg	8880
,	cggctgtaga	ccacggctcc	gtcggggtcg	cgcgcgcgca	tgaccacctg	ggcgaggttg	8940

agctcgacgt	ggcgcgtgaa	gaccgcgtag	ttgcagaggc	gctggtagag	gtagttgagc	9000
gtggtggcga	tgtgctcggt	gacgaagaag	tacatgatcc	agcggcggag	cggcatctcg	9060
ctgacgtcgc	ccagggcttc	caagcgctcc	atggcctcgt	agaagtccac	ggcgaagttg	9120
aaaaactggg	agttgcgcgc	cgagacggtc	aactcctcct	ccagaagacg	gatgagctcg	9180
gcgatggtgg	cgcgcacctc	gcgctcgaag	gccccggggg	gctcctcttc	ttccatctcc	9240
tcctcctctt	ccatctcctc	cactaacatc	tcttctactt	cctcctcagg	aggcggcggc	9300
gggggaggg	ccctgcgtcg	ccggcggcgc	acgggcagac	ggtcgatgaa	gcgctcgatg	9360
gtctccccgc	gccggcgacg	catggtctcg	gtgacggcgc	gcccgtcctc	gcggggccgc	9420
agcgtgaaga	cgccgccgcg	catctccagg	tggccgccgg	gggggtctcc	gttgggcagg	9480
gagagggcgc	tgacgatgca	tcttatcaat	tggcccgtag	ggactccgcg	caaggacctg	9540
agcgtctcga	gatccacggg	atccgaaaac	cgctgaacga	aggcttcgag	ccagtcgcag	9600
tcgcaaggta	ggctgagccc	ggtttcttgt	tcttcgggta	tttggtcggg	aggcgggcgg	9660
gcgatgctgc	tggtgatgaa	gttgaagtag	gcggtcctga	gacggcggat	ggtggcgagg	9720
agcaccaggt	ccttgggccc	ggcttgctgg	atgcgcagac	ggtcggccat	gccccaggcg	9780
tggtcctgac	acctggcgag	gtccttgtag	tagtcctgca	tgagccgctc	cacgggcacc	9840
tcctcctcgc	ccgcgcggcc	gtgcatgcgc	gtgagcccga	acccgcgctg	cggctggacg	9900
agcgccaggt	cggcgacgac	gcgctcggcg	aggatggcct	gctggatctg	ggtgagggtg	9960
gtctggaagt	cgtcgaagtc	gacgaagcgg	tggtaggctc	cggtgttgat	ggtgtaggag	10020
cagttggcca	tgacggacca	gttgacggtc	tggtggccgg	ggcgcacgag	ctcgtggtac	10080
ttgaggcgcg	agtaggcgcg	cgtgtcgaag	atgtagtcgt	tgcaggtgcg	cacgaggtac	10140
tggtatccga	cgaggaagtg	cggcggcggc	tggcggtaga	gcggccatcg	ctcggtggcg	10200
ggggcgccgg	gcgcgaggtc	ctcgagcatg	aggcggtggt	agccgtagat	gtacctggac	10260
atccaggtga	tgccggcggc	ggtggtggag	gcgcgcggga	actcgcggac	gcggttccag	10320
atgttgcgca	gcggcaggaa	gtagttcatg	gtggccgcgg	tctggcccgt	gaggcgcgcg	10380
cagtcgtgga	tgctctagac	atacgggcaa	aaacgaaagc	ggtcagcggc	togactccgt	10440
ggcctggagg	ctaagcgaac	gggttgggct	gcgcgtgtac	cccggttcga	gtccctgctc	10500
gaatcaggct	ggagccgcag	ctaacgtggt	actggcactc	ccgtctcgac	ccaagcctgc	10560
taacgaaacc	tccaggatac	ggaggcgggt	cgttttggcc	attttcgtca	ggccggaaat	10620
gaaactagta	agcgcggaaa	gcggccgtcc	gcgatggctc	gctgccgtag	tctggagaaa	10680

gaatcgccag ggttgcgttg	cggtgtgccc	cggttcgagc	ctcagcgctc	ggcgccggcc	10740
ggattccgcg gctaacgtgg	gcgtggctgc	cccgtcgttt	ccaagacccc	ttagccagcc	10800
gacttctcca gttacggagc	gagcccctct	ttttcttgtg	tttttgccag	atgcatcccg	10860
tactgcggca gatgcgcccc	caccctccac	cacaaccgcc	cctaccgcag	cagcagcaac	10920
agccggcgct tctgcccccg	ccccagcagc	agcagccagc	cactaccgcg	geggeegeeg	10980
tgagcggagc cggcgttcag	tatgacctgg	ccttggaaga	gggcgagggg	ctggcgcggc	11040
tgggggggtc .gtcgccggag	cggcacccgc	gcgtgcagat	gaaaagggac	gctcgcgagg	11100
cctacgtgcc caagcagaac	ctgttcagag	acaggagcgg	cgaggagccc	gaggagatgc	11160
gcgcctcccg cttccacgcg	gggcgggagc	tgeggegegg	cctggaccga	aagcgggtgc	11220
tgagggacga ggatttcgag	gcggacgagc	tgacggggat	cageceegeg	cgcgcgcacg	11280
tggccgcggc caacctggtc	acggcgtacg	agcagaccgt	gaaggaggag	agcaacttcc	11340
aaaaatcctt caacaaccac	gtgcgcacgc	tgatcgcgcg	cgaggaggtg	accctgggcc	11400
tgatgcacct gtgggacctg	ctggaggcca	tcgtgcagaa	ccccacgagc	aagccgctga	11460
cggcgcagct gtttctggtg	gtgcagcaca	gtcgggacaa	cgagacgttc	agggaggcgc	11520
tgctgaatat caccgagccc	gagggccgct	ggctcctgga	cctggtgaac	attctgcaga	11580
gcatcgtggt gcaggagcgc	gggctgccgc	tgtccgagaa	gctggcggcc	atcaacttct	11640
cggtgctgag cctgggcaag	tactacgcta	ggaagatcta	caagaccccg	tacgtgccca	11700
tagacaagga ggtgaagatc	gacgggtttt	acatgcgcat	gaccctgaaa	gtgctgaccc	11760
tgagcgacga tctgggggtg	taccgcaacg	acaggatgca	ccgcgcggtg	agcgccagcc	11820
geeggegega getgagegae	caggagctga	tgcacagcct	gcagcgggcc	ctgaccgggg	11880
ccgggaccga gggggagagc	tactttgaca	tgggcgcgga	cctgcgctgg	cagcctagcc	11940
gccgggcctt ggaagctgcc	ggcggttccc	cctacgtgga	ggaggtggac	gatgaggagg	12000
aggagggcga gtacctggaa	gactgatggc	gcgaccgtat	ttttgctaga	tgcagcaaca	12060
gccaccgccg cctcctgatc	ccgcgatgcg	ggcggcgctg	cagagccagc	cgtccggcat	12120
taactcctcg gacgattgga	cccaggccat	gcaacgcatc	atggcgctga	cgacccgcaa	12180
tcccgaagcc tttagacagc	agcctcaggc	caaccgactc	teggecatee	tggaggccgt	12240
ggtgccctcg cgctcgaacc	ccacgcacga	gaaggtgctg	gccatcgtga	acgcgctggt	12300
ggagaacaag gccatccgcg	gcgacgaggc	cgggctggtg	tacaacgcgc	tgctggagcg	12360

cgtggcccgc tacaacagca	ccaacgtgca	gacgaacctg	gaccgcatgg	tgaccgacgt	12420
gcgcgaggcg gtgtcgcagc	gcgagcggtt	ccaccgcgag	tcgaacctgg	gctccatggt	12480
ggcgctgaac gccttcctga	gcacgcagcc	cgccaacgtg	ccccggggcc	aggaggacta	12540
caccaacttc atcagcgcgc	tgcggctgat	ggtggccgag	gtgccccaga	gcgaggtgta	12600
ccagtcgggg ccggactact	tcttccagac	cagtcgccag	ggcttgcaga	ccgtgaacct	12660
gagccaggct ttcaagaact	tgcagggact	gtggggcgtg	caggccccgg	tcggggaccg	12720
cgcgacggtg tcgagcctgc	tgacgccgaa	ctcgcgcctg	ctgctgctgc	tggtggcgcc	12780
cttcacggac agcggcagcg	tgagccgcga	ctcgtacctg	ggctacctgc	ttaacctgta	12840
ccgcgaggcc atcgggcagg	cgcacgtgga	cgagcagacc	taccaggaga	tcacccacgt	12900
gagccgcgcg ctgggccagg	aggacccggg	caacctggag	gccaccctga	acttcctgct	12960
gaccaaccgg tcgcagaaga	tcccgcccca	gtacgcgctg	agcaccgagg	aggagcgcat	13020
cctgcgctac gtgcagcaga	gcgtggggct	gttcctgatg	caggagggg	ccacgcccag	13080
cgccgcgctc gacatgaccg	cgcgcaacat	ggagcccagc	atgtacgccc	gcaaccgccc	13140
gttcatcaat aagctgatgg	actacttgca	tcgggcggcc	gccatgaact	cggactactt	13200
taccaacgcc atcttgaacc	cgcactggct	cccgccgccc	gggttctaca	cgggcgagta	13260
cgacatgccc gaccccaacg	acgggttcct	gtgggacgac	gtggacagca	gcgtgttctc	13320
gccgcgcccc accaccacca	ccgtgtggaa	gaaagagggc	ggggaccggc	ggccgtcctc	13380
ggcgctgtcc ggtcgcgcgg	gtgctgccgc	ggcggtgccc	gaggccgcca	gccccttccc	13440
gagcctgccc ttttcgctga	acagcgtgcg	cagcagcgag	ctgggtcggc	tgacgcggcc	13500
gcgcctgctg ggcgaggagg	agtacctgaa	cgactccttg	cttcggcccg	agcgcgagaa	13560
gaacttcccc aataacggga	tagagagcct	ggtggacaag	atgagccgct	ggaagacgta	13620
cgcgcacgag cacagggacg	agccccgagc	tagcagcagc	accggcgcca	cccgtagacg	13680
ccagcggcac gacaggcagc	ggggtctggt	gtgggacgat	gaggattccg	ccgacgacag	13740
cagcgtgttg gacttgggtg	ggagtggtgg	tggtaacccg	ttcgctcacc	tgcgcccccg	13800
tatcgggcgc ctgatgtaag	aatctgaaaa	aataaaagac	ggtactcacc	aaggccatgg	13860
cgaccagcgt gcgttcttct	ctgttgtttg		g atg agg co met Arg A		13915
ccg gag ggt cct cct cc Pro Glu Gly Pro Pro P: 10	ro Ser Tyr (				13963

gcg Ala	gcg Ala	gcg Ala 25	atg Met	cag Gln	ccc Pro	ccg Pro	ctg Leu 30	gag Glu	gcg Ala	cct Pro	tac Tyr	gtg Val 35	ccc Pro	ccg Pro	cgg Arg	14011
			cct Pro													14059
gca Ala 55	ccc Pro	ttg Leu	tac Tyr	gat Asp	acc Thr 60	acc Thr	cgg Arg	ttg Leu	tac Tyr	ctg Leu 65	gtg Val	gac Asp	aac Asn	aag Lys	tcg Ser 70	14107
			gcc Ala													14155
			gtg Val 90													14203
cag Gln	acc Thr	atc Ile 105	aac Asn	ttt Phe	gac Asp	gag Glu	cgc Arg 110	tcg Ser	cgg Arg	tgg Trp	ggc Gly	ggc Gly 115	cag Gln	ctg Leu	aaa Lys	14251
acc Thr	atc Ile 120	atg Met	cac His	acc Thr	aac Asn	atg Met 125	ccc Pro	aac Asn	gtg Val	aac Asn	gag Glu 130	ttc Phe	atg Met	tac Tyr	agc Ser	14299
aac Asn 135	aag Lys	ttc Phe	aag Lys	gcg Ala	cgg Arg 140	gtg Val	atg Met	gtc Val	tcg Ser	cgc Arg 145	aag Lys	acc Thr	ccc Pro	aac Asn	ggg Gly 150	14347
			aca Thr													14395
			ctg Leu 170													14443
			aac Asn													14491
aac Asn	ggg Gly 200	gtg Val	ctg Leu	gag Glu	agc Ser	gac Asp 205	atc Ile	Gly Ggc	gtg Val	aag Lys	ttc Phe 210	gac Asp	acg Thr	cgc Arg	aac Asn	14539
ttc Phe 215	cgg Arg	ctg Leu	Gly ggc	tgg Trp	gac Asp 220	ccc Pro	gtg Val	acc Thr	gag Glu	ctg Leu 225	gtg Val	atg Met	ccg Pro	ggc Gly	gtg Val 230	14587
tac Tyr	acc Thr	aac Asn	gag Glu	gcc Ala 235	ttc Phe	cac His	ccc Pro	gac Asp	atc Ile 240	gtc Val	ctg Leu	ctg Leu	ccc Pro	ggc Gly 245	tgc Cys	14635

		_		acc Thr		_	-		_		_	_			•	14683
				ttc Phe												14731
				atc Ile												14779
				agc Ser												14827
				cgg Arg 315												14875
				gct Ala												14923
				aag Lys												14971
		_		cgc Arg	_			_	_					_		15019
	_			cgc Arg			_	_				_	_	_		15067
_			-	caa Gln 395	-			-	-		-					15115
				cgc Arg												15163
				ctg Leu												15211
-	_		_	cag Gln	_	_	_	-			_		_		-	15259
		_		ccc Pro			_			_						15307

acc att acc acc gtc agt gaa aac gtt cct gct ctc aca gat cac ggg Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly 475 480 485	15355
acc ctg ccg ctg cgc agc agt atc cgg gga gtc cag cgc gtg acc gtc Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly Val Gln Arg Val Thr Val 490 495 500	15403
act gac gcc aga cgc cgc acc tgc ccc tac gtc tac aag gcc ctg ggc Thr Asp Ala Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly 505 510 515	15451
gta gtc gcg ccg cgc gtc ctc tcg agc cgc acc ttc taa aaaatgtcca Val Val Ala Pro Arg Val Leu Ser Ser Arg Thr Phe 520 525 530	15500
ttctcatctc gcccagtaat aacaccggtt ggggcctgcg cgcgcccagc aagatgtacg	15560
gaggegeteg ccaaegetee acgeaacaee eegtgegegt gegegggeae tteegegete	15620
cctggggcgc cctcaagggc cgcgtgcgct cgcgcaccac cgtcgacgac gtgatcgacc	15680
aggtggtggc cgacgcgcg aactacacgc ccgccgccgc gcccgtctcc accgtggacg	15740
ccgtcatcga cagcgtggtg gccgacgcgc gccggtacgc ccgcgccaag agccggcggc	15800
ggcgcatcgc ccggcggcac cggagcaccc ccgccatgcg cgcggcgcga gccttgctgc	15860
gcagggccag gcgcacggga cgcagggcca tgctcagggc ggccagacgc gcggcctccg	15920
gcagcagcag cgccggcagg acccgcagac gcgcggccac ggcggcggcg gcggccatcg	15980
ccagcatgtc ccgcccgcgg cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg	16040
tgcgcgtgcc cgtgcgcacc cgccccctc gcacttgaag atgctgactt cgcgatgttg	16100
atgtgtccca gcggcgagga ggatgtccaa gcgcaaattc aaggaagaga tgctccaggt	16160
catcgcgcct gagatctacg gcccggcggc ggtgaaggag gaaagaaagc cccgcaaact	16220
gaagcgggtc aaaaaggaca aaaaggagga ggaagatgtg gacggactgg tggagtttgt	16280
gcgcgagttc gcccccggc ggcgcgtgca gtggcgcggg cggaaagtga aaccggtgct	16340
gcgacccggc accacggtgg tettcacgcc cggcgagcgt tecggetecg cetecaagcg	16400
ctcctacgac gaggtgtacg gggacgagga catcctcgag caggcggccg aacgtctggg	16460
cgagtttgct tacggcaagc gcagccgccc cgcgcccttg aaagaggagg cggtgtccat	16520
cccgctggac cacggcaacc ccacgccgag cctgaagccg gtgaccctgc agcaggtgct	16580
gcctggtgcg gcgccgcgcc ggggcttcaa gcgcgagggc ggcgaggatc tgtacccgac	16640
catgcagctg atggtgccca agcgccagaa gctggaggac gtgctggagc acatgaaggt	16700
ggaccccgag gtgcagcccg aggtcaaggt gcggcccatc aagcaggtgg ccccgggcct	16760

gggcgtgcag	accgtggaca	tcaagatccc	cacggagccc	atggaaacgc	agaccgagcc	16820
cgtgaagccc	agcaccagca	ccatggaggt	gcagacggat	ccctggatgc	cggcaccggc	16880
ttccaccacc	cgccgaagac	gcaagtacgg	cgcggccagc	ctgctgatgc	ccaactacgc	16940
gctgcatcct	tccatcatcc	ccacgccggg	ctaccgcggc	acgcgcttct	accgcggcta	17000
caccagcagc	cgccgccgca	agaccaccac	ccgccgccgc	cgtcgtcgca	cccgccgcag	17060
cagcaccgcg	acttccgccg	ccgccctggt	gcggagagtg	taccgcagcg	ggcgcgagcc	17120
tctgaccctg	ccgcgcgcgc	gctaccaccc	gagcatcgcc	atttaactac	cgcctcctac	17180
ttgcagatat	ggccctcaca	tgccgcctcc	gcgtccccat	tacgggctac	cgaggaagaa	17240
agccgcgccg	tagaaggctg	acggggaacg	ggctgcgtcg	ccatcaccac	cggcggcggc	17300
gcgccatcag	caagcggttg	gggggaggct	tcctgcccgc	gctgatgccc	atcatcgccg	17360
cggcgatcgg	ggcgatcccc	ggcatagctt	ccgtggcggt	gcaggcctct	cagcgccact	17420
gagacacagc	ttggaaaatt	tgtaataaaa	aatggactga	cgctcctggt	cctgtgatgt	17480
gtgtttttag	atggaagaca	tcaatttttc	gtccctggca	ccgcgacacg	gcacgcggcc	17540
gtttatgggc	acctggagcg	acatcggcaa	cagccaactg	aacgggggcg	ccttcaattg	17600
gagcagtctc	tggagcgggc	ttaagaattt	cgggtccacg	ctcaaaacct	atggcaacaa	17660
ggcgtggaac	agcagcacag	ggcaggcgct	gagggaaaag	ctgaaagagc	agaacttcca	17720
gcagaaggtg	gtcgatggcc	tggcctcggg	catcaacggg	gtggtggacc	tggccaacca	17780
ggccgtgcag	aaacagatca	acageegeet	ggacgcggtc	ccgcccgcgg	ggtccgtgga	17840
gatgccccag	gtggaggagg	agctgcctcc	cctggacaag	cgcggcgaca	agcgaccgcg	17900
tcccgacgcg	gaggagacgc	tgctgacgca	cacggacgag	ccgcccccgt	acgaggaggc	17960
ggtgaaactg	ggtctgccca	ccacgcggcc	cgtggcgcct	ctggccaccg	gggtgctgaa	18020
acccagcagc	agcagcagcc	agcccgcgac	cctggacttg	cctccgcctg	cttcccgccc	18080
ctccacagtg	gctaagcccc	tgccgccggt	ggccgtcgcg	tcgcgcgccc	cccgaggccg	18140
cccccaggcg	aactggcaga	gcactctgaa	cagcatcgtg	ggtctgggag	tgcagagtgt	18200
gaagcgccgc	cgctgctatt	aaaagacact	gtagcgctta	acttgcttgt	ctgtgtgtat	18260
atgtatgtcc	gccgaccaga	aggaggagga	agaggcgcgt	cgccgagttg	caag atg Met	18317

	acc Thr															18365
_	gac Asp	_	_			_	_	_		_		_		_	-	18413
	aca Thr 565															18461
	gcg Ala															18509
	cgc Arg															18557
	cgc Arg		_	_	_			-		_		_	-	_	-	18605
_	acc Thr			-		-			-					-		18653
	ccc Pro 645					-			-	_	_		_			18701
	aac Asn		_	_								-				18749
	aaa Lys															18797
aca									003					050		
	aaa Lys								gac					ccc		18845
Thr		Asp	Gly 695 aaa	Ile	Gln tat	Leu caa	Gly	Thr 700 gag	gac Asp	Thr	Asp	Asp ggt	Gln 705 gat	ccc Pro	Ile gaa	18845
Thr tat Tyr tgg	Lys gca	Asp gat Asp 710 gac	Gly 695 aaa Lys atc	Ile act Thr	Gln tat Tyr ggt	Leu caa Gln act	Gly cca Pro 715 gat	Thr 700 gag Glu gaa	gac Asp cct Pro	Thr caa Gln tat	Asp gtg Val gga	Asp ggt Gly 720 ggc	Gln 705 gat Asp	ccc Pro gct Ala	Ile gaa Glu ctc	

acc Thr	aat Asn	aaa Lys	gaa Glu	gga Gly 760	Gly	cag Gln	gca Ala	aat Asn	gtg Val 765	Lys	acc Thr	gaa Glu	aca Thr	ggc Gly 770	ggt Gly	19037
acc Thr	aaa Lys	gaa Glu	tat Tyr 775	gac Asp	att Ile	gac Asp	atg Met	gca Ala 780	Phe	ttc Phe	gat Asp	aat Asn	cga Arg 785	Ser	gca Ala	19085
gct Ala	gcg Ala	gct Ala 790	Gly	ctg Leu	gcc Ala	cca Pro	gaa Glu 795	att Ile	gtt Val	ttg Leu	tat Tyr	act Thr 800	Glu	aat Asn	gtg Val	19133
gat Asp	ctg Leu 805	gaa Glu	act Thr	cca Pro	gat Asp	act Thr 810	cat His	att Ile	gta Val	tac Tyr	aag Lys 815	gcg Ala	Gly	aca Thr	gat Asp	19181
gac Asp 820	agc Ser	agc Ser	tct Ser	tct Ser	atc Ile 825	aat Asn	ttg Leu	ggt Gly	cag Gln	cag Gln 830	tcc Ser	atg Met	ccc Pro	aac Asn	aga Arg 835	19229
ccc Pro	aac Asn	tac Tyr	att Ile	ggc Gly 840	ttt Phe	aga Arg	gac Asp	aac Asn	ttt Phe 845	atc Ile	ej aaa	ctc Leu	atg Met	tac Tyr 850	tac Tyr	19277
aac Asn	agc Ser	act Thr	ggc Gly 855	aac Asn	atg Met	ggc Gly	gtg Val	ctg Leu 860	gct Ala	ggt Gly	cag Gln	gcc Ala	tcc Ser 865	cag Gln	ctg Leu	19325
aat Asn	gct Ala	gtg Val 870	gtg Val	gac Asp	ttg Leu	cag Gln	gac Asp 875	aga Arg	aac Asn	act Thr	gaa Glu	ctg Leu 880	tcc Ser	tac Tyr	cag Gln	19373
ctc Leu	ttg Leu 885	ctt Leu	gac Asp	tct Ser	ctg Leu	ggc Gly 890	gac Asp	aga Arg	acc Thr	agg Arg	tat Tyr 895	ttc Phe	agt Ser	atg Met	tgg Trp	19421
aat Asn 900	cag Gln	gcg Ala	gtg Val	gac Asp	agc Ser 905	tat Tyr	gac Asp	ccc Pro	gat Asp	gtg Val 910	cgc Arg	att Ile	att Ile	gaa Glu	aat Asn 915	19469
cac His	ggt Gly	gtg Val	gag Glu	gat Asp 920	gaa Glu	ctc Leu	cct Pro	aac Asn	tat Tyr 925	tgc Cys	ttc Phe	ccc Pro	ctg Leu	gat Asp 930	gct Ala	19517
gtg Val	ggt Gly	aga Arg	act Thr 935	gat Asp	act Thr	tac Tyr	cag Gln	gga Gly 940	att Ile	aag Lys	gcc Ala	aat Asn	ggt Gly 945	gct Ala	gat Asp	19565
caa Gln	acc Thr	acc Thr 950	tgg Trp	acc Thr	aaa Lys	Asp	gat Asp 955	act Thr	gtt Val	aat Asn	gat Asp	gct Ala 960	aat Asn	gaa Glu	ttg Leu	19613
Gly	aag Lys 965	Gly ggc	aat Asn	cct Pro	Phe	gcc Ala 970	atg Met	gag Glu	atc Ile	aac Asn	atc Ile 975	cag Gln	gcc Ala	aac Asn	ctg Leu	19661

tgg cgg aac Trp Arg Asn 980	Phe Leu 3	cac gcg a Tyr Ala A 985	aac gtg ( Asn Val 2	gcg ct Ala Le 99	eu Tyr	ctg cc Leu Pr	c ga o As	sp Ser 995	19709
tac aag tac Tyr Lys Tyr	acg ccg Thr Pro 1000	gcc aac Ala Asn	atc acg Ile Thr	ctg Leu 1005	ccg ac Pro Th	cc aac ir Asn	acc Thr	aac Asn 1010	19754
acc tac gat Thr Tyr Asp	tac atg Tyr Met 1015	aac ggc Asn Gly	cgc gtg Arg Val	gtg Val 1020	gcg cc Ala Pr	cc tcg co Ser	ctg Leu	gtg Val 1025	19799
gac gcc tac Asp Ala Tyr									19844
gac aac gtc Asp Asn Val									19889
tac cgc tcc Tyr Arg Ser	atg ctc Met Leu 1060	ctg ggc Leu Gly	aac ggg Asn Gly	cgc Arg 1065	tac gt Tyr Va	g ccc il Pro	ttc Phe	cac His 1070	19934
atc cag gtg Ile Gln Val						gc ctc er Leu	ctg Leu	ctc Leu 1085	19979
ctg ccc ggg Leu Pro Gly			gag tgg Glu Trp			gc aag			20024
aac atg atc Asn Met Ile									20069
ggg gcc tcc Gly Ala Ser						ac gcc yr Ala			20114
ttc ccc atg Phe Pro Met		aac acc Asn Thr				ag gcc Lu Ala			20159
cgc aac gac Arg Asn Asp	acc aac Thr Asn 1150	gac cag Asp Gln	tcc ttc Ser Phe	aac Asn 1155	gac ta Asp Ty	ac ctc yr Leu	tcg Ser	gcg Ala 1160	20204
gcc aac atg Ala Asn Met		ccc atc Pro Ile				cc aac nr Asn			20249
atc tcc atc Ile Ser Ile	_	cgc aac Arg Asn	tgg gcc Trp Ala			d Gly			20294

		aag Lys 1195								ggg Gly 1205	20339
		ttc Phe 1210							tac Tyr	_	20384
		ctc Leu 1225									20429
		gtc Val 1240									20474
		gaa Glu 1255									20519
		tgc Cys 1270									20564
		tac Tyr 1285									20609
		gac Asp 1300						_	aac Asn	_	20654
		cag Gln 1315									20699
		ctg Leu 1330					aac Asn				20744
 tac Tyr		ccc Pro 1345	_	_	_	gga Gly 1350			tac Tyr		20789
		ccg Pro 1360			_	agc Ser 1365	-	_	-	 _	20834
cag Gln		ttc Phe 1375	_	-		gtc Val 1380	atg Met		_		20879

•

cag aac atg ctc tac gcc aac s Gln Asn Met Leu Tyr Ala Asn s 1405	cc gcc cac gcg cta gac atg aat Ser Ala His Ala Leu Asp Met Asn 1410 1415	20969
	gag tcc acc ctt ctc tat gtt gtc Glu Ser Thr Leu Leu Tyr Val Val 1425 1430	21014
ttc gaa gtc ttc gac gtc gtc o Phe Glu Val Phe Asp Val Val 2 1435	ga gtg cac cag ccc cac cgc ggc rg Val His Gln Pro His Arg Gly 1440 1445	21059
	gc acg ccc ttc tcg gcc ggc aac rg Thr Pro Phe Ser Ala Gly Asn 1455 1460	21104
gcc acc acc taa gccccgctct tgo Ala Thr Thr	ttcttgc aagatgacgg cctgtgcggg	21156
ctccggcgag caggagctca gggccato	ct ccgcgacctg ggctgcgggc cctgcttcct	21216
gggcaccttc gacaagcgct tcccggga	tt catggccccg cacaagctgg cctgcgccat	21276
cgtcaacacg gccggccgcg agaccggg	gg cgagcactgg ctggccttcg cctggaaccc	21336
gcgctcccac acctgctacc tcttcgac	cc cttcgggttc tcggacgagc gcctcaagca	21396
gatctaccag ttcgagtacg agggcctg	ct gcgccgcagc gccctggcca ccgaggaccg	21456
ctgcgtcacc ctggaaaagt ccacccag	ac cgtgcagggt ccgcgctcgg ccgcctgcgg	21516
gctcttctgc tgcatgttcc tgcacgco	tt cgtgcactgg cccgaccgcc ccatggacaa	21576
gaaccccacc atgaacttgc tgacgggg	gt gcccaacggc atgctccagt cgccccaggt	21636
ggaacccacc ctgcgccgca accaggag	gc gctctaccgc ttcctcaacg cccactccgc	21696
ctactttege teccaeegeg egegeate	ga gaaggccacc gccttcgacc gcatgaatca	21756
agacatgtaa accgtgtgtg tatgtgaa	tg ctttattcat aataaacagc acatgtttat	21816
gccacctttt ctgaggctct gactttat	tt agaaatcgaa ggggttctgc cggctctcgg	21876
cgtgccccgc gggcagggat acgttgcg	ga actggtactt gggcagccac ttgaactcgg	21936
ggatcagcag cttcggcacg gggaggtc	gg ggaacgagtc gctccacagc ttgcgcgtga	21996
gttgcagggc gcccagcagg tcgggcgc	gg agatettgaa ategeagttg ggaeeegegt	22056
tctgcgcgcg ggagttgcgg tacacggg	gt tgcagcactg gaacaccatc agggccgggt	22116
getteaeget egecageace gtegegte	gg tgatgeeete caegteeaga teeteggegt	22176
tggccatccc gaagggggtc atcttgca	gg tetgeegeee catgetggge aegeageegg	22236
gcttgtggtt gcaatcgcag tgcagggg	ga tcagcatcat ctgggcctgc tcggagctca	22296

tgcccgggta	catggccttc	atgaaagcct	ccagctggcg	gaaggcctgc	tgcgccttgc	22356
cgccctcggt	gaagaagacc	ccgcaggact	tgctagagaa	ctggttggtg	gcgcagccgg	22416
cgtcgtgcac	gcagcagcgc	gcgtcgttgt	tggccagctg	caccacgctg	cgccccagc	22476
ggttctgggt	gatcttggcc	cggtcggggt	tctccttcag	cgcgcgctgc	ccgttctcgc	22536
tcgccacatc	catctcgatc	gtgtgctcct	tctggatcat	cacggtcccg	tgcaggcatc	22596
gcagcttgcc	ctcggcctcg	gtgcacccgt	gcagccacag	cgcgcagccg	gtgcactccc	22656
agttcttgtg	ggcgatctgg	gagtgcgagt	gcacgaagcc	ctgcaggaag	cggcccatca	22716
tcgtggtcag	ggtcttgttg	ctggtgaagg	tcagcgggat	gccgcggtgc	tcctcgttca	22776
catacaggtg	gcagatgcgg	cggtacacct	cgccctgctc	gggcatcagc	tggaaggcgg	22836
acttcaggtc	gctctccacg	cggtaccggt	ccatcagcag	cgtcatgact	tccatgccct	22896
tctcccaggc	cgagacgatc	ggcaggctca	gggggttctt	caccgccgtt	gtcatcttag	22956
tegeegeege	tgaggtcagg	gggtcgttct	cgtccagggt	ctcaaacact	cgcttgccgt	23016
ccttctcggt	gatgcgcacg	gggggaaagc	tgaagcccac	ggccgccagc	tcctcctcgg	23076
cctgcctttc	gtcctcgctg	tcctggctga	tgtcttgcaa	aggcacatgc	ttggtcttgc	23136
ggggtttctt	tttgggcggc	agaggcggcg	gcggagacgt	gctgggcgag	cgcgagttct	23196
cgctcaccac	gactatttct	tcttcttggc	cgtcgtccga	gaccacgcgg	cggtaggcat	23256
gcctcttctg	gggcagaggc	ggaggcgacg	ggctctcgcg	gttcggcggg	cggctggcag	23316
agccccttcc	gcgttcgggg	gtgcgctcct	ggcggcgctg	ctctgactga	cttcctccgc	23376
ggccggccat	tgtgttctcc	tagggagcaa	caagcatgga	gactcagcca	tcgtcgccaa	23436
catcgccatc	tgcccccgcc	gccgccgacg	agaaccagca	gcagaatgaa	agcttaaccg	23496
ccccgccgcc	cagccccacc	tccgacgccg	ccgcggcccc	agacatgcaa	gagatggagg	23556
aatccatcga	gattgacctg	ggctacgtga	cgcccgcgga	gcacgaggag	gagctggcag	23616
cgcgcttttc	agccccggaa	gagaaccacc	aagagcagcc	agagcaggaa	gcagagagcg	23676
agcagcagca	ggctgggctc	gagcatggcg	actacctgag	cggggcagag	gacgtgctca	23736
tcaagcatct	ggcccgccaa	tgcatcatcg	tcaaggacgc	gctgctcgac	cgcgccgagg	23796
tgcccctcag	cgtggcggag	ctcagccgcg	cctacgagcg	caacctcttc	tcgccgcgcg	23856
tgccccccaa	gcgccagccc	aacggcacct	gcgagcccaa	cccgcgcctc	aacttctacc	23916
cggtcttcgc	ggtgcccgag	gccctggcca	cctaccacct	ctttttcaag	aaccaaagga	23976

tccccgtctc	ctgccgcgcc	aaccgcaccc	gcgccgacgc	cctgctcaac	ctgggtcccg	24036
gegeeegeet	acctgatatc	gcctccttgg	aagaggttcc	caagatcttc	gagggtctgg	24096
gcagcgacga	gactcgggcc	gcgaacgctc	tgcaaggaag	cggagaggag	catgagcacc	24156
acagcgccct	ggtggagttg	gaaggcgaca	acgcgcgcct	ggcggtgctc	aagcgcacgg	24216
tcgagctgac	ccacttcgcc	tacccggcgc	tcaacctgcc	ccccaaggtc	atgagcgccg	24276
tcatggacca	ggtgctcatc	aagcgcgcct	cgcccctctc	ggatgaggac	atgcaggacc	24336
ccgagagctc	ggacgagggc	aagcccgtgg	tcagcgacga	gcagctggcg	cgctggctgg	24396
gagcgagtag	caccccccag	agcttggaag	agcggcgcaa	gctcatgatg	gccgtggtcc	24456
tggtgaccgt	ggagctggag	tgtctgcgcc	gcttcttcgc	cgacgcagag	accctgcgca	24516
aggtcgagga	gaacctgcac	tacctcttca	ggcacgggtt	tgtgcgccag	gcctgcaaga	24576
tctccaacgt	ggagctgacc	aacctggtct	cctacatggg	catcctgcac	gagaaccgcc	24636
tggggcagaa	cgtgctgcac	accaccctgc	gcggggaggc	ccgccgcgac	tacatccgcg	24696
actgcgtcta	cctgtacctc	tgccacacct	ggcagacggg	catgggcgtg	tggcagcagt	24756
gcctggagga	gcagaacctg	aaagagctct	gcaagctcct	gcagaagaac	ctgaaggccc	24816
tgtggaccgg	gttcgacgag	cgcaccaccg	cctcggacct	ggccgacctc	atcttccccg	24876
agcgcctgcg	gctgacgctg	cgcaacggac	tgcccgactt	tatgagtcaa	agcatgttgc	24936
aaaactttcg	ctctttcatc	ctcgaacgct	ccgggatcct	gcccgccacc	tgctccgcgc	24996
tgccctcgga	cttcgtgccg	ctgaccttcc	gcgagtgccc	cccgccgctc	tggagccact	25056
gctacctgct	gcgcctggcc	aactacctgg	cctaccactc	ggacgtgatc	gaggacgtca	25116
gcggcgaggg	tctgctcgag	tgccactgcc	gctgcaacct	ctgcacgccg	caccgctccc	25176
tggcctgcaa	ccccagctg	ctgagcgaga	cccagatcat	cggcaccttc	gagttgcaag	25236
gccccggcga	gggcaagggg	ggtctgaaac	tcaccccggg	gctgtggacc	tcggcctact	25296
tgcgcaagtt	cgtgcccgag	gactaccatc	ccttcgagat	caggttctac	gaggaccaat	25356
cccagccgcc	caaggccgaa	ctgtcggcct	gcgtcatcac	ccagggggcc	atcctggccc	25416
aattgcaagc	catccagaaa	tcccgccaag	aatttctgct	gaaaaagggc	cacggggtct	25476
acctggaccc	ccagaccgga	gaggagctca	accccagctt	ccccaggat	gccccgagga	25536
agcagcaaga	agctgaaagt	ggagctgccg	ccgccggagg	atttggagga	agactgggag	25596
agcagtcagg	cagaggagga	ggagatggaa	gactgggaca	gcactcaggc	agaggaggac	25656
agcctgcaag	acagtctgga	agacgaggtg	gaggaggagg	cagaggaaga	agcagccgcc	25716

gccagaccgt	cgtcctcggc	ggagaaagca	agcagcacgg	ataccatctc	cgctccgggt	25776
cggggtcgcg	gcgaccgggc	ccacagtagg	tgggacgaga	ccgggcgctt	cccgaacccc	25836
accacccaga	ccggtaagaa	ggagcggcag	ggatacaagt	cctggcgggg	gcacaaaaac	25896
gccatcgtct	cctgcttgca	agcctgcggg	ggcaacatct	ccttcacccg	ccgctacctg	25956
ctcttccacc	gcggggtgaa	cttcccccgc	aacatcttgc	attactaccg	tcacctccac	26016
agcccctact	actgtttcca	agaagaggca	gaaacccagc	agcagcagaa	aaccagcggc	26076
agcagcagct	agaaaatcca	cagcggcggc	aggtggactg	aggatcgcag	cgaacgagcc	26136
ggcgcagacc	cgggagctga	ggaaccggat	ctttcccacc	ctctatgcca	tcttccagca	26196
gagtcggggg	caggagcagg	aactgaaagt	caagaaccgt	tctctgcgct	cgctcacccg	26256
cagttgtctg	tatcacaaga	gcgaagacca	acttcagcgc	actctcgagg	acgccgaggc	26316
tctcttcaac	aagtactgcg	cgctcactct	taaagagtag	cccgcgcccg	cccacacacg	26376
gaaaaaggcg	ggaattacgt	caccacctgc	gcccttcgcc	cgaccatcat	catgagcaaa	26436
gagattccca	cgccttacat	gtggagctac	cagccccaga	tgggcctggc	agaaggagaa	26496
gcccaggact	actccacccg	catgaactgg	ctcagcgccg	ggcccgcgat	gatctcacgg	26556
gtgaatgaca	tccgcgcccg	ccgaaaccag	atactcctag	aacagtcagc	gatcaccgcc	26616
acgccccgcc	atcaccttaa	tccgcgtaat	tggcccgccg	ccctggtgta	ccaggaaatt	26676
ccccagccca	cgaccgtact	acttccgcga	gacgcccagg	ccgaagtcca	gctgactaac	26736
tcaggtgtcc	agctggccgg	cggcgccgcc	ctgtgtcgtc	accgccccgc	tcagggtata	26796
aagcggctgg	tgatccgagg	cagaggcaca	cagctcaacg	acgaggtggt	gagctcttcg	26856
ctgggtctgc	gacctgacgg	agtcttccaa	ctcgccggat	cggggagatc	ttccttcacg	26916
cctcgtcagg	ccgtcctgac	tttggagagt	tcgtcctcgc	agccccgctc	gggtggcatc	26976
ggcactctcc	agttcgtgga	ggagttcact	ccctcggtct	acttcaaccc	cttctccggc	27036
tececeggee	actacccgga	cgagttcatc	ccgaacttcg	acgccatcag	cgagtcggtg	27096
gacggctacg	attgaatgtc	ccatggtggc	gcagctgacc	tagctcggct	tcgacacctg	27156
gaccactgcc	gccgcttccg	ctgcttcgct	cgggatctcg	ccgagtttgc	ctactttgag	27216
ctgcccgagg	agcaccctca	gggcccggcc	cacggagtgc	ggatcatcgt	cgaagggggc	27276
ctcgactccc	acctgcttcg	gatcttcagc	cagcgaccga	tcctggtcga	gcgcgagcaa	27336
ggacagaccc	ttctgaccct	gtactgcatc	tgcaaccacc	ccggcctgca	tgaaagtctt	27396

tgttgtctgc	tgtgtactga	gtataataaa	agctgagatc	agcgactact	ccggactcga	27456
ttgtggtgtt	cctgctatca	accggtccct	gttcttcacc	gggaacgaga	ccgagctcca	27516
gcttcagtgt	aagccccaca	agaagtacct	cacctggctg	ttccagggct	ccccgatcgc	27576
cgttgtcaac	cactgcgaca	acgacggagt	cctgctgagc	ggccccgcca	accttacttt	27636
ttccacccgc	agaagcaagc	tccagctctt	ccaacccttc	ctccccggga	cctatcagtg	27696
cgtctcggga	ccctgccatc	acaccttcca	cctgatcccg	aataccacag	cgccgctccc	27756
cgctactaac	aaccaaacta	cccaccatcg	ccaccgtcgc	gacctttctg	aatctaacac	27816
taccacccac	accggaggtg	agctccgagg	tcgaccaacc	tctgggattt	actacggccc	27876
ctgggaggtg	gtggggttaa	tagcgctagg	cctagttgtg	ggtgggcttt	tggctctctg	27936
ctacctatac	ctcccttgct	gttcgtactt	agtggtgctg	tgttgctggt	ttaagaaatg	27996
gggaagatca	ccctagtgag	ctgcggtgcg	ctggtggcgg	tggtggtgtt	ttcgattgtg	28056
ggactgggcg	gcgcggctgt	agtgaaggag	aaggccgatc	cctgcttgca	tttcaatccc	28116
gacaattgcc	agctgagttt	tcagcccgat	ggcaatcggt	gcgcggtgct	gatcaagtgc	28176
ggatgggaat	gcgagaacgt	gagaatcgag	tacaataaca	agactcggaa	caatactctc	28236
gcgtccgtgt	ggcagcccgg	ggaccccgag	tggtacaccg	tctctgtccc	cggtgctgac	28296
ggctccccgc	gcaccgtgaa	caatactttc	atttttgcgc	acatgtgcga	cacggtcatg	28356
tggatgagca	agcagtacga	tatgtggccc	cccacgaagg	agaacatcgt	ggtcttctcc	28416
atcgcttaca	gcgcgtgcac	ggcgctaatc	accgctatcg	tgtgcctgag	cattcacatg	28476
ctcatcgcta	ttcgccccag	aaataatgcc	gaaaaagaga	aacagccata	acacgttttt	28536
tcacacacct	ttttcagacc	atggcctctg	ttaaattttt	gcttttattt	gccagtctca	28596
ttactgttat	aagtaatgag	aaactcacta	tttacattgg	cactaaccac	actttagacg	28656
gaattccaaa	atcctcatgg	tattgctatt	ttgatcaaga	tccagactta	actatagaac	28716
tgtgtggtaa	caagggaaaa	aatacaagca	ttcatttaat	taactttaat	tgcggagaca	28776
atttgaaatt	aattaatatc	actaaagagt	atggaggtat	gtattactat	gttgcagaaa	28836
ataacaacat	gcagttttat	gaagttactg	taactaatcc	caccacacct	agaacaacaa	28896
caaccaccac	cacaaaaact	acacctgtta	ccactatgca	gctcactacc	aataacattt	28956
ttgccatgcg	tcaaatggtc	aacaatagca	ctcaacccac	cccacccagt	gaggaaattc	29016
ccaaatccat	gattggcatt	attgttgctg	tagtggtgtg	catgttgatc	atcgccttgt	29076
gcatggtgta	ctatgccttc	tgctacagaa	agcacagact	gaacgacaag	ctggaacact	29136

tactaagto	ıt tgaattttaa	ttttttagaa	ccatgaagat	cctaggcctt	ttaatttttt	29196
ctatcatta	ıc ctctgctcta	tgcaattctg	acaatgagga	cgttactgtc	gttgtcggaa	29256
ccaattata	ıc actgaaaggt	ccagcgaagg	gtatgctttc	gtggtattgc	tggtttggaa	29316
ctgacgago	a acagacagag	ctctgcaatg	ctcaaaaagg	caaaacctca	aattctaaaa	29376
tctctaatt	a tcaatgcaat	ggcactgact	tagtactgct	caatgtcacg	aaagcatatg	29436
ctggcagct	a cacctgccct	ggagatgata	ctgagaacat	gattttttac	aaagtggaag	29496
tggttgato	c cactactcca	cctccaccca	ccacaactac	tcacaccaca	cacacagaac	29556
aaaccacag	c agaggaggca	gcaaagttag	ccttgcaggt	ccaagacagt	tcatttgttg	29616
gcattacco	c tacacctgat	cagcggtgtc	cggggctgct	cgtcagcggc	attgtcggtg	29676
tgctttcgc	g attagcagtc	ataatcatct	gcatgttcat	ttttgcttgc	tgctatagaa	29736
ggctttacc	g acaaaaatca	gacccactgc	tgaacctcta	tgtttaattt	tttccagagc	29796
catgaaggo	a gttagcactc	tagttttttg	ttctttgatt	ggcactgttt	ttagtgttag	29856
ctttttgaa	a caaatcaatg	ttactgaggg	ggaaaatgtg	acactggtag	gcgtagaggg	29916
tgctcaaaa	t accacctgga	caaaattcca	tctagatggg	tggaaagaaa	tttgcacctg	29976
gaatgtcag	t acttatacat	gtgaaggagt	taatcttacc	attgtcaatg	tcagccaaat	30036
tcaaaaggg	t tggattaaag	ggcaatctgt	tagtgttagc	aatagtgggt	actataccca	30096
gcatactct	t atctatgaca	ttatagttat	accactgcct	acacctagcc	cacctagcac	30156
taccacaca	g acaacccaca	ctacacaaac	aaccacatac	agtacatcaa	atcagcctac	30216
caccactac	a acagcagagg	ttgccagctc	gtctggggtc	cgagtggcat	ttttgatgtt	30276
ggccccatc	t agcagtccca	ctgctagtac	caatgagcag	actactgaat	ttttgtccac	30336
tgtcgagag	c cacaccacag	ctacctcgag	tgccttctct	agcaccgcca	atctatcctc	30396
gctttcctc	t acaccaatca	gtcccgctac	tactcctacc	cccgctattc	tccccactcc	30456
cctgaagca	a acagacggcg	acatgcaatg	gcagatcacc	ctgctcattg	tgatcgggtt	30516
ggtcatcct	g gccgtgttgc	tctactacat	cttctgccgc	cgcattccca	acgcgcaccg	30576
caagccggc	c tacaagccca	tcgttgtcgg	gcagccggag	ccgcttcagg	tggaaggggg	30636
tctaaggaa	t cttctcttct	cttttacagt	atggtgattg	aattatgatt	cctagacaaa	30696
tcttgatca	c tattcttatc	tgcctcctcc	aagtctgtgc	caccctcgct	ctggtggcca	30756
acgccagtc	c agactgtatt	gggcccttcg	cctcctacgt	gctctttgcc	ttcatcacct	30816

gcatctgctg ctgtagcata	gtctgcctgc	ttatcacctt	cttccagttc	attgactgga	30876
tctttgtgcg catcgcctac	ctgcgccacc	acccccagta	ccgcgaccag	cgagtggcgc	30936
ggctgctcag gatcctctga	taagcatgcg	ggctctgcta	cttctcgcgc	ttctgctgtt	30996
agtgctcccc cgtcccgtcg	acccccggac	ccccacccag	tcccccgagg	aggtccgcaa	31056
atgcaaattc caagaaccct	ggaaattcct	caaatgctac	cgccaaaaat	cagacatgca	31116
tcccagctgg atcatgatca	ttgggatcgt	gaacattctg	gcctgcaccc	tcatctcctt	31176
tgtgatttac ccctgctttg	actttggttg	gaactcgcca	gaggcgctct	atctcccgcc	31236
tgaacctgac acaccaccac	agcaacctca	ggcacacgca	ctaccaccac	caccacagcc	31296
taggccacaa tacatgccca	tattagacta	tgaggccgag	ccacagcgac	ccatgctccc	31356
cgctattagt tacttcaatc	taaccggcgg	agatgactga	cccactggcc	aacaacaacg	31416
tcaacgacct tctcctggac	atggacggcc	gcgcctcgga	gcagcgactc	gcccaacttc	31476
gcattcgcca gcagcaggag	agagccgtca	aggagctgca	ggacggcata	gccatccacc	31536
agtgcaagaa aggcatcttc	tgcctggtga	aacaggccaa	gatctcctac	gaggtcaccc	31596
agaccgacca tcgcctctcc	tacgagetee	tgcagcagcg	ccagaagttc	acctgcctgg	31656
teggagteaa ceccategte	atcacccagc	agtcgggcga	taccaagggg	tgcatccact	31716
getectgega etececegae	tgcgtccaca	ctctgatcaa	gaccctctgc	ggcctccgcg	31776
acctcctccc catgaactaa	tcaccccctt	atccagtgaa	ataaagatca	tattgatgat	31836
ttgagtttaa taaaaataaa	gaatcactta	cttgaaatct	gataccaggt	ctctgtccat	31896
gttttctgcc aacaccactt	cactcccctc	ttcccagctc	tggtactgca	ggccccggcg	31956
ggctgcaaac ttcctccaca	ccctgaaggg	gatgtcaaat	tcctcctgtc	cctcaatctt	32016
cattttatct tctatcag a M		aag cgc gto Lys Arg Val		gat gat gac Asp Asp Asp	32067
ttc gac ccc gtc tac Phe Asp Pro Val Tyr 1475		Ala Asp As	ac gca ccg sn Ala Pro 185		32112
ccc ttc atc aac ccc Pro Phe Ile Asn Pro 1490		L Ser Ser As	at gga ttc sp Gly Phe 500		32157
aag ccc ctg ggg gtg Lys Pro Leu Gly Val 1505		ı Arg Leu Al			32202

acc Thr 1520	Lys			_	atc Ile 1525	Thr				gga Gly 1530	Āsp				32247
ctc Leu 1535	Asp				aaa Lys 1540	Leu				acg Thr 1545					32292
gcc Ala 1550	Ala				ttt Phe 1555	Ser				att Ile 1560	Ser		aac Asn	atg Met	32337
gat Asp 1565	Thr				aac Asn 1570	Asn						_		gtc Val	32382
act Thr 1580	Ala				ata Ile 1585					ttg Leu 1590				ctt Leu	32427
gtt Val 1595					caa Gln 1600										32472
ctt Leu 1610					gca Ala 1615										32517
aaa Lys 1625	att Ile	gcc Ala	ctt Leu	aat Asn	tta Leu 1630	ggc Gly	aat Asn	gga Gly	cca Pro	ttg Leu 1635	aaa Lys	gtg Val	gat Asp	gca Ala	32562
aat Asn 1640					aat Asn 1645								act Thr		32607
aca Thr 1655	aaa Lys	gat Asp	gca Ala	ctg Leu	gaa Glu 1660	gcc Ala	aat Asn	ata Ile	agt Ser	tgg Trp 1665	gct Ala	aat Asn	gct Ala	atg Met	32652
aca Thr 1670					gcc Ala 1675										32697
ggc Gly 1685					acc Thr 1690										32742
gct Ala 1700					atc Ile 1705						ctc Leu				32787
agc Ser 1715					gtt Val 1720										32832

aca Thr 1730	cta Leu	tgg Trp	acc Thr	aca Thr	gcc Ala 1735	Asp	ccc Pro	tct Ser	cca Pro	aat Asn 1740	Cys	cac His	ata Ile	tat Tyr	32877
tct Ser 1745					aag Lys 1750	Leu				ttg Leu 1755				ggc Gly	32922
agt Ser 1760	cag Gln	att Ile	ctg Leu	Gly	act Thr 1765	Val	tcc Ser	ctc Leu	ata Ile	gct Ala 1770	gtt Val	gat Asp	act Thr	ggc Gly	32967
agt Ser 1775	tta Leu	aat Asn	ccc Pro	ata Ile	aca Thr 1780	Gly	aca Thr	gta Val	acc Thr	act Thr 1785	gct Ala	ctt Leu	gtc Val	tca Ser	33012
ctt Leu 1790	aaa Lys	ttc Phe	gat Asp	gca Ala	aat Asn 1795	gga Gly	gtt Val	ttg Leu	caa Gln	agc Ser 1800	agc Ser		aca Thr		33057
gac Asp 1805	tca Ser	gac Asp	tat Tyr	tgg Trp	aat Asn 1810					gat Asp 1815					33102
gaa Glu 1820					gct Ala 1825					ccc Pro 1830					33147
tac Tyr 1835					agt Ser 1840					agt Ser 1845			gtt Val		33192
aaa Lys 1850	gtg Val	tac Tyr	cta Leu	cat His	ggg Gly 1855	gat Asp	aca Thr	ggc ggc	aaa Lys	cca Pro 1860	ctg Leu		ctc Leu		33237
att Ile 1865					aca Thr 1870	agt Ser	gat Asp	gaa Glu	tct Ser	tgc Cys 1875			tgt Cys		33282
aac Asn 1880					tgg Trp 1885								_		33327
ctt Leu 1895	gcc Ala	gtc Val	agt Ser	tca Ser	ttc Phe 1900	acc Thr	ttt Phe	tcc Ser	tat Tyr	att Ile 1905	gct Ala	aaa Lys	gaa Glu	taa	33372
acccc	acto	t gt	acco	cato	: tctg	ıtcta	tg g	gaaaa	aact	c tga	aaca	caa	aata	aaataa	33432
agttc	aagt	g tt	ttat	tgat	tcaa	cagt	tt t	acag	gatt	c gag	cagt	tat	tttt	cctcca	33492
ccctc	ccag	g ac	atgg	aata	cacc	acco	tc t	cccc	ccgc	a cag	cctt	gaa	catc	tgaatg	33552
ccatt	ggtg	a tg	gaca	tgct	tttg	gtct	.cc a	cgtt	ccac	a cag	tttc	aga	gcga	gccagt	33612
ctcgg	gtcg	g to	aggg	agat	gaaa	ccct	cc g	ggca	ctcc	c gca	tctg	cac	ctca	cagctc	33672

aacagctgag gattgtcctc ggtggtcggg atcacggtta tctggaagaa gcagaagagc	33732
ggcggtggga atcatagtcc gcgaacggga tcggccggtg gtgtcgcatc aggccccgca	33792
gcagtcgctg tcgccgccgc tccgtcaagc tgctgctcag ggggtccggg tccagggact	33852
ccctcagcat gatgcccacg gccctcagca tcagtcgtct ggtgcggcgg gcgcagcagc	33912
gcatgcggat ctcgctcagg tcgctgcagt acgtgcaaca caggaccacc aggttgttca	33972
acagtccata gttcaacacg ctccagccga aactcatcgc gggaaggatg ctacccacgt	34032
ggccgtcgta ccagatcctc aggtaaatca agtggcgccc cctccagaac acgctgccca	34092
tgtacatgat ctccttgggc atgtggcggt tcaccacctc ccggtaccac atcaccctct :	34152
ggttgaacat gcagccccgg atgatcctgc ggaaccacag ggccagcacc gccccgcccg	34212
ccatgcagcg aagagacccc gggtcccgac aatggcaatg gaggacccac cgctcgtacc ;	34272
cgtggatcat ctgggagctg aacaagtcta tgttggcaca gcacaggcat atgctcatgc	34332
atctcttcag cactctcagc tcctcggggg tcaaaaccat atcccagggc acggggaact	34392
cttgcaggac agcgaacccc gcagaacagg gcaatcctcg cacataactt acattgtgca	34452
tggacagggt atcgcaatca ggcagcaccg ggtgatcctc caccagagaa gcgcgggtct	34512
cggtctcctc acagcgtggt aagggggccg gccgatacgg gtgatggcgg gacgcggctg	34572
ategtgtteg egacegtgtt atgatgeagt tgetttegga eattttegta ettgetgtag	34632
cagaacctgg teegggeget geacacegat egeeggegge ggteeeggeg ettggaaege	34692
toggtgttga agttgtaaaa cagocactot otoagacogt goagoagato tagggootoa 3	34752
ggagtgatga agateceate atgeetgatg getetaatea categaceae egtggaatgg 3	34812
gccagaccca gccagatgat gcaattttgt tgggtttcgg tgacggcggg ggagggaaga 3	34872
acaggaagaa ccatgattaa cttttaatcc aaacggtctc ggagcacttc aaaatgaaga 3	34932
tcgcggagat ggcacctctc gcccccgctg tgttggtgga aaataacagc caggtcaaag 3	34992
gtgatacggt tctcgagatg ttccacggtg gcttccagca aagcctccac gcgcacatcc 3	35052
agaaacaaga caatagcgaa agcgggaggg ttctctaatt cctcaatcat catgttacac 3	35112
tectgeacea tecceagata attiteatti ticcageett gaatgatteg aactagitee 3	35172
tgaggtaaat ccaagccagc catgataaag agctcgcgca gagcgccctc caccggcatt 3	35232
cttaagcaca ccctcataat tccaagatat tctgctcctg gttcacctgc agcagattga 3	5292
caagcggaat atcaaaatct ctgccgcgat ccctaagctc ctccctcagc aataactgta 3	5352

agtactcttt catatcctct ccgaaatttt tagccatagg accaccagga ataagattag 35412 ggcaagccac agtacagata aaccgaagtc ctccccagtg agcattgcca aatgcaagac 35472 tgctataagc atgctggcta gacccggtga tatcttccag ataactggac agaaaatcgc 35532 ccaggcaatt tttaagaaaa tcaacaaaag aaaaatcctc caggtgcacg tttagagcct 35592 cgggaacaac gatggagtaa atgcaagcgg tgcgttccag catggttagt tagctgatct 35652 gtagaaaaaa acaaaaatga acattaaacc atgctagcct ggcgaacagg tgggtaaatc 35712 gttctctcca gcaccaggca ggccacgggg tctccggcac gaccctcgta aaaattgtcg 35772 ctatgattga aaaccatcac agagagacgt tcccggtggc cggcgtgaat gattcgacaa 35832 gatgaataca ccccggaac attggcgtcc gcgagtgaaa aaaagcgccc aaggaagcaa 35892 taaggcacta caatgctcag tctcaagtcc agcaaagcga tgccatgcgg atgaagcaca 35952 aaattctcag gtgcgtacaa aatgtaatta ctcccctcct gcacaggcag caaagcccc 36012 gatccctcca ggtacacata caaagcctca gcgtccatag cttaccgagc agcagcacac 36072 aacaggcgca agagtcagag aaaggctgag ctctaacctg tccacccgct ctctgctcaa 36132 tatatagccc agatctacac tgacgtaaag gccaaagtct aaaaataccc gccaaataat 36192 cacacacgcc cagcacacgc ccagaaaccg gtgacacact caaaaaaata cgcgcacttc 36252 ctcaaacgcc caaactgccg tcatttccgg gttcccacgc tacgtcatca aaattcgact 36312 36372 gcagccaatc accgccccgc atccccaaat tcaaatacct catttgcata ttaacgcqca 36432 ccaaaagttt gaggtatatt attgatgatg 36462

Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser 1 10 15

Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro Pro Leu Glu Ala 20 25 30

Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser 35 40 45

Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr 50 55 60

<sup>&</sup>lt;210> 2

<sup>&</sup>lt;211> 530

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> chimpanzee adenovirus serotype Pan5

<sup>&</sup>lt;400> 2

Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr 90 Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val 120 Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser Arg Lys Thr Pro Asn Gly Val Thr Val Thr Asp Gly Ser Gln Asp Glu 155 Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly Asn Phe Ser 170 Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile Asp Asn Tyr 185 Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro Val Thr Glu 215 Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser Arg Leu Ser 250 Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala Leu Leu Asp 280 Val Asp Ala Tyr Glu Lys Ser Lys Glu Asp Ser Ala Ala Ala Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp Asn Phe Ala 310 315 Ser Ala Ala Thr Leu Ala Ala Ala Glu Ala Glu Thr Glu Ser Lys Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys Glu Arg Ser Tyr Asn 345

Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu Ala 360 Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser Leu 390 Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln Val 405 410 Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser Lys 420 Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala Phe 440 Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu 455 Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro 470 475 Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly 485 490 Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr 505 Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser Arg 520 Thr Phe 530 <210> 3 <211> 933 <212> PRT <213> chimpanzee adenovirus serotype Pan5 <400> 3 Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala

Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro

Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu

Thr 65	Leu	Arg	Phe	Val	Pro 70	Val	Asp	Arg	Glu	Asp 75	Asn	Thr	Tyr	Ser	Туг 80
Lys	Val	Arg	Tyr	Thr 85	Leu	Ala	Val	Gly	Asp 90	Asn	Arg	Val	Leu	Asp 95	Met
Ala	Ser	Thr	Tyr 100	Phe	Asp	Ile	Arg	Gly 105	Val	Leu	Asp	Arg	Gly 110	Pro	Ser
Phe	Lys	Pro 115	Tyr	Ser	Gly	Thr	Ala 120	Tyr	Asn	Ser	Leu	Ala 125	Pro	Lys	Gly
Ala	Pro 130	Asn	Thr	Cys	Gln	Trp 135	Thr	Tyr	Lys	Ala	Asp 140	Gly	Asp	Thr	Gly
Thr 145	Glu	Lys	Thr	Tyr	Thr 150	Tyr	Gly	Asn	Ala	Pro 155	Val	Gln	Gly	Ile	Ser 160
Ile	Thr	Lys	Asp	Gly 165	Ile	Gln	Leu	Gly	Thr 170	Asp	Thr	Asp	Asp	Gln 175	Pro
Ile	Tyr	Ala	Asp 180	Lys	Thr	Tyr	Gln	Pro 185	Glu	Pro	Gln	Val	Gly 190	Asp	Ala
Glu	Trp	His 195	Asp	Ile	Thr	Gly	Thr 200	Asp	Glu	Lys	Tyr	Gly 205	Gly	Arg	Ala
Leu	Lys 210	Pro	Asp	Thr	Lys	Met 215	Lys	Pro	Cys	Tyr	Gly 220	Ser	Phe	Ala	Lys
Pro 225	Thr	Asn	Lys	Glu	Gly 230	Gly	Gln	Ala	Asn	Val 235	Lys	Thr	Glu	Thr	Gly 240
Gly	Thr	Lys	Glu	Tyr 245	Asp	Ile	Asp	Met	Ala 250	Phe	Phe	Asp	Asn	Arg 255	Ser
Ala	Ala	Ala	Ala 260	Gly	Leu	Ala	Pro	Glu 265	Ile	Val	Leu	Tyr	Thr 270	Glu	Asn
Val	Asp	Leu 275	Glu	Thr	Pro	Asp	Thr 280	His	Ile	Val	Tyr	Lys 285	Ala	Gly	Thr
Asp	Asp 290	Ser	Ser	Ser	Ser	Ile 295	Asn	Leu	Gly	Gln	Gln 300	Ser	Met	Pro	Asn
Arg 305	Pro	Asn	Tyr	Ile	Gly 310	Phe	Arg	Asp	Asn	Phe 315	Ile	Gly	Leu	Met	Tyr 320
Tyr	Asn	Ser	Thr	Gly 325	Asn	Met	Gly	Val	Leu 330	Ala	Gly	Gln	Ala	Ser 335	Gln
Leu	Asn	Ala	Val 340	Val	Asp	Leu	Gln	Asp 345	Arg	Asn	Thr	Glu	Leu 350	Ser	Tyr
Gln	Leu	Leu 355	Leu	Asp	Ser	Leu	Gly 360	Asp	Arg	Thr	Arg	Tyr 365	Phe	Ser	Met

Trp	370	n Glr	ı Ala	ı Val	. Asp	Ser 375		Asp	Pro	Asp	Val 380		l Ile	∍ Il∈	e Glu
Asn 385	His	Gly	v Val	. Glu	Asp 390		Leu	Pro	Asn	Туг 395		Phe	Pro	Leu	1 Asp 400
Ala	. Val	. Gly	Arg	Thr 405		Thr	Tyr	Gln	Gly 410		Lys	Ala	. Asn	Gly 415	Ala
Asp	Gln	Thr	Thr 420	Trp	Thr	Lys	Asp	Asp 425		Val	Asn	Asp	Ala 430		Glu
Leu	Gly	Lys 435	Gly	Asn	Pro	Phe	Ala 440		Glu	Ile	Asn	Ile 445		Ala	Asn
Leu	Trp 450	Arg	Asn	Phe	Leu	Tyr 455		Asn	Val	Ala	Leu 460	Tyr	Leu	Pro	Asp
Ser 465	Tyr	Lys	Tyr	Thr	Pro 470	Ala	Asn	Ile	Thr	Leu 475	Pro	Thr	Asn	Thr	Asn 480
Thr	Tyr	Asp	Tyr	Met 485	Asn	Gly	Arg	Val	Val 490	Ala	Pro	Ser	Leu	Val 495	_
Ala	Туг	Ile	Asn 500	Ile	Gly	Ala	Arg	Trp 505	Ser	Leu	Asp	Pro	Met 510	Asp	Asn
Val	Asn	Pro 515	Phe	Asn	His	His	Arg 520	Asn	Ala	Gly	Leu	Arg 525	Туг	Arg	Ser
Met	Leu 530	Leu	Gly	Asn	Gly	Arg 535	Tyr	Val	Pro	Phe	His 540	Ile	Gln	Val	Pro
Gln 545	Lys	Phe	Phe	Ala	Ile 550	Lys	Ser	Leu	Leu	Leu 555	Leu	Pro	Gly	Ser	Tyr 560
Thr	Tyr	Glu	Trp	Asn 565	Phe	Arg	Lys	Asp	Val 570	Asn	Met	Ile	Leu	Gln 575	Ser
Ser	Leu	Gly	Asn 580	Asp	Leu	Arg	Thr	Asp 585	Gly	Ala	Ser	Ile	Ala 590	Phe	Thr
Ser	Ile	Asn 595	Leu	Tyr	Ala	Thr	Phe 600	Phe	Pro	Met	Ala	His 605	Asn	Thr	Ala
Ser	Thr 610	Leu	Glu	Ala	Met	Leu 615	Arg	Asn	Asp	Thr	Asn 620	Asp	Gln	Ser	Phe
Asn 625	Asp	Tyr	Leu	Ser	Ala 630	Ala	Asn	Met	Leu	Tyr 635	Pro	Ile	Pro	Ala	Asn 640
Ala	Thr	Asn	Val	Pro 645	Ile	Ser	Ile	Pro	Ser 650	Arg	Asn	Trp	Ala	Ala 655	Phe
Arg	Gly	Trp	Ser 660	Phe	Thr	Arg	Leu	Lys 665	Thr	Arg	Glu	Thr	Pro 670	Ser	Leu

Gly	Ser	Gly 675	Phe	Asp	Pro	Tyr	Phe 680	Val	Tyr	Ser	Gly	Ser 685	Ile	Pro	Туг
Leu	Asp 690	Gly	Thr	Phe	Tyr	Leu 695	Asn	His	Thr	Phe	Lys 700	Lys	Val	Ser	Ile
Thr 705	Phe	Asp	Ser	Ser	Val 710	Ser	Trp	Pro	Gly	Asn 715	Asp	Arg	Leu	Leu	Thr 720
Pro	Asn	Glu	Phe	Glu 725	Ile	Lys	Arg	Thr	Val 730	Asp	Gly	Glu	Gly	Tyr 735	Asn
Val	Ala	Gln	Cys 740	Asn	Met	Thr	Lys	Asp 745	Trp	Phe	Leu	Val	Gln 750	Met	Leu
Ala	His	Туг 755	Asn	Ile	Gly	Tyr	Gln 760	Gly	Phe	Tyr	Val	Pro 765	Glu	Gly	Tyr
Lys	Asp 770	Arg	Met	Tyr	Ser	Phe 775	Phe	Arg	Asn	Phe	Gln 780	Pro	Met	Ser	Arg
Gln 785	Val	Val	Asp	Glu	Val 790	Asn	Tyr	Lys	Asp	Tyr 795	Gln	Ala	Val	Thr	Leu 800
Ala	Tyr	Gln	His	Asn 805	Asn	Ser	Gly	Phe	Val 810	Gly	Tyr	Leu	Ala	Pro 815	Thr
Met	Arg	Gln	Gly 820	Gln	Pro	Tyr	Pro	Ala 825	Asn	Tyr	Pro	Tyr	Pro 830	Leu	Ile
Gly	Lys	Ser 835	Ala	Val	Ala	Ser	Val 840	Thr	Gln	Lys	Lys	Phe 845	Leu	Cys	Asp
Arg	Val 850	Met	Trp	Arg	Ile	Pro 855	Phe	Ser	Ser	Asn	Phe 860	Met	Ser	Met	Gly
Ala 865	Leu	Thr	Asp	Leu	Gly 870	Gln	Asn	Met	Leu	Tyr 875	Ala	Asn	Ser	Ala	His 880
Ala	Leu	Asp	Met	Asn 885	Phe	Glu	Val	Asp	Pro 890	Met	Asp	Glu	Ser	Thr 895	Leu
Leu	Tyr	Val	Val 900	Phe	Glu	Val	Phe	Asp 905	Val	Val	Arg	Val	His 910	Gln	Pro
His	Arg	Gly 915	Val	Ile	Glu	Ala	Val 920	Tyr	Leu	Arg	Thr	Pro 925	Phe	Ser	Ala
Gly	Asn 930	Ala	Thr	Thr											
<210															
<211 <212	:> P	45 RT								-					
<213	, C	TITILD	anze	e ad	enov	ırus	ser	отур	е Ра	ıns					

<400> 4

Met Ser Lys Lys Arg Val Arg Val Asp Asp Phe Asp Pro Val Tyr Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu Lys Leu Gly Asp Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser 65 70 75 80 Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Phe Ser Asn Asn Thr Ile Ser Leu Asn Met Asp Thr Pro Phe Tyr Asn Asn Asn Gly Lys Leu 105 Gly Met Lys Val Thr Ala Pro Leu Lys Ile Leu Asp Thr Asp Leu Leu 120 Lys Thr Leu Val Val Ala Tyr Gly Gln Gly Leu Gly Thr Asn Thr Thr 135 Gly Ala Leu Val Ala Gln Leu Ala Ser Pro Leu Ala Phe Asp Ser Asn 150 155 Ser Lys Ile Ala Leu Asn Leu Gly Asn Gly Pro Leu Lys Val Asp Ala 165 Asn Arg Leu Asn Ile Asn Cys Asn Arg Gly Leu Tyr Val Thr Thr 185 Lys Asp Ala Leu Glu Ala Asn Ile Ser Trp Ala Asn Ala Met Thr Phe 200 Ile Gly Asn Ala Met Gly Val Asn Ile Asp Thr Gln Lys Gly Leu Gln 215 Phe Gly Thr Thr Ser Thr Val Ala Asp Val Lys Asn Ala Tyr Pro Ile 230 Gln Ile Lys Leu Gly Ala Gly Leu Thr Phe Asp Ser Thr Gly Ala Ile 250 Val Ala Trp Asn Lys Asp Asp Lys Leu Thr Leu Trp Thr Thr Ala

Asp Pro Ser Pro Asn Cys His Ile Tyr Ser Glu Lys Asp Ala Lys Leu 275 280 285

Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln Ile Leu Gly Thr Val Ser Leu Ile Ala Val Asp Thr Gly Ser Leu Asn Pro Ile Thr Gly Thr Val 310 Thr Thr Ala Leu Val Ser Leu Lys Phe Asp Ala Asn Gly Val Leu Gln 325 330 Ser Ser Ser Thr Leu Asp Ser Asp Tyr Trp Asn Phe Arg Gln Gly Asp 345 Val Thr Pro Ala Glu Ala Tyr Thr Asn Ala Ile Gly Phe Met Pro Asn 360 Leu Lys Ala Tyr Pro Lys Asn Thr Ser Gly Ala Ala Lys Ser His Ile 375 Val Gly Lys Val Tyr Leu His Gly Asp Thr Gly Lys Pro Leu Asp Leu 390 Ile Ile Thr Phe Asn Glu Thr Ser Asp Glu Ser Cys Thr Tyr Cys Ile 410 Asn Phe Gln Trp Gln Trp Gly Ala Asp Gln Tyr Lys Asn Glu Thr Leu Ala Val Ser Ser Phe Thr Phe Ser Tyr Ile Ala Lys Glu 440 <210> 5 <211> 36604 <213> chimpanzee adenovirus serotype Pan6 <220> <221> CDS <222> (13878)..(15467) <223> L2 Penton <220> <221> CDS <222> (18284)..(21112) <223> L3 Hexon <220> <221> CDS <222> (32162)..(33493) <223> L5 Fiber <400> 5 catcatcaat aatatacctc aaacttttgg tgcgcgttaa tatgcaaatg agctgtttga 60 120

tgacgttttg	atgacgtggc	: tatgaggcgg	agccggtttg	caagttctcg	tgggaaaagt	180
gacgtcaaac	gaggtgtggt	ttgaacacgg	aaatactcaa	ttttcccgcg	ctctctgaca	240
ggaaatgagg	tgtttctggg	cggatgcaag	tgaaaacggg	ccattttcgc	gcgaaaactg	300
aatgaggaag	tgaaaatctg	agtaatttcg	cgtttatggc	agggaggagt	atttgccgag	360
ggccgagtag	actttgaccg	attacgtggg	ggtttcgatt	accgtatttt	tcacctaaat	420
ttccgcgtac	ggtgtcaaag	tccggtgttt	ttacgtaggc	gtcagctgat	cgccagggta	480
tttaaacctg	cgctctctag	tcaagaggcc	actcttgagt	gccagcgagt	agagttttct	540
cctccgcgcc	gcgagtcaga	tctacacttt	gaaagatgag	gcacctgaga	gacctgcccg	600
gtaatgtttt	cctggctact	gggaacgaga	ttctggaatt	ggtggtggac	gccatgatgg	660
gtgacgaccc	tccagagccc	cctaccccat	ttgaggcgcc	ttcgctgtac	gatttgtatg	720
atctggaggt	ggatgtgccc	gagagcgacc	ctaacgagga	ggcggtgaat	gatttgttta	780
gcgatgccgc	gctgctggct	gccgagcagg	ctaatacgga	ctctggctca	gacagcgatt	840
cctctctcca	taccccgaga	cccggcagag	gtgagaaaaa	gatccccgag	cttaaagggg	900
aagagctcga	cctgcgctgc	tatgaggaat	gcttgcctcc	gagcgatgat	gaggaggacg	960
aggaggcgat	tcgagctgcg	gtgaaccagg	gagtgaaaac	tgcgggcgag	agctttagcc	1020
tggactgtcc	tactctgccc	ggacacggct	gtaagtcttg	tgaatttcat	cgcatgaata	1080
ctggagataa	gaatgtgatg	tgtgccctgt	gctatatgag	agcttacaac	cattgtgttt	1140
acagtaagtg	tgattaactt	tagttgggaa	ggcagagggt	gactgggtgc	tgactggttt	1200
atttatgtat	atgtttttt	atgtgtaggt	cccgtctctg	acgtagatga	gacccccact	1260
tcagagtgca	tttcatcacc	cccagaaatt	ggcgaggaac	cgcccgaaga	tattattcat	1320
agaccagttg	cagtgagagt	caccgggcgg	agagcagctg	tggagagttt	ggatgacttg	1380
ctacagggtg	gggatgaacc	tttggacttg	tgtacccgga	aacgccccag	gcactaagtg	1440
ccacacatgt	gtgtttactt	aaggtgatgt	cagtatttat	agggtgtgga	gtgcaataaa	1500
atccgtgttg	actttaagtg	cgtgttttat	gactcagggg	tggggactgt	gggtatataa	1560
gcaggtgcag	acctgtgtgg	tcagttcaga	gcaggactca	tggagatctg	gactgtcttg	1620
gaagactttc	accagactag	acagttgcta	gagaactcat	cggagggagt	ctcttacctg	1680
tggagattct	gcttcggtgg	gcctctagct	aagctagtct	atagggccaa	acaggattat	1740
aaggaacaat	ttgaggatat	tttgagagag	tgtcctggta	tttttgactc	tctcaacttg	1800
ggccatcagt	ctcactttaa	ccagagtatt	ctgagagccc	ttgacttttc	tactcctggc	1860

agaactaccg	ccgcggtagc	cttttttgcc	tttattcttg	acaaatggag	tcaagaaacc	1920
catttcagca	gggattaccg	tctggactgc	ttagcagtag	ctttgtggag	aacatggagg	1980
tgccagcgcc	: tgaatgcaat	ctccggctac	ttgccagtac	agccggtaga	cacgctgagg	2040
atcctgagtc	: tccagtcacc	ccaggaacac	caacgccgcc	agcagccgca	gcaggagcag	2100
cagcaagagg	aggaccgaga	agagaacccg	agagccggtc	tggaccctcc	ggtggcggag	2160
gaggaggagt	agctgacttg	tttcccgagc	tgcgccgggt	gctgactagg	tcttccagtg	2220
gacgggagag	ggggattaag	cgggagaggc	atgaggagac	tagccacaga	actgaactga	2280
ctgtcagtct	gatgagccgc	aggcgcccag	aatcggtgtg	gtggcatgag	gtgcagtcgc	2340
aggggataga	tgaggtctcg	gtgatgcatg	agaaatattc	cctagaacaa	gtcaagactt	2400
gttggttgga	gcccgaggat	gattgggagg	tagccatcag	gaattatgcc	aagctggctc	2460
tgaagccaga	caagaagtac	aagattacca	aactgattaa	tatcagaaat	tcctgctaca	2520
tttcagggaa	tggggccgag	gtggagatca	gtacccagga	gagggtggcc	ttcagatgtt	2580
gtatgatgaa	tatgtacccg	ggggtggtgg	gcatggaggg	agtcaccttt	atgaacacga	2640
ggttcagggg	tgatgggtat	aatggggtgg	tctttatggc	caacaccaag	ctgacagtgc	2700
acggatgctc	cttctttggc	ttcaataaca	tgtgcatcga	ggcctggggc	agtgtttcag	2760
tgaggggatg	cagcttttca	gccaactgga	tgggggtcgt	gggcagaacc	aagagcaagg	2820
tgtcagtgaa	gaaatgcctg	ttcgagaggt	gccacctggg	ggtgatgagc	gagggcgaag	2880
ccaaagtcaa	acactgcgcc	tctaccgaga	cgggctgctt	tgtgctgatc	aagggcaatg	2940
cccaagtcaa	gcataacatg	atctgtgggg	cctcggatga	gcgcggctac	cagatgctga	3000
cctgcgccgg	tgggaacagc	catatgctgg	ccaccgtgca	tgtggcctcg	cacccccgca	3060
agacatggcc	cgagttcgag	cacaacgtca	tgacccgctg	caatgtgcac	ctgggctccc	3120
gccgaggcat	gttcatgccc	taccagtgca	acatgcaatt	tgtgaaggtg	ctgctggagc	3180
ccgatgccat	gtccagagtg	agcctgacgg	gggtgtttga	catgaatgtg	gagctgtgga	3240
aaattctgag	atatgatgaa	tccaagacca	ggtgccgggc	ctgcgaatgc	ggaggcaagc	3300
acgccaggct	tcagcccgtg	tgtgtggagg	tgacggagga	cctgcgaccc	gatcatttgg	3360
tgttgtcctg	caacgggacg	gagttcggct	ccagcgggga	agaatctgac	tagagtgagt	3420
agtgtttggg	gctgggtgtg	agcctgcatg	aggggcagaa	tgactaaaat	ctgtggtttt	3480
ctgtgtgttg	cagcagcatg	agcggaagcg	cctcctttga	gggaggggta	ttcagccctt	3540

atctgacggg	gcgtctcccc	teetgggegg	gagtgcgtca	gaatgtgatg	ggatccacgg	3600
tggacggccg	gcccgtgcag	cccgcgaact	cttcaaccct	gacctacgcg	accctgagct	3660
cctcgtccgt	ggacgcagct	gccgccgcag	ctgctgcttc	cgccgccagc	gccgtgcgcg	3720
gaatggccct	gggcgccggc	tactacagct	ctctggtggc	caactcgagt	tccaccaata	3780
atcccgccag	cctgaacgag	gagaagctgc	tgctgctgat	ggcccagctc	gaggccctga	3840
cccagcgcct	gggcgagctg	acccagcagg	tggctcagct	gcaggcggag	acgcgggccg	3900
cggttgccac	ggtgaaaacc	aaataaaaaa	tgaatcaata	aataaacgga	gacggttgtt	3960
gattttaaca	cagagtcttg	aatctttatt	tgatttttcg	cgcgcggtag	gccctggacc	4020
accggtctcg	atcattgagc	acccggtgga	tcttttccag	gacccggtag	aggtgggctt	4080
ggatgttgag	gtacatgggc	atgagcccgt	cccgggggtg	gaggtagctc	cattgcaggg	4140
cctcgtgctc	ggggatggtg	ttgtaaatca	cccagtcata	gcaggggcgc	agggcgtggt	4200
gctgcacgat	gtccttgagg	aggagactga	tggccacggg	cagccccttg	gtgtaggtgt	4260
tgacgaacct	gttgagctgg	gagggatgca	tgcgggggga	gatgagatgc	atcttggcct	4320
ggatcttgag	attggcgatg	ttcccgccca	gatcccgccg	ggggttcatg	ttgtgcagga	4380
ccaccagcac	ggtgtatccg	gtgcacttgg	ggaatttgtc	atgcaacttg	gaagggaagg	4440
cgtgaaagaa	tttggagacg	cccttgtgac	cgcccaggtt	ttccatgcac	tcatccatga	4500
tgatggcgat	gggcccgtgg	gcggcggcct	gggcaaagac	gtttcggggg	tcggacacat	4560
cgtagttgtg	gtcctgggtg	agctcgtcat	aggccatttt	aatgaatttg	gggcggaggg	4620
tgcccgactg	ggggacgaag	gtgccctcga	teceggggge	gtagttgccc	tcgcagatct	4680
gcatctccca	ggccttgagc	teggaggggg	ggatcatgtc	cacctgcggg	gcgatgaaaa	4740
aaacggtttc	cggggcgggg	gagatgagct	gggccgaaag	caggttccgg	agcagctggg	4800
acttgccgca	accggtgggg	ccgtagatga	ccccgatgac	cggctgcagg	tggtagttga	4860
gggagagaca	gctgccgtcc	tcgcggagga	ggggggccac	ctcgttcatc	atctcgcgca	4920
catgcatgtt	ctcgcgcacg	agttccgcca	ggaggcgctc	gcccccagc	gagaggagct	4980
cttgcagcga	ggcgaagttt	ttcagcggct	tgagtccgtc	ggccatgggc	attttggaga	5040
gggtctgttg	caagagttcc	agacggtccc	agagctcggt	gatgtgctct	agggcatctc	5100
gatccagcag	acctcctcgt	ttcgcgggtt	ggggcgactg	cgggagtagg	gcaccaggcg	5160
atgggcgtcc	agcgaggcca	gggtccggtc	cttccagggc	cgcagggtcc	gcgtcagcgt	5220
ggtctccgtc	acggtgaagg	ggtgcgcgcc	gggctgggcg	cttgcgaggg	tgcgcttcag	5280

gctcatccgg ctggtcgaga accgctcccg gtcggcgccc tgcgcgtcgg ccaggtagca	5340
attgagcatg agttcgtagt tgagcgcctc ggccgcgtgg cccttggcgc ggagcttacc	5400
tttggaagtg tgtccgcaga cgggacagag gagggacttg agggcgtaga gcttgggggc	5460
gaggaagacg gactcggggg cgtaggcgtc cgcgccgcag ctggcgcaga cggtctcgca	5520
ctccacgagc caggtgaggt cggggcggtt ggggtcaaaa acgaggtttc ctccgtgctt	5580
tttgatgcgt ttcttacctc tggtctccat gagctcgtgt ccccgctggg tgacaaagag	5640
gctgtccgtg tccccgtaga ccgactttat gggccggtcc tcgagcgggg tgccgcggtc	5700
ctegtegtag aggaaceeeg eecaeteega gaegaaggee egggteeagg eeageaegaa	5760
ggaggccacg tgggaggggt agcggtcgtt gtccaccagc gggtccacct tctccagggt	5820
atgcaagcac atgtccccct cgtccacatc caggaaggtg attggcttgt aagtgtaggc	5880
cacgtgaccg ggggtcccgg ccggggggt ataaaagggg gcgggcccct gctcgtcctc	5940
actgtcttcc ggatcgctgt ccaggagcgc cagctgttgg ggtaggtatt ccctctcgaa	6000
ggcgggcatg acctcggcac tcaggttgtc agtttctaga aacgaggagg atttgatatt	6060
gacggtgccg ttggagacgc ctttcatgag cccctcgtcc atttggtcag aaaagacgat	6120
ctttttgttg tcgagcttgg tggcgaagga gccgtagagg gcgttggaga gcagcttggc	6180
gatggagcgc atggtctggt tetttteett gteggegege teettggegg egatgttgag	6240
ctgcacgtac tcgcgcgcca cgcacttcca ttcggggaag acggtggtga gctcgtcggg	6300
cacgattctg accegecage egeggttgtg cagggtgatg aggtecaege tggtggecae	6360
ctcgccgcgc aggggctcgt tggtccagca gaggcgcccg cccttgcgcg agcagaaggg	6420
gggcagcggg tccagcatga gctcgtcggg ggggtcggcg tccacggtga agatgccggg	6480
caggageteg gggtegaagt agetgatgea ggtgeecaga ttgteeageg eegettgeea	6540
gtcgcgcacg gccagcgcgc gctcgtaggg gctgaggggc gtgccccagg gcatggggtg	6600
cgtgagcgcg gaggcgtaca tgccgcagat gtcgtagacg tagaggggct cctcgaggac	6660
gccgatgtag gtggggtagc agcgccccc gcggatgctg gcgcgcacgt agtcgtacag	6720
ctcgtgcgag ggcgcgagga gccccgtgcc gaggttggag cgttgcggct tttcggcgcg	6780
gtagacgatc tggcggaaga tggcgtggga gttggaggag atggtgggcc tttggaagat	6840
gttgaagtgg gcgtggggca ggccgaccga gtccctgatg aagtgggcgt aggagtcctg	6900
cagettggeg acgagetegg eggtgaegag gaegteeagg gegeagtagt egagggtete	6960

ttggatgatg tcatacttga gctggccctt ctgcttccac agctcgcggt tgagaaggaa	7020
ctettegegg teetteeagt actettegag ggggaaceeg teetgategg caeggtaaga	7080
gcccaccatg tagaactggt tgacggcctt gtaggcgcag cagcccttct ccacggggag	7140
ggcgtaagct tgcgcggcct tgcgcaggga ggtgtgggtg agggcgaagg tgtcgcgcac	7200
catgacettg aggaactggt gettgaagte gaggtegteg cageegeeet geteecagag	7260
ttggaagtcc gtgcgcttct tgtaggcggg gttaggcaaa gcgaaagtaa catcgttgaa	7320
gaggatcttg cccgcgcggg gcatgaagtt gcgagtgatg cggaaaggct ggggcacctc	7380
ggcccggttg ttgatgacct gggcggcgag gacgatctcg tcgaagccgt tgatgttgtg	7440
cccgacgatg tagagttcca cgaatcgcgg gcggcccttg acgtggggca gcttcttgag	7500
ctcgtcgtag gtgagctcgg cggggtcgct gagcccgtgc tgctcgaggg cccagtcggc	7560
gacgtggggg ttggcgctga ggaaggaagt ccagagatcc acggccaggg cggtctgcaa	7620
gcggtcccgg tactgacgga actgttggcc cacggccatt ttttcggggg tgacgcagta	7680
gaaggtgegg gggtegeegt geeageggte eeaettgage tggagggega ggtegtggge	7740
gagetegaeg ageggegggt eeceggagag ttteatgaee ageatgaagg ggaegagetg	7800
cttgccgaag gaccccatcc aggtgtaggt ttccacatcg taggtgagga agagcctttc	7860
ggtgcgagga tgcgagccga tggggaagaa ctggatctcc tgccaccagt tggaggaatg	7920
gctgttgatg tgatggaagt agaaatgccg acggcgcgcc gagcactcgt gcttgtgttt	7980
atacaagcgt ccgcagtgct cgcaacgctg cacgggatgc acgtgctgca cgagctgtac	8040
ctgggttcct ttggcgagga atttcagtgg gcagtggagc gctggcggct gcatctcgtg	8100
ctgtactacg tcttggccat cggcgtggcc atcgtctgcc tcgatggtgg tcatgctgac	8160
gagecegege gggaggeagg tecagacete ggeteggaeg ggteggagag egaggaegag	8220
ggcgcgcagg ccggagctgt ccagggtcct gagacgctgc ggagtcaggt cagtgggcag	8280
cggcggcgcg cggttgactt gcaggagctt ttccagggcg cgcgggaggt ccagatggta	8340
cttgatetee aeggegeegt tggtggetae gteeaegget tgeagggtge egtgeeeetg 8	8400
gggcgccacc accgtgcccc gtttcttctt gggcgctgct tccatgtcgg tcagaagcgg	8460
cggcgaggac gcgccgggg cggcaggggc ggctcggggc ccggaggcag gggcggcagg	8520
ggcacgtcgg cgccgcgcgc gggcaggttc tggtactgcg cccggagaag actggcgtga	8580
gcgacgacgc gacggttgac gtcctggatc tgacgcctct gggtgaaggc cacgggaccc 8	3640
gtgagtttga acctgaaaga gagttcgaca gaatcaatct cggtatcgtt gacggcggcc 8	3700

tgccgcagga	tctcttgcac	gtcgcccgag	ttgtcctggt	aggcgatctc	ggtcatgaac	8760	
tgctcgatct	cctcctcctg	aaggtctccg	cggccggcgc	gctcgacggt	ggccgcgagg	8820	
tcgttggaga	tgcggcccat	gagctgcgag	aaggcgttca	tgccggcctc	gttccagacg	8880	
cggctgtaga	ccacggctcc	gtcggggtcg	cgcgcgcgca	tgaccacctg	ggcgaggttg	8940	
agctcgacgt	ggcgcgtgaa	gaccgcgtag	ttgcagaggc	gctggtagag	gtagttgagc	9000	
gtggtggcga	tgtgctcggt	gacgaagaag	tacatgatcc	agcggcggag	cggcatctcg	9060	
ctgacgtcgc	ccagggcttc	caagcgttcc	atggcctcgt	agaagtccac	ggcgaagttg	9120	
aaaaactggg	agttgcgcgc	cgagacggtc	aactcctcct	ccagaagacg	gatgagctcg	9180	
gcgatggtgg	cgcgcacctc	gcgctcgaag	gccccggggg	gctcctcttc	catctcctcc	9240	
tcttcctcct	ccactaacat	ctcttctact	tcctcctcag	gaggcggtgg	cgggggaggg	9300	
gccctgcgtc	gccggcggcg	cacgggcaga	cggtcgatga	agcgctcgat	ggtctccccg	9360	
cgccggcgac	gcatggtctc	ggtgacggcg	cgcccgtcct	cgcggggccg	cagcatgaag	9420	
acgccgccgc	gcatctccag	gtggccgccg	ggggggtctc	cgttgggcag	ggagagggcg	9480	
ctgacgatgc	atcttatcaa	ttgacccgta	gggactccgc	gcaaggacct	gagcgtctcg	9540	
agatccacgg	gatccgaaaa	ccgctgaacg	aaggcttcga	gccagtcgca	gtcgcaaggt	9600	
aggctgagcc	cggtttcttg	ttcttcgggt	atttggtcgg	gaggcgggcg	ggcgatgctg	9660	
ctggtgatga	agttgaagta	ggcggtcctg	agacggcgga	tggtggcgag	gagcaccagg	9720	
tccttgggcc	cggcttgctg	gatgcgcaga	cggtcggcca	tgccccaggc	gtggtcctga	9780	
cacctggcga	ggtccttgta	gtagtcctgc	atgagccgct	ccacgggcac	ctcctcctcg	9840	
cccgcgcggc	cgtgcatgcg	cgtgagcccg	aacccgcgct	gcggctggac	gagcgccagg	9900	
tcggcgacga	cgcgctcggt	gaggatggcc	tgctggatct	gggtgagggt	ggtctggaag	9960	
tcgtcgaagt	cgacgaagcg	gtggtaggct	ccggtgttga	tggtgtagga	gcagttggcc	10020	
atgacggacc	agttgacggt	ctggtggccg	ggtcgcacga	gctcgtggta	cttgaggcgc	10080	
gagtaggcgc	gcgtgtcgaa	gatgtagtcg	ttgcaggcgc	gcacgaggta	ctggtatccg	10140	
acgaggaagt	gcggcggcgg	ctggcggtag	agcggccatc	gctcggtggc	gggggcgccg	10200	
ggcgcgaggt	cctcgagcat	gaggcggtgg	tagccgtaga	tgtacctgga	catccaggtg	10260	
atgccggcgg	cggtggtgga	ggcgcgcggg	aactcgcgga	cgcggttcca	gatgttgcgc	10320	
agcggcagga	agtagttcat	ggtggccgcg	gtctggcccg	tgaggcgcgc	gcagtcgtgg	10380	

					g tggcctggag	
gctaagcgaa	cgggttggg	tgcgcgtgta	a ccccggttc	g aatctcgaa	t caggctggag	10500
ccgcagctaa	cgtggtacto	g gcactcccgt	ctcgaccca	a gcctgctaa	c gaaacctcca	10560
ggatacggag	gcgggtcgtt	ttttggcctt	ggtcgctggt	catgaaaaa	c tagtaagcgc	10620
ggaaagcggc	: cgcccgcgat	ggctcgctgc	cgtagtctg	g agaaagaato	c gccagggttg	10680
cgttgcggtg	tgccccggtt	cgagcctcag	cgctcggcgd	cggccggatt	ccgcggctaa	10740
cgtgggcgtg	gctgccccgt	cgtttccaag	accccttage	cagccgactt	ctccagttac	10800
ggagcgagcc	cctcttttt	tttcttgtgt	ttttgccaga	tgcatcccgt	actgcggcag	10860
atgcgccccc	accetecace	acaaccgccc	ctaccgcago	agcagcaaca	gccggcgctt	10920
ctgcccccgc	cccagcagca	gccagccact	accgcggcgg	ccgccgtgag	g cggagccggc	10980
gttcagtatg	acctggcctt	ggaagaggc	gaggggctgg	cgcggctggg	ggcgtcgtcg	11040
ccggagcggc	acccgcgcgt	gcagatgaaa	agggacgctc	gcgaggccta	cgtgcccaag	11100
cagaacctgt	tcagagacag	gagcggcgag	gagcccgagg	agatgcgcgc	ctcccgcttc	11160
cacgcggggc	gggagctgcg	gcgcggcctg	gaccgaaagc	gggtgctgag	ggacgaggat	11220
ttcgaggcgg	acgagctgac	ggggatcagc	cccgcgcgcg	cgcacgtggc	cgcggccaac	11280
ctggtcacgg	cgtacgagca	gaccgtgaag	gaggagagca	acttccaaaa	atccttcaac	11340
aaccacgtgc	gcacgctgat	cgcgcgcgag	gaggtgaccc	tgggcctgat	gcacctgtgg	11400
gacctgctgg	aggccatcgt	gcagaacccc	acgagcaagc	cgctgacggc	gcagctgttt	11460
ctggtggtgc	agcacagtcg	ggacaacgag	acgttcaggg	aggcgctgct	gaatatcacc	11520
gagcccgagg	gccgctggct	cctggacctg	gtgaacattt	tgcagagcat	cgtggtgcag	11580
gagcgcgggc	tgccgctgtc	cgagaagctg	gcggccatca	acttctcggt	gctgagtctg	11640
ggcaagtact	acgctaggaa	gatctacaag	accccgtacg	tgcccataga	caaggaggtg	11700
aagatcgacg	ggttttacat	gcgcatgacc	ctgaaagtgc	tgaccctgag	cgacgatctg	11760
ggggtgtacc	gcaacgacag	gatgcaccgc	gcggtgagcg	ccagccgccg	gcgcgagctg	11820
agcgaccagg	agctgatgca	cagcctgcag	cgggccctga	ccggggccgg	gaccgagggg	11880
gagagctact	ttgacatggg	cgcggacctg	cgctggcagc	ccagccgccg	ggccttggaa	11940
gctgccggcg	gttcccccta	cgtggaggag	gtggacgatg	aggaggagga	gggcgagtac	12000
ctggaagact	gatggcgcga	ccgtattttt	gctagatgca	gcaacagcca	ccgccgccgc	12060
ctcctgatcc	cgcgatgcgg	gcggcgctgc	agagccagcc	gtccggcatt	aactcctcgg	12120

acgattggac	ccaggccatg	caacgcatca	tggcgctgac	gacccgcaat	cccgaagcct	12180
ttagacagca	gcctcaggcc	aaccggctct	cggccatcct	ggaggccgtg	gtgccctcgc	12240
gctcgaaccc	cacgcacgag	aaggtgctgg	ccatcgtgaa	cgcgctggtg	gagaacaagg	12300
ccatccgcgg	tgacgaggcc	gggctggtgt	acaacgcgct	gctggagcgc	gtggcccgct	12360
acaacagcac	caacgtgcag	acgaacctgg	accgcatggt	gaccgacgtg	cgcgaggcgg	12420
tgtcgcagcg	cgagcggttc	caccgcgagt	cgaacctggg	ctccatggtg	gcgctgaacg	12480
ccttcctgag	cacgcagccc	gccaacgtgc	cccggggcca	ggaggactac	accaacttca	12540
tcagcgcgct	gcggctgatg	gtggccgagg	tgccccagag	cgaggtgtac	cagtcggggc	12600
cggactactt	cttccagacc	agtcgccagg	gcttgcagac	cgtgaacctg	agccaggctt	12660
tcaagaactt	gcagggactg	tggggcgtgc	aggccccggt	cggggaccgc	gcgacggtgt	12720
cgagcctgct	gacgccgaac	tegegeetge	tgctgctgct	ggtggcgccc	ttcacggaca	12780
gcggcagcgt	gagccgcgac	tegtacetgg	gctacctgct	taacctgtac	cgcgaggcca	12840
tcggacaggc	gcacgtggac	gagcagacct	accaggagat	cacccacgtg	agccgcgcgc	12900
tgggccagga	ggacccgggc	aacctggagg	ccaccctgaa	cttcctgctg	accaaccggt	12960
cgcagaagat	cccgccccag	tacgcgctga	gcaccgagga	ggagcgcatc	ctgcgctacg	13020
tgcagcagag	cgtggggctg	ttcctgatgc	aggaggggc	cacgcccagc	gcggcgctcg	13080
acatgaccgc	gcgcaacatg	gagcccagca	tgtacgcccg	caaccgcccg	ttcatcaata	13140
agctgatgga	ctacttgcat	cgggcggccg	ccatgaactc	ggactacttt	accaacgcca	13200
tcttgaaccc	gcactggctc	ccgccgcccg	ggttctacac	gggcgagtac	gacatgcccg	13260
accccaacga	cgggttcctg	tgggacgacg	tggacagcag	cgtgttctcg	ccgcgtccag	13320
gaaccaatgc	cgtgtggaag	aaagagggcg	gggaccggcg	gccgtcctcg	gcgctgtccg	13380
gtcgcgcggg	tgctgccgcg	gcggtgcccg	aggccgccag	ccccttcccg	agcctgccct	13440
tttcgctgaa	cagcgtgcgc	agcagcgagc	tgggtcggct	gacgcgaccg	cgcctgctgg	13500
gcgaggagga	gtacctgaac	gactccttgt	tgaggcccga	gcgcgagaag	aacttcccca	13560
ataacgggat	agagagcctg	gtggacaaga	tgagccgctg	gaagacgtac	gcgcacgagc	13620
acagggacga	gccccgagct	agcagcgcag	gcacccgtag	acgccagcgg	cacgacaggc	13680
agcggggact	ggtgtgggac	gatgaggatt	ccgccgacga	cagcagcgtg	ttggacttgg	13740
gtgggagtgg	tggtaacccg	ttcgctcacc	tgcgcccccg	tatcgggcgc	ctgatgtaag	13800

aatctgaaaa aataaa	igac ggtactca	cc aaggccatgg	cgaċcagcgt g	cgttcttct 13860
ctgttgtttg tagtag			Pro Glu Gly P	
ccc tcg tac gag a Pro Ser Tyr Glu S 15				
ccc ccg ctg gag g Pro Pro Leu Glu A 30		l Pro Pro Arg		
gag ggg cgg aac a Glu Gly Arg Asn S 45	gc att cgt ta er Ile Arg Ty 50	c tcg gag ctg r Ser Glu Leu	gca ccc ttg Ala Pro Leu 55	tac gat 14054 Tyr Asp
acc acc cgg ttg t Thr Thr Arg Leu T 60	ac ctg gtg ga yr Leu Val As 65	c aac aag tcg p Asn Lys Ser 70	gca gac atc Ala Asp Ile	gcc tcg 14102 Ala Ser 75
ctg aac tac cag a Leu Asn Tyr Gln A 8	sn Asp His Se		Thr Thr Val	
aac aac gat ttc a Asn Asn Asp Phe T 95				
gac gag cgc tcg c Asp Glu Arg Ser A 110		y Gln Leu Lys		
aac atg ccc aac g Asn Met Pro Asn V 125				
cgg gtg atg gtc t Arg Val Met Val S 140			Val Asp Asp	
gat ggt agt cag g Asp Gly Ser Gln A 1			Val Glu Phe	
ccc gag ggc aac t Pro Glu Gly Asn P 175				
gcc atc atc gac a Ala Ile Ile Asp A 190		a Val Gly Arg		
gag agc gac atc g Glu Ser Asp Ile G 205	gc gtg aag tt Ly Val Lys Ph 210	c gac acg cgc e Asp Thr Arg	aac ttc cgg Asn Phe Arg 215	ctg ggc 14534 Leu Gly

tgg Trp 220	Asp	cco Pro	gtg Val	aco Thr	gag Glu 225	ı Leu	gtç Val	, atg . Met	ccg Pro	ggc Gly 230	Va.	g tad l Ty:	c aco	c aad Asi	gag Glu 235	14582
gcc Ala	ttc Phe	cac His	e ccc Pro	gac Asp 240	· Ile	gto Val	Leu	ctg Leu	Pro 245	Gly	tgo Cys	s Gly	gto Val	g gad Asp 250	ttc Phe	14630
acc Thr	gag Glu	agc Ser	aga Arg 255	ctc Leu	agc Ser	aac Asn	ctg Leu	ctg Leu 260	Gly	atc Ile	ago Aro	aag J Lys	r egg Arg 265	ß Glr	ccc Pro	14678
ttc Phe	cag Gln	gag Glu 270	GTĀ	ttc Phe	cag Gln	atc Ile	ctg Leu 275	tac Tyr	gag Glu	gac Asp	cto Lev	gag Glu 280	. Gly	. Gla	aac Asn	14726
atc Ile	ccc Pro 285	gcg Ala	ctc Leu	ttg Leu	gat Asp	gtc Val 290	gaa Glu	gcc Ala	tac Tyr	gag Glu	aaa Lys 295	Ser	aag Lys	gag Glu	gat Asp	14774
agc Ser 300	acc Thr	gcc Ala	gcg Ala	gcg Ala	acc Thr 305	gca Ala	gcc Ala	gtg Val	gcc Ala	acc Thr 310	gcc Ala	tct Ser	acc Thr	gag Glu	gtg Val 315	14822
Arg	стЛ	Asp	Asn	320	Ala	agc Ser	Ala	Ala	Ala 325	Ala	Ala	Glu	Ala	Ala 330	Glu	14870
acc Thr	gaa Glu	agt Ser	aag Lys 335	ata Ile	gtc Val	atc Ile	cag Gln	ccg Pro 340	gtg Val	gag Glu	aag Lys	gac Asp	agc Ser 345	aag Lys	gac Asp	14918
Arg	ser	350	Asn	Val	Leu		Asp 355	Lys	Lys	Asn	Thr	Ala 360	Туг	Arg	Ser	14966
	365	ьеи	Ala	Tyr	Asn	Tyr 370	GТЪ	Asp	Pro	Glu	Lys 375	Gly	Val	Arg	Ser	15014
tgg Trp ' 380	TUE	ьец	Leu	Thr	Thr 385	Ser	Asp	Val	Thr	Cys 390	Gly	Val	Glu	Gln	Val 395	15062
tac : Tyr !	tgg Irp	tcg Ser	ctg Leu	ccc Pro 400	gac Asp	atg Met	atg Met	Gln	gac Asp 405	ccg Pro	gtc Val	acc Thr	ttc Phe	cgc Arg 410	tcc Ser	15110
acg o	Arg	GIn	Val 415	Ser	Asn	Tyr	Pro	Val 420	Val	Gly .	Ala	Glu	Leu 425	Leu	Pro	15158
gtc t Val 1	ryr .	tcc Ser 430	aag Lys	agc Ser	ttc Phe	Phe 1	aac Asn 435	gag Glu	cag Gln 1	gcc Ala	gtc Val	tac Tyr 440	tcg Ser	cag Gln	cag Gln	15206

ctg cgc gcc ttc acc tcg ctc acg cac gtc ttc aac cgc ttc ccc gag Leu Arg Ala Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu 445 450 450	15254
aac cag atc ctc gtc cgc ccg ccc gcg ccc acc att acc acc gtc agt Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser 460 470 475	15302
gaa aac gtt cct gct ctc aca gat cac ggg acc ctg ccg ctg cgc agc Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser 480 485 490	15350
agt atc cgg gga gtc cag cgc gtg acc gtc act gac gcc aga cgc cgc Ser Ile Arg Gly Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg 495 500 505	15398
acc tgc ccc tac gtc tac aag gcc ctg ggc gta gtc gcg ccg cgc gtc Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val 510 515 520	15446
ctc tcg agc cgc acc ttc taa aaaatgtcca ttctcatctc gcccagtaat Leu Ser Ser Arg Thr Phe 525	15497
aacaccggtt ggggcctgcg cgcgcccagc aagatgtacg gaggcgctcg ccaacgctcc	15557
acgcaacacc ccgtgcgcgt gcgcgggcac ttccgcgctc cctgggggcgc cctcaagggc	15617
cgcgtgcgct cgcgcaccac cgtcgacgac gtgatcgacc aggtggtggc cgacgcgcgc	15677
aactacacgc ccgccgccgc gcccgtctcc accgtggacg ccgtcatcga cagcgtggtg	15737
geegaegege geeggtaege eegeaecaag ageeggegge ggegeatege eeggeggeae	15797
cggagcaccc ccgccatgcg cgcggcgcga gccttgctgc gcagggccag gcgcacggga	15857
cgcagggcca tgctcagggc ggccagacgc gcggcctccg gcagcagcag cgccggcagg	15917
acccgcagac gcgcggccac ggcggcggcg gcggccatcg ccagcatgtc ccgcccgcgg	15977
cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg tgcgcgtgcc cgtgcgcacc	16037
cgcccccctc gcacttgaag atgctgactt cgcgatgttg atgtgtccca gcggcgagga	16097
ggatgtccaa gcgcaaatac aaggaagaga tgctccaggt catcgcgcct gagatctacg	16157
gccccgcggc ggcggtgaag gaggaaagaa agccccgcaa actgaagcgg gtcaaaaagg	16217
acaaaaagga ggaggaagat gacggactgg tggagtttgt gcgcgagttc gcccccggc	16277
ggcgcgtgca gtggcgcggg cggaaagtga aaccggtgct gcggcccggc accacggtgg	16337
tettcaegee eggegagegt teeggeteeg eetecaageg etectaegae gaggtgtaeg	16397
gggacgagga catcctcgag caggcggtcg agcgtctggg cgagtttgcg tacggcaagc	16457
gcagccgccc cgcgcccttg aaagaggagg cggtgtccat cccgctggac cacggcaacc	16517

ccacgccgag cctgaagccg gtgaccctgc agcaggtgct accgagcgcg gcgccgcgcc	7
ggggcttcaa gcgcgagggc ggcgaggatc tgtacccgac catgcagctg atggtgccca 1663	7
agcgccagaa gctggaggac gtgctggagc acatgaaggt ggaccccgag gtgcagcccg 16697	7
aggtcaaggt geggeeeate aageaggtgg eeeegggeet gggegtgeag acegtggaea 16757	7
tcaagatccc cacggagccc atggaaacgc agaccgagcc cgtgaagccc agcaccagca 16817	7
ccatggaggt gcagacggat ccctggatgc cagcaccagc ttccaccagc actcgccgaa 16877	,
gacgcaagta cggcgcggcc agcctgctga tgcccaacta cgcgctgcat ccttccatca 16937	,
tececaegee gggetaeege ggeaegeget tetaeegegg etaeaecage ageegeegee 16997	,
gcaagaccac cacccgccgc cgtcgtcgca gccgccgcag cagcaccgcg acttccgcct 17057	
tggtgcggag agtgtatcgc agcgggcgcg agcctctgac cctgccgcgc gcgcgctacc 17117	
accegageat egecatttaa etacegeete etaettgeag atatggeeet eacatgeege 17177	
ctccgcgtcc ccattacggg ctaccgagga agaaagccgc gccgtagaag gctgacgggg 17237	
aacgggctgc gtcgccatca ccaccggcgg cggcgcgcca tcagcaagcg gttgggggga 17297	
ggetteetge eegegetgat eeceateate geegeggega teggggegat eeceggeata 17357	
gcttccgtgg cggtgcaggc ctctcagcgc cactgagaca caaaaaagca tggatttgta 17417	
ataaaaaaa aaatggactg acgctcctgg tcctgtgatg tgtgttttta gatggaagac 17477	
atcaattttt cgtccctggc accgcgacac ggcacgcggc cgtttatggg cacctggagc 17537	
gacateggea acagecaaet gaaeggggge geetteaatt ggageagtet etggageggg 17597	
cttaagaatt tegggteeac geteaaaace tatggeaaca aggegtggaa cageageaca 17657	
gggcaggcgc tgagggaaaa gctgaaagaa cagaacttcc agcagaaggt ggttgatggc 17717	
ctggcctcag gcatcaacgg ggtggttgac ctggccaacc aggccgtgca gaaacagatc 17777	
aacagccgcc tggacgcggt cccgccgcg gggtccgtgg agatgcccca ggtggaggag 17837	
gagetgeete eeetggacaa gegeggegae aagegaeege gteeegaege ggaggagaeg 17897	
ctgctgacgc acacggacga gccgcccccg tacgaggagg cggtgaaact gggcctgccc 17957	
accacgcggc ccgtggcgcc tctggccacc ggagtgctga aacccagcag cagccagccc 18017	
gcgaccctgg acttgcctcc gcctcgcccc tccacagtgg ctaagcccct gccgccggtg 18077	
gccgtcgcgt cgcgcgcccc ccgaggccgc ccccaggcga actggcagag cactctgaac 18137	
agcatcgtgg gtctgggagt gcagagtgtg aagcgccgcc gctgctatta aaagacactg 18197	

tag	rcgct	taa	cttg	rcttg	rtc t	gtgt	gtat	a tg	tato	ıtccç	ı cci	gacca	agaa	ggag	gagtgt	18257
gaa	gagg.	cgc	gtcg	rccga	gt t	gcaa		t Al					et Le		c cag o Gln	18310
tgg Trp	gcg Ala 540	Tyr	atg Met	cac His	atc Ile	gcc Ala 545	Gly	cag Gln	gac Asp	gct Ala	tcg Ser 550	Glu	g tac ı Tyr	: ctg : Leu	agt Ser	18358
ccg Pro 555	Gly	ctg Leu	gtg Val	cag Gln	ttc Phe 560	gcc Ala	cgc Arg	gcc Ala	aca Thr	gac Asp 565	Thr	tac Tyr	ttc Phe	agt Ser	ctg Leu 570	18406
ej aaa	aac Asn	aag Lys	ttt Phe	agg Arg 575	aac Asn	ccc Pro	acg Thr	gtg Val	gcg Ala 580	Pro	acg Thr	cac His	gat Asp	gtg Val 585	Thr	18454
acc Thr	gac Asp	cgc Arg	agc Ser 590	cag Gln	cgg Arg	ctg Leu	acg Thr	ctg Leu 595	cgc Arg	ttc Phe	gtg Val	ccc Pro	gtg Val 600	Āsp	cgc Arg	18502
gag Glu	gac Asp	aac Asn 605	acc Thr	tac Tyr	tcg Ser	tac Tyr	aaa Lys 610	gtg Val	cgc Arg	tac Tyr	acg Thr	ctg Leu 615	gcc Ala	gtg Val	ggc Gly	18550
gac Asp	aac Asn 620	cgc Arg	gtg Val	ctg Leu	gac Asp	atg Met 625	gcc Ala	agc Ser	acc Thr	tac Tyr	ttt Phe 630	gac Asp	atc Ile	cgc Arg	ggc Gly	18598
gtg Val 635	ctg Leu	gac Asp	cgg Arg	ggc	cct Pro 640	agc Ser	ttc Phe	aaa Lys	ccc Pro	tac Tyr 645	tct Ser	ggc	acc Thr	gcc Ala	tac Tyr 650	18646
aac Asn	agc Ser	cta Leu	gct Ala	ccc Pro 655	aag Lys	gga Gly	gct Ala	ccc Pro	aat Asn 660	tcc Ser	agc Ser	cag Gln	tgg Trp	gag Glu 665	caa Gln	18694
gca Ala	aaa Lys	aca Thr	ggc Gly 670	aat Asn	Gl <sup>A</sup> aaa	gga Gly	act Thr	atg Met 675	gaa Glu	aca Thr	cac His	aca Thr	tat Tyr 680	ggt Gly	gtg Val	18742
gcc Ala	cca Pro	atg Met 685	ggc Gly	gga Gly	gag Glu	aat Asn	att Ile 690	aca Thr	aaa Lys	gat Asp	ggt Gly	ctt Leu 695	caa Gln	att Ile	gga Gly	18790
act Thr	gac Asp 700	gtt Val	aca Thr	gcg Ala	aat Asn	cag Gln 705	aat Asn	aaa Lys	cca Pro	att Ile	tat Tyr 710	gcc Ala	gac Asp	aaa Lys	aca Thr	18838
ttt Phe 715	caa Gln	cca Pro	gaa Glu	ccg Pro	caa Gln 720	gta Val	gga Gly	gaa Glu	gaa Glu	aat Asn 725	tgg Trp	caa Gln	gaa Glu	act Thr	gaa Glu 730	18886
aac Asn	ttt Phe	tat Tyr	Gly	ggt Gly 735	aga Arg	gct Ala	ctt Leu	Lys	aaa Lys 740	gac Asp	aca Thr	aac Asn	atg Met	aaa Lys 745	cct Pro	18934

tgc Cys	tat Tyr	ggc	tcc Ser 750	tat Tyr	gct Ala	aga Arg	ccc Pro	acc Thr 755	aat Asn	gaa Glu	aaa Lys	gga Gly	ggt Gly 760	Gln	gct Ala	18982
aaa Lys	ctt Leu	aaa Lys 765	gtt Val	gga Gly	gat Asp	gat Asp	gga Gly 770	gtt Val	cca Pro	acc Thr	aaa Lys	gaa Glu 775	ttc Phe	gac Asp	ata Ile	19030
gac Asp	ctg Leu 780	gct Ala	ttc Phe	ttt Phe	gat Asp	act Thr 785	ccc Pro	ggt Gly	ggc	acc Thr	gtg Val 790	Asn	ggt Gly	caa Gln	gac Asp	19078
gag Glu 795	tat Tyr	aaa Lys	gca Ala	gac Asp	att Ile 800	gtc Val	atg Met	tat Tyr	acc Thr	gaa Glu 805	aac Asn	acg Thr	tat Tyr	ttg Leu	gaa Glu 810	19126
act Thr	cca Pro	gac Asp	acg Thr	cat His 815	gtg Val	gta Val	tac Tyr	aaa Lys	cca Pro 820	Gly	aag Lys	gat Asp	gat Asp	gca Ala 825	agt Ser	19174
Ser	Glu	Ile	aac Asn 830	Leu	Val	Gln	Gln	Ser 835	Met	Pro	Asn	Arg	Pro 840	Asn	Tyr	19222
Ile	Gly	Phe 845	agg Arg	Asp	Asn	Phe	Ile 850	Gly	Leu	Met	Tyr	Tyr 855	Asn	Ser	Thr	19270
Gly	Asn 860	Met	ggt Gly	Val	Leu	Ala 865	Gly	Gln	Ala	Ser	Gln 870	Leu	Asn	Ala	Val	19318
Val 875	Asp	Leu	caa Gln	Asp	Arg 880	Asn	Thr	Glu	Leu	Ser 885	Tyr	Gln	Leu	Leu	Leu 890	19366
Asp	Ser	Leu	ggt Gly	Asp 895	Arg	Thr	Arg	Tyr	Phe 900	Ser	Met	Trp	Asn	Gln 905	Ala	19414
Val	Asp	Ser	tat Tyr 910	Asp	Pro	Asp	Val	Arg 915	Ile	Ile	Glu	Asn	His 920	Gly	Val	19462
Glu	Asp	Glu 925	ttg Leu	Pro	Asn	Tyr	Cys 930	Phe	Pro	Leu	Asp	Gly 935	Ser	Gly	Thr	19510
Asn	Ala 940	Ala	tac Tyr	Gln	Gly	Val 945	ГÀЗ	Val	Lys	Asp	Gly 950	Gln	Asp	Gly	Asp	19558
gtt Val 955	gag Glu	agt Ser	gaa Glu	tgg Trp	gaa Glu 960	aat Asn	gac Asp	gat Asp	act Thr	gtt Val 965	gca Ala	gct Ala	cga Arg	aat Asn	caa Gln 970	19606

tta tgt a Leu Cys L	aa ggt aa ys Gly As 97	n Ile Phe	gcc a Ala M	tg gag et Glu 980	ı Ile Asn	ctc cag Leu Glr	g gct aac n Ala Asn 985	19654
ctg tgg a Leu Trp A	ga agt tt rg Ser Ph 990	c ctc tac e Leu Tyr	Ser A	ac gtg sn Val 95	g gcc ctg . Ala Leu	tac ctg Tyr Leu 100	g ccc gac 1 Pro Asp 10	19702
tcc tac a Ser Tyr L 1	ag tac a ys Tyr T 005	cg ccg ac hr Pro Th	c aac r Asn 1010	Val T	cg ctg co hr Leu Pi	eg acc co Thr 1015	aac acc Asn Thr	19747
aac acc to Asn Thr T	ac gat t yr Asp T 020	ac atg aa yr Met As	t ggc n Gly 1025	aga g Arg V	tg aca co al Thr Pr	ct ccc co Pro 1030	tcg ctg Ser Leu	19792
gta gac go Val Asp A 10	cc tac c la Tyr L 035	tc aac at eu Asn Il	c ggg e Gly 1040	gcg c	gc tgg to rg Trp Se	eg ctg er Leu 1045	gac ccc Asp Pro	19837
atg gac aa Met Asp As 10	ac gtc a sn Val A 050	ac ccc tt sn Pro Ph	c aac e Asn 1055		ac cgc aa is Arg As		ggc ctg Gly Leu	19882
cgc tac co Arg Tyr Ai 10	gc tcc a rg Ser M 065	tg ctc cto et Leu Le	g ggc 1 Gly 1070	aac go Asn G	gg cgc ta ly Arg Ty	c gtg r Val : 1075	ccc ttc Pro Phe	19927
cac atc ca His Ile G] 10	ag gtg c ln Val P 080	cc caa aa ro Gln Ly:	g ttt s Phe 1085	ttc go Phe Al	cc atc aa la Ile Ly	g agc os ser in 1090	ctc ctg Leu Leu	19972
ctc ctg co Leu Leu Pr 10	co ggg to co Gly Se 195	cc tac acc er Tyr Thi			gg aac tt rp Asn Ph		aag gac Lys Asp	20017
gtc aac at Val Asn Me 11	g atc ct et Ile Le .10	tg cag ago eu Gln Sei	tcc Ser 1115	cta gg Leu Gl	gc aac ga ly Asn As	c ctg o p Leu <i>F</i> 1120	cgc acg Arg Thr	20062
gac ggg gc Asp Gly Al 11	c tcc at .a Ser I] .25	c gcc tto le Ala Phe			c aac ct le Asn Le		gcc acc Ala Thr	20107
ttc ttc cc Phe Phe Pr 11	c atg go o Met Al 40	eg cac aac .a His Asn	acc Thr . 1145	gcc to Ala Se	cc acg cto er Thr Let	c gag g u Glu <i>A</i> 1150	gcc atg Ala Met	20152
ctg cgc aa Leu Arg As 11	c gac ac n Asp Th 55	cc aac gac ir Asn Asp	cag Gln 1160	tcc tt Ser Ph	c aac gad ie Asn Asp		ctc tcg Geu Ser	20197
gcg gcc aa Ala Ala As: 11	n Met Le	c tac ccc u Tyr Pro	atc Ile 1175	ccg gc Pro Al	c aac gco a Asn Ala	c acc a a Thr A 1180	aac gtg Asn Val	20242

		tcc Ser 1185	atc Ile	ccc Pro	tcg Ser	cgc Arg	aac Asn 1190	tgg Trp	gcc Ala	gcc Ala	ttc Phe	cgc Arg 1195	gga Gly	tgg Trp	20287
		acg Thr 1200													20332
		gac Asp 1215												cta Leu	20377
		acc Thr 1230										gtc Val 1240			20422
acc Thr	ttc Phe	gac Asp 1245	tcc Ser	tcc Ser	gtc Val	agc Ser	tgg Trp 1250	ccc Pro	ggc	aac Asn	gac Asp	cgc Arg 1255	ctc Leu	ctg Leu	20467
		aac Asn 1260												gga Gly	20512
tac Tyr	aac Asn	gtg Val 1275	gcc Ala	cag Gln	tgc Cys	aac Asn	atg Met 1280	acc Thr				ttc Phe 1285			20557
cag Gln	atg Met	ctg Leu 1290					atc Ile 1295								20602
		ggc Gly 1305				_	atg Met 1310					_			20647
		atg Met 1320					gtg Val 1325						aag Lys	-	20692
		gcc Ala 1335							cac His			-	ggc Gly		20737
		tac Tyr 1350					atg Met 1355								20782
		tac Tyr 1365					atc Ile 1370						gcc Ala		20827
		cag Gln 1380					tgc Cys 1385								20872

ccc ttc tcc agc aac ttc atg tcc atg ggc gcg ctc acc gac ctc Pro Phe Ser Ser Asn Phe Met Ser Met Gly Ala Leu Thr Asp Leu 1395 1400 1405	20917
ggc cag aac atg ctc tac gcc aac tcc gcc cac gcg cta gac atg Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met 1410 1415 1420	20962
aat ttc gaa gtc gac ccc atg gat gag tcc acc ctt ctc tat gtt Asn Phe Glu Val Asp Pro Met Asp Glu Ser Thr Leu Leu Tyr Val 1425 1430 1435	21007
gtc ttc gaa gtc ttc gac gtc gtc cga gtg cac cag ccc cac cgc Val Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro His Arg 1440 1445 1450	21052
ggc gtc atc gaa gcc gtc tac ctg cgc acg ccc ttc tcg gcc ggc Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly 1455 1460 1465	21097
aac gcc acc acc taa gccgctcttg cttcttgcaa gatgacggcg ggctccggcg Asn Ala Thr Thr 1470	21152
agcaggagct cagggccatc ctccgcgacc tgggctgcgg gccctgcttc ctgggcacct	21212
tegacaageg etteeetgga tteatggeee egeacaaget ggeetgegee ategtgaaca	21272
cggccggccg cgagaccggg ggcgagcact ggctggcctt cgcctggaac.ccgcgctccc	21332
acacatgeta cetettegae ecettegggt teteggaega gegeeteaag eagatetace	21392
agttcgagta cgagggcctg ctgcgtcgca gcgccctggc caccgaggac cgctgcgtca	21452
ccctggaaaa gtccacccag accgtgcagg gtccgcgctc ggccgcctgc gggctcttct	21512
getgeatgtt cetgeacgee ttegtgeact ggeeegaceg ceecatggae aagaaceeca	21572
ccatgaactt actgacgggg gtgcccaacg gcatgctcca gtcgccccag gtggaaccca	21632
ccctgcgccg caaccaggaa gcgctctacc gcttcctcaa tgcccactcc gcctactttc	21692
geteceaceg egegegeate gagaaggeea eegeettega eegeatgaat caagacatgt	21752
aaaaaaccgg tgtgtgtatg tgaatgcttt attcataata aacagcacat gtttatgcca	21812
ccttctctga ggctctgact ttatttagaa atcgaagggg ttctgccggc tctcggcatg	21872
gcccgcgggc agggatacgt tgcggaactg gtacttgggc agccacttga actcggggat	21932
cagcagcttg ggcacgggga ggtcggggaa cgagtcgctc cacagcttgc gcgtgagttg	21992
cagggcgccc agcaggtcgg gcgcggagat cttgaaatcg cagttgggac ccgcgttctg	22052
cgcgcgagag ttgcggtaca cggggttgca gcactggaac accatcaggg ccgggtgctt	22112
cacgettgee ageacegteg egteggtgat geceteeacg tecagateet eggegttgge	22172

catcccgaag	ggggtcatct	tgcaggtctg	ccgccccatg	ctgggcacgc	agccgggctt	22232
gtggttgcaa	tcgcagtgca	gggggatcag	catcatctgg	gcctgctcgg	agctcatgcc	22292
cgggtacatg	gccttcatga	aagcctccag	ctggcggaag	gcctgctgcg	ccttgccgcc	22352
ctcggtgaag	aagaccccgc	aggacttgct	agagaactgg	ttggtggcgc	agccggcgtc	22412
gtgcacgcag	cagcgcgcgt	cgttgttggc	cagctgcacc	acgctgcgcc	cccagcggtt	22472
ctgggtgatc	ttggcccggt	tggggttctc	cttcagcgcg	cgctgcccgt	tctcgctcgc	22532
cacatccatc	tcgatagtgt	gatacttatg	gatcatcacg	gtcccgtgca	ggcaccgcag	22592
cttgccctcg	gcttcggtgc	agccgtgcag	ccacagcgcg	cagccggtgc	actcccagtt	22652
cttgtgggcg	atctgggagt	gcgagtgcac	gaagccctgc	aggaagcggc	ccatcatcgc	22712
ggtcagggtc	ttgttgctgg	tgaaggtcag	cgggatgccg	cggtgctcct	cgttcacata	22772
caggtggcag	atgcggcggt	acacctcgcc	ctgctcgggc	atcagctgga	aggcggactt	22832
caggtcgctc	tccacgcggt	accggtccat	cagcagcgtc	atcacttcca	tgcccttctc	22892
ccaggccgaa	acgatcggca	ggctcagggg	gttcttcacc	gccattgtca	tcttagtcgc	22952
cgccgccgag	gtcagggggt	cgttctcgtc	cagggtctca	aacactcgct	tgccgtcctt	23012
ctcgatgatg	cgcacggggg	gaaagctgaa	gcccacggcc	gccagctcct	cctcggcctg	23072
cctttcgtcc	tegetgteet	ggctgatgtc	ttgcaaaggc	acatgcttgg	tcttgcgggg	23132.
tttctttttg	ggcggcagag	gcggcggcga	tgtgctggga	gagcgcgagt	tctcgttcac	23192
cacgactatt	tettettett	ggccgtcgtc	cgagaccacg	cggcggtagg	catgcctctt	23252
ctggggcaga	ggcggaggcg	acgggctctc	gcggttcggc	gggcggctgg	cagagcccct	23312
tccgcgttcg	ggggtgcgct	cctggcggcg	ctgctctgac	tgacttcctc	cgcggccggc	23372
cattgtgttc	tcctagggag	caacaacaag	catggagact	cagccatcgt	cgccaacatc	23432
gccatctgcc	cccgccgcca	ccgccgacga	gaaccagcag	cagaatgaaa	gcttaaccgc	23492
cccgccgccc	agccccacct	ccgacgccgc	ggccccagac	atgcaagaga	tggaggaatc	23552
catcgagatt	gacctgggct	acgtgacgcc	cgcggagcac	gaggaggagc	tggcagcgcg	23612
cttttcagcc	ccggaagaga	accaccaaga	gcagccagag	caggaagcag	agaacgagca	23672
gaaccaggct	gggcacgagc	atggcgacta	cctgagcggg	gcagaggacg	tgctcatcaa	23732
gcatctggcc	cgccaatgca	tcatcgtcaa	ggacgcgctg	ctcgaccgcg	ccgaggtgcc	23792
cctcagcgtg	gcggagctca	gccgcgccta	cgagcgcaac	ctcttctcgc	cgcgcgtgcc	23852

ccccaagcgc	cagcccaacg	gcacctgtga	gcccaacccg	cgcctcaact	tctacccggt	23912
cttcgcggtg	cccgaggccc	tggccaccta	ccacctcttt	ttcaagaacc	aaaggatccc	23972
cgtctcctgc	cgcgccaacc	gcacccgcgc	cgacgccctg	ctcaacctgg	gccccggcgc	24032
ccgcctacct	gatatcacct	ccttggaaga	ggttcccaag	atcttcgagg	gtctgggcag	24092
cgacgagact	cgggccgcga	acgctctgca	aggaagcgga	gaggagcatg	agcaccacag	24152
cgccctggtg	gagttggaag	gcgacaacgc	gcgcctggcg	gtcctcaagc	gcacggtcga	24212
gctgacccac	ttcgcctacc	cggcgctcaa	cctgccccc	aaggtcatga	gcgccgtcat	24272
ggaccaggtg	ctcatcaagc	gcgcctcgcc	cctctcggag	gaggagatgc	aggaccccga	24332
gagttcggac	gagggcaagc	ccgtggtcag	cgacgagcag	ctggcgcgct	ggctgggagc	24392
gagtagcacc	ccccagagcc	tggaagagcg	gcgcaagctc	atgatggccg	tggtcctggt	24452
gaccgtggag	ctggagtgtc	tgcgccgctt	ctttgccgac	gcggagaccc	tgcgcaaggt	24512
cgaggagaac	ctgcactacc	tcttcaggca	cgggttcgtg	cgccaggcct	gcaagatctc	24572
caacgtggag	ctgaccaacc	tggtctccta	catgggcatc	ctgcacgaga	accgcctggg	24632
gcaaaacgtg	ctgcacacca	ccctgcgcgg	ggaggcccgc	cgcgactaca	tccgcgactg	24692
cgtctacctg	tacctctgcc	acacctggca	gacgggcatg	ggcgtgtggc	agcagtgcct	24752
ggaggagcag	aacctgaaag	agctctgcaa	gctcctgcag	aagaacctca	aggccctgtg	24812
gaccgggttc	gacgagcgta	ccaccgcctc	ggacctggcc	gacctcatct	tccccgagcg	24872
cctgcggctg	acgctgcgca	acgggctgcc	cgactttatg	agccaaagca	tgttgcaaaa	24932
ctttcgctct	ttcatcctcg	aacgctccgg	gatcctgccc	gccacctgct	ccgcgctgcc	24992
ctcggacttc	gtgccgctga	ccttccgcga	gtgccccccg	ccgctctgga	gccactgcta	25052
cttgctgcgc	ctggccaact	acctggccta	ccactcggac	gtgatcgagg	acgtcagcgg	25112
cgagggtctg	ctggagtgcc	actgccgctg	caacctctgc	acgccgcacc	gctccctggc	25172
ctgcaacccc	cagctgctga	gcgagaccca	gatcatcggc	accttcgagt	tgcaaggccc	25232
cggcgacggc	gagggcaagg	ggggtctgaa	actcaccccg	gggctgtgga	cctcggccta	25292
cttgcgcaag	ttcgtgcccg	aggactacca	tcccttcgag	atcaggttct	acgaggacca	25352
atcccagccg	cccaaggccg	agctgtcggc	ctgcgtcatc	acccaggggg	ccatcctggc	25412
ccaattgcaa	gccatccaga	aatcccgcca	agaatttctg	ctgaaaaagg	gccacggggt	25472
ctacttggac	ccccagaccg	gagaggagct	caaccccagc	ttcccccagg	atgccccgag	25532
gaagcagcaa	gaagctgaaa	gtggagctgc	cgccgccgga	ggatttggag	gaagactggg	25592

agagcagtca	ggcagaggag	gaggagatgg	aagactggga	cagcactcag	gcagaggagg	25652
acagcctgca	agacagtctg	gaggaggaag	acgaggtgga	ggaggcagag	gaagaagcag	25712
ccgccgccag	accgtcgtcc	tcggcggaga	aagcaagcag	cacggatacc	atctccgctc	25772
cgggtcgggg	tcgcggcggc	cgggcccaca	gtaggtggga	cgagaccggg	cgcttcccga	25832
accccaccac	ccagaccggt	aagaaggagc	ggcagggata	caagtcctgg	cgggggcaca	25892
aaaacgccat	cgtctcctgc	ttgcaagcct	gcgggggcaa	catctccttc	acccggcgct	25952
acctgctctt	ccaccgcggg	gtgaacttcc	cccgcaacat	cttgcattac	taccgtcacc	26012
tccacagccc	ctactactgt	ttccaagaag	aggcagaaac	ccagcagcag	cagaaaacca	26072
gcggcagcag	cagctagaaa	atccacagcg	gcggcaggtg	gactgaggat	cgcggcgaac	26132
gagccggcgc	agacccggga	gctgaggaac	cggatctttc	ccaccctcta	tgccatcttc	26192
cagcagagtc	gggggcagga	gcaggaactg	aaagtcaaga	accgttctct	gcgctcgctc	26252
acccgcagtt	gtctgtatca	caagagcgaa	gaccaacttc	agcgcactct	cgaggacgcc	26312
gaggctctct	tcaacaagta	ctgcgcgctc	actcttaaag	agtagcccgc	gcccgcccac	26372
acacggaaaa	aggcgggaat	tacgtcacca	cctgcgccct	tcgcccgacc	atcatgagca	26432
aagagattcc	cacgccttac	atgtggagct	accagcccca	gatgggcctg	gccgccggcg	26492
ccgcccagga	ctactccacc	cgcatgaact	ggctcagtgc	cgggcccgcg	atgatctcac	26552
gggtgaatga	cateegegee	caccgaaacc	agatactcct	agaacagtca	gcgatcaccg	26612
ccacgccccg	ccatcacctt	aatccgcgta	attggcccgc	cgccctggtg	taccaggaaa	26672
ttccccagcc	cacgaccgta	ctacttccgc	gagacgccca	ggccgaagtc	cagctgacta	26732
actcaggtgt	ccagctggcc	ggcggcgccg	ccctgtgtcg	tcaccgcccc	gctcagggta	26792
taaagcggct	ggtgatccga	ggcagaggca	cacagctcaa	cgacgaggtg	gtgagctctt	26852
cgctgggtct	gcgacctgac	ggagtcttcc	aactcgccgg	atcggggaga	tcttccttca	26912
cgcctcgtca	ggccgtcctg	actttggaga	gttcgtcctc	gcagccccgc	tcgggcggca	26972
tcggcactct	ccagttcgtg	gaggagttca	ctccctcggt	ctacttcaac	cccttctccg	27032
gctcccccgg	ccactacccg	gacgagttca	tcccgaactt	cgacgccatc	agcgagtcgg	27092
tggacggcta	cgattgaatg	tcccatggtg	gcgcagctga	cctagctcgg	cttcgacacc	27152
tggaccactg	ccgccgcttc	cgctgcttcg	ctcgggatct	cgccgagttt	gcctactttg	27212
agctgcccga	ggagcaccct	cagggcccag	cccacggagt	gcggatcatc	gtcgaagggg	27272

gcctcgactc	ccacctgctt	cggatcttca	gccagcgacc	gatectggte	: gagcgcgaac	27332
aaggacagac	ccttcttact	ttgtactgca	tctgcaacca	ccccggcctg	catgaaagtc	27392
tttgttgtct	gctgtgtact	gagtataata	aaagctgaga	tcagcgacta	ctccggactc	27452
gattgtggtg	ttcctgctat	caaccggtcc	ctgttcttca	ccgggaacga	gaccgagctc	27512
cagctccagt	gtaagcccca	caagaagtac	ctcacctggc	tgttccaggg	ctccccgatc	27572
gccgttgtca	accactgcga	caacgacgga	gtcctgctga	gcggccctgc	caaccttact	27632
ttttccaccc	gcagaagcaa	gctccagctc	ttccaaccct	tcctccccgg	gacctatcag	27692
tgcgtctcag	gaccctgcca	tcacaccttc	cacctgatcc	cgaataccac	agcgccgctc	27752
cccgctacta	acaaccaaac	tacccaccaa	cgccaccgtc	gcgacctttc	ctctgaatct	27812
aataccacta	ccggaggtga	gctccgaggt	cgaccaacct	ctgggattta	ctacggcccc	27872
tgggaggtgg	tggggttaat	agcgctaggc	ctagttgcgg	gtgggctttt	ggttctctgc	27932
tacctatacc	tcccttgctg	ttcgtactta	gtggtgctgt	gttgctggtt	taagaaatgg	27992
ggaagatcac	cctagtgagc	tgcggtgcgc	tggtggcggt	gttgctttcg	attgtgggac	28052
tgggcggcgc	ggctgtagtg	aaggagaagg	ccgatccctg	cttgcatttc	aatcccaaca	28112
aatgccagct	gagttttcag	cccgatggca	atcggtgcgc	ggtactgatc	aagtgcggat	28172
gggaatgcga	gaacgtgaga	atcgagtaca	ataacaagac	tcggaacaat	actctcgcgt	28232
ccgtgtggca	gcccggggac	cccgagtggt	acaccgtctc	tgtccccggt	gctgacggct	28292
ccccgcgcac	cgtgaataat	actttcattt	ttgcgcacat	gtgcaacacg	gtcatgtgga	28352
tgagcaagca	gtacgatatg	tggccccca	cgaaggagaa	catcgtggtc	ttctccatcg	28412
cttacagcct	gtgcacggcg	ctaatcaccg	ctatcgtgtg	cctgagcatt	cacatgctca	28472
tcgctattcg	ccccagaaat	aatgccgaga	aagagaaaca	gccataacac	gttttttcac	28532
acaccttgtt	tttacagaca	atgcgtctgt	taaattttt	aaacattgtg	ctcagtattg	28592
cttatgcctc	tggttatgca	aacatacaga	aaacccttta	tgtaggatct	gatggtacac	28652
tagagggtac	ccaatcacaa	gccaaggttg	catggtattt	ttatagaacc	aacactgatc	28712
cagttaaact	ttgtaagggt	gaattgccgc	gtacacataa	aactccactt	acatttagtt	28772
gcagcaataa	taatcttaca	cttttttcaa	ttacaaaaca	atatactggt	acttattaca	28832
gtacaaactt	tcatacagga	caagataaat	attatactgt	taaggtagaa	aatcctacca	28892
ctcctagaac	taccaccacc	accactactg	caaagcccac	tgtgaaaact	acaactagga	28952
ccaccacaac	tacagaaacc	accaccagca	caacacttgc	tgcaactaca	cacacacaca	29012

ctaagctaac	cttacagacc	actaatgatt	tgatcgccct	gctgcaaaag	ggggataaca	29072
gcaccacttc	caatgaggag	atacccaaat	ccatgattgg	cattattgtt	gctgtagtgg	29132
tgtgcatgtt	gatcatcgcc	ttgtgcatgg	tgtactatgc	cttctgctac	agaaagcaca	29192
gactgaacga	caagctggaa	cacttactaa	gtgttgaatt	ttaattttt	agaaccatga	29252
agatcctagg	cctttttagt	ttttctatca	ttacctctgc	tctttgtgaa	tcagtggata	29312
gagatgttac	tattaccact	ggttctaatt	atacactgaa	agggccaccc	tcaggtatgc	29372
tttcgtggta	ttgctatttt	ggaactgaca	ctgatcaaac	tgaattatgc	aattttcaaa	29432
aaggcaaaac	ctcaaactct	aaaatctcta	attatcaatg	caatggcact	gatctgatac	29492
tactcaatgt	cacgaaagca	tatggtggca	gttattattg	ccctggacaa	aacactgaag	29552
aaatgatttt	ttacaaagtg	gaagtggttg	atcccactac	accacccacc	accacaacta	29612
ttcataccac	acacacagaa	caaacaccag	aggcaacaga	agcagagttg	gccttccagg	29672
ttcacggaga	ttcctttgct	gtcaataccc	ctacacccga	tcagcggtgt	ccggggccgc	29732
tagtcagcgg	cattgtcggt	gtgctttcgg	gattagcagt	cataatcatc	tgcatgttca	29792
tttttgcttg	ctgctataga	aggctttacc	gacaaaaatc	agacccactg	ctgaacctct	29852
atgtttaatt	ttttccagag	ccatgaaggc	agttagcgct	ctagttttt	gttctttgat	29912
tggcattgtt	tttaatagta	aaattaccag	agttagcttt	attaaacatg	ttaatgtaac	29972
tgaaggagat	aacatcacac	tagcaggtgt	agaaggtgct	caaaacacca	cctggacaaa	30032
ataccatcta	ggatggagag	atatttgcac	ctggaatgta	acttattatt	gcataggagt	30092
taatcttacc	attgttaacg	ctaaccaatc	tcagaatggg	ttaattaaag	gacagagtgt	30152
tagtgtgacc	agtgatgggt	actataccca	gcatagtttt	aactacaaca	ttactgtcat	30212
accactgcct	acgcctagcc	cacctagcac	taccacacag	acaaccacat	acagtacatc	30272
aaatcagcct	accaccacta	cagcagcaga	ggttgccagc	tcgtctgggg	tccgagtggc	30332
atttttgatg	ttggccccat	ctagcagtcc	cactgctagt	accaatgagc	agactactga	30392
atttttgtcc	actgtcgaga	gccacaccac	agctacctcc	agtgccttct	ctagcaccgc	30452
caatctctcc	tcgctttcct	ctacaccaat	cagccccgct	actactccta	gccccgctcc	30512
tcttcccact	cccctgaagc	aaacagacgg	cggcatgcaa	tggcagatca	ccctgctcat	30572
tgtgatcggg	ttggtcatcc	tggccgtgtt	gctctactac	atcttctgcc	gccgcattcc	30632
caacgcgcac	cgcaagccgg	cctacaagcc	catcgttatc	gggcagccgg	agccgcttca	30692

ggtggaaggg	ggtctaagga	atcttctctt	ctcttttaca	gtatggtgat	tgaactatga	30752
ttcctagaca	attcttgatc	actattctta	tetgeeteet	ccaagtctgt	gccaccctcg	30812
ctctggtggc	caacgccagt	ccagactgta	ttgggccctt	cgcctcctac	gtgctctttg	30872
ccttcgtcac	ctgcatctgc	tgctgtagca	tagtctgcct	gcttatcacc	ttcttccagt	30932
tcattgactg	gatctttgtg	cgcatcgcct	acctgcgcca	ccacccccag	taccgcgacc	30992
agcgagtggc	gcagctgctc	aggctcctct	gataagcatg	cgggctctgc	tacttctcgc	31052
gcttctgctg	ttagtgctcc	cccgtcccgt	cgacccccgg	tcccccactc	agtcccccga	31112
ggaggttcgc	aaatgcaaat	tccaagaacc	ctggaaattc	ctcaaatgct	accgccaaaa	31172
atcagacatg	catcccagct	ggatcatgat	cattgggatc	gtgaacattc	tggcctgcac	31232
cctcatctcc	tttgtgattt	acccctgctt	tgactttggt	tggaactcgc	cagaggcgct	31292
ctatctcccg	cctgaacctg	acacaccacc	acagcagcaa	cctcaggcac	acgcactacc	31352
accaccacag	cctaggccac	aatacatgcc	catattagac	tatgaggccg	agccacagcg	31412
acccatgctc	cccgctatta	gttacttcaa	tctaaccggc	ggagatgact	gacccactgg	31472
ccaataacaa	cgtcaacgac	cttctcctgg	acatggacgg	ccgcgcctcg	gagcagcgac	31532
tcgcccaact	tcgcattcgt	cagcagcagg	agagagccgt	caaggagctg	caggacggca	31592
tagccatcca	ccagtgcaag	agaggcatct	tctgcctggt	gaaacaggcc	aagatctcct	31652
acgaggtcac	ccagaccgac	catcgcctct	cctacgagct	cctgcagcag	cgccagaagt	31712
tcacctgcct	ggtcggagtc	aaccccatcg	tcatcaccca	gcagtcgggc	gataccaagg	31772
ggtgcatcca	ctgctcctgc	gactcccccg	actgcgtcca	cactctgatc	aagaccctct	31832
gcggcctccg	cgacctcctc	cccatgaact	aatcaccccc	ttatccagtg	aaataaagat	31892
catattgatg	atgatttaaa	taaaaaaaat	aatcatttga	tttgaaataa	agatacaatc	31952
atattgatga	tttgagttta	acaaaataa	agaatcactt	acttgaaatc	tgataccagg	32012
tctctgtcca	tgttttctgc	caacaccacc	tcactcccct	cttcccagct	ctggtactgc	32072
aggccccggc	gggctgcaaa	cttcctccac	acgctgaagg	ggatgtcaaa	ttcctcctgt	32132
ccctcaatct	tcattttatc		tg tcc aaa Met Ser Lys			32185
	c ttc gac c p Phe Asp P 1		Pro Tyr As			32230

ccg Pro 1495	Thr	gto Val	g cco	tto Phe	c atc = Ile 1500	Asr	c ccc	e cco Pro	c tto Pho	c gtc e Val 150	Se	t tca r Sea	a ga r As <sub>l</sub>	t gga p Gly	32275
ttc Phe 1510	GTU	gaç Glu	g aag Lys	g cco	c ctg Leu 1515	Gly	gtg Val	r tto Lei	g tco 1 Sei	c ctg Leu 152	Ar	a cto g Lei	g gci	t gac a Asp	32320
ccc Pro 1525	gtc Val	acc Thr	acc Thr	aag Lys	g aac Asn 1530	Gly	gaa Glu	ato Ile	aco Thi	ctc Leu 153	Lу	g cto s Lei	r GJ A ads	a gag 7 Glu	32365
ggg Gly 1540	gtg Val	gac Asp	ctc Leu	gac Asp	tcg Ser 1545	Ser	gga Gly	aaa Lys	cto Lev	atc Ile 1550	Sei	c aac c Asn	acç Thi	g gcc Ala	32410
acc Thr 1555	aag Lys	gcc Ala	gcc Ala	gcc Ala	ect Pro 1560	Leu	agt Ser	att	tca Ser	aac Asn 1565	Asr	acc Thr	att Ile	tcc Ser	32455
ctt Leu 1570	aaa Lys	act Thr	gct Ala	gcc Ala	cct Pro 1575	Phe	tac Tyr	aac Asn	aac Asn	aat Asn 1580	Gly	act Thr	tta Leu	agc Ser	32500
ctc Leu 1585	aat Asn	gtc Val	tcc Ser	aca Thr	cca Pro 1590	Leu	gca Ala	gta Val	ttt Phe	ccc Pro 1595	Thr	ttt Phe	aac Asn	act Thr	32545
tta Leu 1600	ggc Gly	ata Ile	agt Ser	ctt Leu	gga Gly 1605	aac Asn	ggt Gly	ctt Leu	cag Gln	act Thr 1610	Ser			ttg Leu	32590
ttg Leu 1615	act Thr	gta Val	caa Gln	cta Leu	act Thr 1620	cat His	cct Pro	ctt Leu	aca Thr	ttc Phe 1625	Ser	tca Ser			32635
atc Ile ' 1630	aca Thr	gta Val	aaa Lys	aca Thr	gac Asp 1635	aaa Lys	ej aaa	cta Leu	tat Tyr	att Ile 1640		tcc Ser			32680
aac 1 Asn 1 1645	aga Arg	gga Gly	ctt Leu	gag Glu	gct Ala 1650	aat Asn	ata Ile	agc Ser	cta Leu	aaa Lys 1655		gga Gly			32725
ttt ( Phe <i>I</i> 1660	gac Asp	ggt Gly	aat Asn	gct Ala	att Ile 1665	gca Ala	aca Thr	tat Tyr	att Ile	gga Gly 1670	aat Asn	Gly ggc	tta Leu	gac Asp	32770
tat o Tyr 0 1675	gga f Gly :	tct Ser	tat Tyr	gat Asp	agt Ser 1680	gat Asp	gga Gly	aaa Lys	aca Thr	aga Arg 1685		gta Val			32815
aaa a Lys I 1690	att d	gga Gly .	gca Ala	Gly	tta Leu 1695	aat Asn :	ttt Phe I	gat Asp	Ala	aac Asn 1700		gca Ala			32860

gtc Val 1705	Lys	cta Leu	Gly	aca Thr	ggt Gly 1710	Leu	agt Ser	ttt Phe	gac Asp	tcc Ser 1715	Āla	ggt Gly	gcc Ala	ttg Leu	32905
aca Thr 1720	Ala	gga Gly	aac Asn	aaa Lys	cag Gln 1725	Asp	gac Asp	aag Lys	cta Leu	aca Thr 1730	ctt Leu	tgg Trp	act Thr	acc Thr	32950
cct Pro 1735	Asp	cca Pro	agc Ser	cct Pro	aat Asn 1740	Cys	caa Gln	tta Leu	ctt Leu	tca Ser 1745	gac Asp	aga Arg	gat Asp	gcc Ala	32995
aaa Lys 1750	Phe				ctt Leu 1755					agt Ser 1760					33040
act Thr 1765	Val				gct Ala 1770										33085
att Ile 1780	aat Asn	gac Asp	aca Thr	gtc Val	aaa Lys 1785	agc Ser	gcc Ala	ata Ile	gtt Val	ttc Phe 1790	ctt Leu	aga Arg	ttt Phe	gat Asp	33130
tcc Ser 1795	gat Asp	ggt Gly	gta Val	ctc Leu	atg Met 1800	tca Ser	aac Asn	tca Ser	tca Ser	atg Met 1805	gta Val		gat Asp		33175
tgg Trp 1810	aac Asn	ttt Phe	agg Arg	gag Glu	gga Gly 1815	cag Gln	acc Thr	act Thr	caa Gln	agt Ser 1820	gta Val	gcc Ala	tat Tyr	aca Thr	33220
aat Asn 1825	gct Ala	gtg Val	gga Gly	ttc Phe	atg Met 1830	cca Pro	aat Asn	ata Ile	ggt Gly	gca Ala 1835			aaa Lys		33265
caa Gln 1840					aaa Lys 1845						_	_	tat Tyr		33310
act Thr 1855					atg Met 1860								ttc Phe		33355
ggc Gly 1870	act Thr	gat Asp	gaa Glu	aaa Lys	gac Asp 1875	aca Thr	acc Thr	cca Pro	gtt Val	agc Ser 1880	acc Thr	tac Tyr	tct Ser	atg Met	33400
act Thr 1885	ttt Phe	aca Thr	tgg Trp	cag Gln	tgg Trp 1890	act Thr	gga Gly	gac Asp	tat Tyr	aag Lys 1895	gac Asp	aaa Lys	aat Asn	att Ile	33445
acc Thr 1900	ttt Phe	gct Ala	acc Thr	aac Asn	tca Ser 1905	ttc Phe	tct Ser	ttt Phe	tcc Ser	tac Tyr 1910	atc Ile	gcc Ala	cag Gln	gaa Glu	33490
taa t	ccca	ccca	g ca	agco	aacc	cctt	ttcc	ca c	cacc	tttgt	cta	tatg.	gaa		33543

actctgaaac	agaaaaataa	agttcaagtg	ttttattgaa	tcaacagttt	tacaggactc	33603
gagcagttat	ttttcctcca	ccctcccagg	acatggaata	caccaccctc	tccccccgca	33663
cagccttgaa	catctgaatg	ccattggtga	tggacatgct	tttggtctcc	acgttccaca	33723
cagtttcaga	gcgagccagt	ctcggatcgg	tcagggagat	gaaaccctcc	gggcactccc	33783
gcatctgcac	ctcacagctc	aacagctgag	gattgtcctc	ggtggtcggg	atcacggtta	33843
tctggaagaa	gcagaagagc	ggcggtggga	atcatagtcc	gcgaacggga	tcggccggtg	33903
gtgtcgcatc	aggccccgca	gcagtcgctg	ccgccgccgc	tccgtcaagc	tgctgctcag	33963
ggggttcggg	tccagggact	ccctcagcat	gatgcccacg	gccctcagca	tcagtcgtct	34023
ggtgcggcgg	gcgcagcagc	gcatgcgaat	ctcgctcagg	tcactgcagt	acgtgcaaca	34083
caggaccacc	aggttgttca	acagtccata	gttcaacacg	ctccagccga	aactcatcgc	34143
gggaaggatg	ctacccacgt	ggccgtcgta	ccagatcctc	aggtaaatca	agtggcgctc	34203
cctccagaag	acgctgccca	tgtacatgat	ctccttgggc	atgtggcggt	tcaccacctc	34263
ccggtaccac	atcaccctct	ggttgaacat	gcagccccgg	atgatcctgc	ggaaccacag	34323
ggccagcacc	gccccgcccg	ccatgcagcg	aagagacccc	ggatcccggc	aatgacaatg	34383
gaggacccac	cgctcgtacc	cgtggatcat	ctgggagctg	aacaagtcta	tgttggcaca	34443
gcacaggcat	atgctcatgc	atctcttcag	cactctcagc	tcctcggggg	tcaaaaccat	34503
atcccagggc	acggggaact	cttgcaggac	agcgaacccc	gcagaacagg	gcaatcctcg	34563
cacataactt	acattgtgca	tggacagggt	atcgcaatca	ggcagcaccg	ggtgatcctc	34623
caccagagaa	gcgcgggtct	cggtctcctc	acagcgtggt	aagggggccg	gccgatacgg	34683
gtgatggcgg	gacgcggctg	atcgtgttct	cgaccgtgtc	atgatgcagt	tgctttcgga	34743
cattttcgta	cttgctgtag	cagaacctgg	tccgggcgct	gcacaccgat	cgccggcggc	34803
ggtctcggcg	cttggaacgc	tcggtgttaa	agttgtaaaa	cagccactct	ctcagaccgt	34863
gcagcagatc	tagggcctca	ggagtgatga	agatcccatc	atgcctgata	gctctgatca	34923
catcgaccac	cgtggaatgg	gccaggccca	gccagatgat	gcaattttgt	tgggtttcgg	34983
tgacggcggg	ggagggaaga	acaggaagaa	ccatgattaa	cttttaatcc	aaacggtctc	35043
ggagcacttc	aaaatgaagg	tcacggagat	ggcacctctc	gcccccgctg	tgttggtgga	35103
aaataacagc	caggtcaaag	gtgatacggt	tctcgagatg	ttccacggtg	gcttccagca	35163
aagcctccac	gcgcacatcc	agaaacaaga	caatagcgaa	agcgggaggg	ttctctaatt	35223

cctcaaccat catgttacac	tcctgcacca	tccccagata	attttcattt	ttccagcctt	35283
gaatgattcg aactagttcc	tgaggtaaat	ccaagccagc	catgataaaa	agctcgcgca	35343
gagcaccctc caccggcatt	cttaagcaca	ccctcataat	tccaagatat	tctgctcctg	35403
gttcacctgc agcagattga	caagcggaat	atcaaaatct	ctgccgcgat	ccctgagctc	35463
ctccctcagc aataactgta	agtactcttt	catatcgtct	ccgaaatttt	tagccatagg	35523
acccccagga ataagagaag	ggcaagccac	attacagata	aaccgaagtc	cccccagtg	35583
agcattgcca aatgtaagat	tgaaataagc	atgctggcta	gacccggtga	tatcttccag	35643
ataactggac agaaaatcgg	gtaagcaatt	tttaagaaaa	tcaacaaaag	aaaaatcttc	35703
caggtgcacg tttagggcct	cgggaacaac	gatggagtaa	gtgcaagggg	tgcgttccag	35763
catggttagt tagctgatct	gtaaaaaaac	aaaaaataaa	acattaaacc	atgctagcct	35823
ggcgaacagg tgggtaaatc	gttctctcca	gcaccaggca	ggccacgggg	tctccggcgc	35883
gaccctcgta aaaattgtcg	ctatgattga	aaaccatcac	agagagacgt	tcccggtggc	35943
cggcgtgaat gattcgagaa	gaagcataca	ccccggaac	attggagtcc	gtgagtgaaa	36003
aaaagcggcc gaggaagcaa	tgaggcacta	caacgctcac	tctcaagtcc	agcaaagcga	36063
tgccatgcgg atgaagcaca	aaattttcag	gtgcgtaaaa	aatgtaatta	ctcccctcct	36123
gcacaggcag cgaagctccc	gatccctcca	gatacacata	caaagcctca	gcgtccatag	36183
cttaccgagc ggcagcagca	gcggcacaca	acaggcgcaa	gagtcagaga	aaagactgag	36243
ctctaacctg tccgcccgct	ctctgctcaa	tatatagccc	cagatctaca	ctgacgtaaa	36303
ggccaaagtc taaaaatacc	cgccaaataa	tcacacacgc	ccagcacacg	cccagaaacc	36363
ggtgacacac tcagaaaaat	acgcgcactt	cctcaaacgg	ccaaactgcc	gtcatttccg	36423
ggttcccacg ctacgtcato	aaaacacgac	tttcaaattc	cgtcgaccgt	taaaaacatc	36483
accegeeeeg eeeetaaegg	tcgccgctcc	cgcagccaat	caccttcctc	cctccccaaa	36543
ttcaaacagc tcatttgcat	attaacgcgc	accaaaagtt	tgaggtatat	tattgatgat	36603
g					36604

<sup>&</sup>lt;210> 6
<211> 529
<212> PRT
<213> chimpanzee adenovirus serotype Pan6

<400> 6

Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser Val Met Gln Gln Ala Val Ala Ala Met Gln Pro Pro Leu Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg 105 Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val 120 Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser Arg Lys Thr Pro Asn Gly Val Asp Asp Asp Tyr Asp Gly Ser Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly Asn Phe 165 170 Ser Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile Asp Asn 185 Tyr Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro Val Thr Glu Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser Arg Leu Ser Asn Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala Leu Leu

280

Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu Asp Ser Thr Ala Ala Ala 295 300 Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp Asn Phe 310 Ala Ser Ala Ala Ala Ala Glu Ala Glu Thr Glu Ser Lys Ile 325 330 Val Ile Gln Pro Val Glu Lys Asp Ser Lys Asp Arg Ser Tyr Asn Val 345 Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu Ala Tyr 360 Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser Leu Pro 390 Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln Val Ser 405 410 Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser Lys Ser 425 Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala Phe Thr 440 Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu Val 455 Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala 470 475 Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg Gly Val 485 490 495 Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val 505 Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser Arg Thr 520 Phe <210> 7 <211> 942 <212> PRT <213> chimpanzee adenovirus serotype Pan6 <400> 7

Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala 1 5 10 15

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arq Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu Thr Leu Arg Phe Val Pro Val Asp Arg Glu Asp Asn Thr Tyr Ser Tyr Lys Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro Ser Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly Ala Pro Asn Ser Ser Gln Trp Glu Gln Ala Lys Thr Gly Asn Gly Gly Thr Met Glu Thr His Thr Tyr Gly Val Ala Pro Met Gly Gly Glu Asn Ile Thr Lys Asp Gly Leu Gln Ile Gly Thr Asp Val Thr Ala Asn Gln Asn Lys Pro Ile Tyr Ala Asp Lys Thr Phe Gln Pro Glu Pro Gln Val Gly Glu Glu Asn Trp Gln Glu Thr Glu Asn Phe Tyr Gly Gly Arg Ala Leu Lys Lys Asp Thr Asn Met Lys Pro Cys Tyr Gly Ser Tyr Ala Arg Pro Thr Asn Glu Lys Gly Gly Gln Ala Lys Leu Lys Val Gly Asp Asp Gly Val Pro Thr Lys Glu Phe Asp Ile Asp Leu Ala Phe Phe Asp Thr Pro Gly Gly Thr Val Asn Gly Gln Asp Glu Tyr Lys Ala Asp Ile Val Met Tyr Thr Glu Asn Thr Tyr Leu Glu Thr Pro Asp Thr His Val Val Tyr Lys Pro Gly Lys Asp Asp Ala Ser Ser Glu Ile Asn Leu Val Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe 315 310

Ile Gly	Leu Met	Tyr Tyr 325	Asn	Ser	Thr	Gly 330	Asn	Met	Gly	Val	Leu 335	Ala
Gly Gln	Ala Ser 340	Gln Leu	Asn	Ala	Val 345	Val	Asp	Leu	Gln	Asp 350	Arg	Asn
Thr Glu	Leu Ser 355	Tyr Gln	Leu	Leu 360	Leu	Asp	Ser	Leu	Gly 365	Asp	Arg	Thr
Arg Tyr 370	Phe Ser	Met Trp	Asn 375	Gln	Ala	Val	Asp	Ser 380	Tyr	Asp	Pro	Asp
Val Arg 385	Ile Ile	Glu Asn 390	His	Gly	Val	Glu	Asp 395	Glu	Leu	Pro	Asn	Tyr 400
Cys Phe	Pro Leu	Asp Gly 405	Ser	Gly	Thr	Asn 410	Ala	Ala	Tyr	Gln	Gly 415	Val
Lys Val	Lys Asp 420	Gly Gln	Asp	Gly	Asp 425	Val	Glu	Ser	Glu	Trp 430	Glu	Asn
Asp Asp	Thr Val 435	Ala Ala	Arg	Asn 440	Gln	Leu	Суѕ	Lys	Gly 445	Asn	Ile	Phe
Ala Met 450	Glu Ile	Asn Leu	Gln 455	Ala	Asn	Leu	Trp	Arg 460	Ser	Phe	Leu	Tyr
Ser Asn 465	Val Ala	Leu Tyr 470		Pro	Asp	Ser	Туг 475	Lys	Tyr	Thr	Pro	Thr 480
Asn Val	Thr Leu	Pro Thr 485	Asn	Thr	Asn	Thr 490	Tyr	Asp	Tyr	Met	Asn 495	Gly
Arg Val	Thr Pro	Pro Ser	Leu	Val	Asp 505	Ala	Tyr	Leu	Asn	Ile 510	Gly	Ala
Arg Trp	Ser Leu 515	Asp Pro	Met	Asp 520	Asn	Val	Asn	Pro	Phe 525	Asn	His	His
Arg Asn 530	Ala Gly	Leu Arg	Tyr 535	Arg	Ser	Met	Leu	Leu 540	Gly	Asn	Gly	Arg
Tyr Val 545	Pro Phe	His Ile 550		Val	Pro	Gln	Lys 555	Phe	Phe	Ala	Ile	Lys 560
Ser Leu	Leu Leu	Leu Pro 565	Gly	Ser	Tyr	Thr 570	Tyr	Glu	Trp	Asn	Phe 575	Arg
Lys Asp	Val Asn 580	Met Ile	Leu	Gln	Ser 585	Ser	Leu	Gly	Asn	Asp 590	Leu	Arg
Thr Asp	Gly Ala 595	Ser Ile	Ala	Phe 600	Thr	Ser	Ile	Asn	Leu 605	Tyr	Ala	Thr
Phe Phe 610	Pro Met	Ala His	Asn 615	Thr	Ala	Ser	Thr	Leu 620	Glu	Ala	Met	Leu

Ar 62	:g As :5	sn A	Asp	Th	r As	n As 63	p G1 0	n Se	r Ph	e As	n A	sp Ty 35	/r L	eu Se	∍r Al	La Ala 640
As	n Me	et I	eu	Ту	r Pr 64	o Il 5	e Pr	o Al	a As	n Al 65	a Tl	nr As	sn Va	al Pı	0 II 65	e Ser
Il	e Pr	o S	er	Ar 66	g As: O	n Tr	p Al	a Al	a Ph 66	e Ar 5	g GI	Lу Ті	p Se	er Ph 67		ır Arg
Le	и Ьу	's T 6	hr 75	Arg	g Gl	u Th	r Pr	o Se. 68	r Le	u Gl	y Se	er Gl	y Ph 68		p Pr	o Tyr
Ph	e Va 69	l Т О	yr	Sei	Gl	y Se:	r Il 69	e Pro 5	о Ту:	r Le	u As	sp Gl 70		r Ph	е Ту	r Leu
As: 70:	n Hi 5	s T	hr	Phe	≥ Lys	5 Lys 710	s Val	l Sei	r Ile	∍ Th	r Ph 71		p Se	r Se	r Va	1 Ser 720
Tr	o Pr	o G.	lу	Asn	Asp 725	Arg	g Lei	ı Leı	ı Thi	73	o As O	n Gl	u Ph	e Gl	u Il 73	e Lys 5
Arg	g Th.	r Va	al	Asp 740	Gl	7 Glu	ı Gly	у Туг	Asr 745	va:	l Al	a Gl:	n Cy	s As:		t Thr
Lys	s As <sub>l</sub>	75 75	гр 55	Phe	Leu	. Val	Glr	Met 760	Leu	ı Ala	a Hi	s Ty	r Ası 76		e Gl	y Tyr
Glr	770	7 Pł	ne	Tyr	Val	Pro	Glu 775	Gly	Туr	Lys	s Asj	p Arg 780		тул	s Sei	? Phe
Phe 785	Arg	j As	n	Phe	Gln	Pro 790	Met	Ser	Arg	Gln	Va:	l Val	Asp	o Gli	ı Val	. Asn 800
Tyr	Lys	As	p '	Tyr	Gln 805	Ala	Val	Thr	Leu	Ala 810	Туз	Glr	n His	. Asn	Asr 815	Ser
Gly	Phe	· Va	1 6	Gly 820	Tyr	Leu	Ala	Pro	Thr 825	Met	Arg	g Gln	Gly	Gln 830		Tyr
Pro	Ala	As 83	n 7 5	Гуr	Pro	Tyr	Pro	Leu 840	Ile	Gly	Lys	Ser	Ala 845		Ala	Ser
Val	Thr 850	Gl:	n I	jys	Lys	Phe	Leu 855	Cys	Asp	Arg	Val	Met 860	Trp	Arg	Ile	Pro
Phe 865	Ser	Se	r A	Asn	Phe	Met 870	Ser	Met	Gly	Ala	Leu 875	Thr	Asp	Leu	Gly	Gln 880
Asn	Met	Le	ı T	'yr	Ala 885	Asn	Ser	Ala	His	Ala 890	Leu	Asp	Met	Asn	Phe 895	Glu
Val	Asp	Pro	9 M	let 00	Asp	Glu	Ser	Thr	Leu 905	Leu	Tyr	Val	Val	Phe 910	Glu	Val
Phe	Asp	Val 915	. V	al.	Arg	Val	His	Gln 920	Pro	His	Arg	Gly	Val 925	Ile	Glu	Ala

Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn Ala Thr Thr 930 935 940

<210> 8

<211> 443

<212> PRT

<213> chimpanzee adenovirus serotype Pan6

<400> 8

Met Ser Lys Lys Arg Val Arg Val Asp Asp Phe Asp Pro Val Tyr
1 10 15

Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro 20 25 30

Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser 35 40 45

Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu 50 60

Lys Leu Gly Glu Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser 65 70 75 80

Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Ile Ser Asn Asn Thr 85 90 95

Ile Ser Leu Lys Thr Ala Ala Pro Phe Tyr Asn Asn Asn Gly Thr Leu 100 105 110

Ser Leu Asn Val Ser Thr Pro Leu Ala Val Phe Pro Thr Phe Asn Thr 115 120 125

Leu Gly Ile Ser Leu Gly Asn Gly Leu Gln Thr Ser Asn Lys Leu Leu 130 135 140

Thr Val Gln Leu Thr His Pro Leu Thr Phe Ser Ser Asn Ser Ile Thr 145 150 155 160

Val Lys Thr Asp Lys Gly Leu Tyr Ile Asn Ser Ser Gly Asn Arg Gly
165 170 175

Leu Glu Ala Asn Ile Ser Leu Lys Arg Gly Leu Val Phe Asp Gly Asn 180 185 190

Ala Ile Ala Thr Tyr Ile Gly Asn Gly Leu Asp Tyr Gly Ser Tyr Asp 195 200 205

Ser Asp Gly Lys Thr Arg Pro Val Ile Thr Lys Ile Gly Ala Gly Leu 210 215 220

Asn Phe Asp Ala Asn Lys Ala Ile Ala Val Lys Leu Gly Thr Gly Leu 225 230 235 240

Ser Phe Asp Ser Ala Gly Ala Leu Thr Ala Gly Asn Lys Gln Asp Asp Lys Leu Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Gln Leu Leu Ser Asp Arg Asp Ala Lys Phe Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln Ile Leu Gly Thr Val Ala Val Ala Ala Val Thr Val Gly Ser Ala Leu Asn Pro Ile Asn Asp Thr Val Lys Ser Ala Ile Val Phe Leu Arg Phe Asp Ser Asp Gly Val Leu Met Ser Asn Ser Ser Met Val Gly Asp Tyr Trp Asn Phe Arg Glu Gly Gln Thr Thr Gln Ser Val Ala Tyr Thr Asn Ala Val Gly Phe Met Pro Asn Ile Gly Ala Tyr Pro Lys Thr Gln Ser Lys Thr Pro Lys Asn Ser Ile Val Ser Gln Val Tyr Leu Thr Gly Glu Thr Thr Met Pro Met Thr Leu Thr Ile Thr Phe Asn Gly Thr Asp Glu Lys Asp Thr Thr Pro Val Ser Thr Tyr Ser Met Thr Phe Thr Trp Gln Trp Thr Gly Asp Tyr Lys Asp Lys Asn Ile Thr Phe Ala Thr 425 Asn Ser Phe Ser Phe Ser Tyr Ile Ala Gln Glu <210> 9 <211> 36535 <212> DNA <213> chimpanzee adenovirus serotype Pan7 <220> <221> CDS <222> (13874)..(15469) <223> L2 Penton

<220> <221> CDS

<222> (18288)..(21086)

<223> L3 Hexon

<220>
<221> CDS
<222> (32094)..(33425)
<223> L5 Fiber

<400> 9

catcatcaat aatatacctc aaacttttgg tgcgcgttaa tatgcaaatg agctgtttga 60 120 tgacgttttt aatacgtggc cgtgaggcgg agccggtttg caagttctcg tgggaaaagt 180 gacgtcaaac gaggtgtggt ttgaacacgg aaatactcaa ttttcccgcg ctctctgaca 240 ggaaatgagg tgtttctggg cggatgcaag tgaaaacggg ccattttcgc gcgaaaactg 300 aatgaggaag tgaaaatctg agtaatttcg cgtttatggc agggaggagt atttgccgag 360 ggccgagtag actttgaccg attacgtggg ggtttcgatt accgtatttt tcacctaaat 420 ttccgcgtac ggtgtcaaag tccggtgttt ttacgtaggc gtcagctgat cgccagggta 480 tttaaacctg cgctctctag tcaagaggcc actcttgagt gccagcgagt agagttttct 540 600 cctccgcgcc gcgagtcaga tctacacttt gaaagatgag gcacctgaga gacctgcccg gtaatgtttt cctggctact gggaacgaga ttctggaatt ggtggtggac gccatgatgg 660 gtggcgaccc tcctgagccc cctaccccat ttgaggcgcc ttcgctgtac gatttgtatg 720 atctggaggt ggatgtgccc gagaacgacc ccaacgagga ggcggtgaat gatttgttta 780 gcgatgccgc gctgctggct gccgagcagg ctaatacgga ctctggctca gacagcgatt 840 cctctctcca taccccgaga cccggcagag gtgagaaaaa gatccccgag cttaaagggg 900 960 aagagetega eetgegetge tatgaggaat gettgeetee gagegatgat gaggaggaeg aggaggcgat tcgagctgca tcgaaccagg gagtgaaagc tgcgggcgaa agctttagcc 1020 tggactgtcc tactctgccc ggacacggct gtaagtcttg tgaatttcat cgcatgaata 1080 ctggagataa gaatgtgatg tgtgccctgt gctatatgag agcttacaac cattgtgttt 1140 acagtaagtg tgattaactt tagttgggaa ggcagagggt gactgggtgc tgactggttt 1200 atttatgtat atgtttttt atgtgtaggt cccgtctctg acgtagatga gacccccact 1260 tcagagtgca tttcatcacc cccagaaatt ggcgaggaac cgcccgaaga tattattcat 1320 agaccagttg cagtgagagt caccgggcgg agagcagctg tggagagttt ggatgacttg 1380 ctacagggtg gggatgaacc tttggacttg tgtacccgga aacgccccag gcactaagtg 1440 ccacacatgt gtgtttactt aaggtgatgt cagtatttat agggtgtgga gtgcaataaa 1500

atccgtgttg	actttaagtg	cgtggtttat	gactcagggg	tggggactgt	gggtatataa	1560
gcaggtgcag	acctgtgtgg	tcagttcaga	gcaggactca	tggagatctg	gacggtcttg	1620
gaagactttc	accagactag	acagctgcta	gagaactcat	cggagggggt	ctcttacctg	1680
tggagattct	gcttcggtgg	gcctctagct	aagctagtct	atagggccaa	acaggattat	1740
aaggatcaat	ttgaggatat	tttgagagag	tgtcctggta	tttttgactc	tctcaacttg	1800
ggccatcagt	ctcactttaa	ccagagtatt	ctgagagccc	ttgacttttc	tactcctggc	1860
agaactaccg	ccgcggtagc	cttttttgcc	tttatccttg	acaaatggag	tcaagaaacc	1920
catttcagca	gggattaccg	tctggactgc	ttagcagtag	ctttgtggag	aacatggagg	1980
tgccagcgcc	tgaatgcaat	ctccggctac	ttgccagtac	agccggtaga	cacgctgagg	2040
atcctgagtc	tccagtcacc	ccaggaacac	caacgccgcc	agcagccgca	gcaggagcag	2100
cagcaagagg	aggaggagga	tcgagaagag	aacccgagag	ccggtctgga	ccctccggtg	2160
gcggaggagg	aggagtagct	gacttgtttc	ccgagctgcg	ccgggtgctg	actaggtctt	2220
ccagtggacg	ggagaggggg	attaagcggg	agaggcatga	ggagactagc	cacagaactg	2280
aactgactgt	cagtctgatg	agccgcaggc ·	gcccagaatc	ggtgtggtgg	catgaggttc	2340
agtcgcaggg	gatagatgag	gtctcggtga	tgcatgagaa	atattccctg	gaacaagtca	2400
agacttgttg	gttggagcct	gaggatgatt	gggaggtagc	catcaggaat	tatgccaagc	2460
tggctctgaa	gccagacaag	aagtacaaga	ttaccaaact	gattaatatc	agaaattcct	2520
gctacatttc	agggaatggg	gccgaggtgg	agatcagtac	ccaggagagg	gtggccttca	2580
gatgttgtat	gatgaatatg	tacccggggg	tggtgggcat	ggagggagtc	acctttatga	2640
acgcgaggtt	caggggtgat	gggtataatg	gggtggtctt	tatggccaac	accaagctga	2700
cagtgcacgg	atgctccttc	tttgggttca	ataacatgtg	catcgaggcc	tggggcagtg	2760
tttcagtgag	gggatgcagc	ttttcagcca	actggatggg	ggtcgtgggc	agaaccaaga	2820
gcaaggtgtc	agtgaagaaa	tgcctgttcg	agaggtgcca	cctgggggtg	atgagcgagg	2880
gcgaagccaa	agtcaaacac	tgcgcctcta	ctgagacggg	ctgctttgtg	ctgatcaagg	2940
gcaatgccca	agtcaagcat	aacatgatct	gtggggcctc	ggatgagcgc	ggctaccaga	3000
tgctgacctg	cgccggtggg	aacagccata	tgctggccac	cgtgcatgtg	acctcgcacc	3060
cccgcaagac	atggcccgag	ttcgagcaca	acgtcatgac	ccgatgcaat	gtgcacctgg	3120
ggtcccgccg	aggcatgttc	atgccctacc	agtgcaacat	gcaatttgtg	aaggtgctgc	3180
tggagcccga	tgccatgtcc	agagtgagcc	tgacgggggt	gtttgacatg	aatgtggagc	3240

tgtggaaaat	tctgagatat	gatgaatcca	agaccaggtg	ccgggcctgc	gaatgcggag	3300
gcaagcacgc	caggcttcag	cccgtgtgtg	tggaggtgac	ggaggacctg	cgacccgatc	3360
atttggtgtt	gtcctgcaac	gggacggagt	tcggctccag	cggggaagaa	tctgactaga	3420
gtgagtagtg	tttgggggag	gtggagggct	tgtatgaggg	gcagaatgac	taaaatctgt	3480
gtttttctgt	gtgttgcagc	agcatgagcg	gaagcgcctc	ctttgaggga	ggggtattca	3540
gcccttatct	gacggggcgt	ctcccctcct	gggcgggagt	gcgtcagaat	gtgatgggat	3600
ccacggtgga	cggccggccc	gtgcagcccg	cgaactcttc	aaccctgacc	tacgcgaccc	3660
tgagctcctc	gtccgtggac	gcagctgccg	ccgcagctgc	tgcttccgcc	gccagcgccg	3720
tgcgcggaat	ggccctgggc	gccggctact	acagctctct	ggtggccaac	tcgacttcca	3780
ccaataatcc	cgccagcctg	aacgaggaga	agctgctgct	gctgatggcc	cagctcgagg	3840
ccctgaccca	gcgcctgggc	gagctgaccc	agcaggtggc	tcagctgcag	gcggagacgc	3900
gggccgcggt	tgccacggtg	aaaaccaaat	aaaaaatgaa	tcaataaata	aacggagacg	3960
gttgttgatt	ttaacacaga	gtcttgaatc	tttatttgat	ttttcgcgcg	cggtaggccc	4020
tggaccaccg	gtctcgatca	ttgagcaccc	ggtggatttt	ttccaggacc	cggtagaggt	4080
gggcttggat	gttgaggtac	atgggcatga	gcccgtcccg	ggggtggagg	tagctccatt	4140
gcagggcctc	gtgctcgggg	gtggtgttgt	aaatcaccca	gtcatagcag	gggcgcaggg	4200
cgtggtgctg	cacgatgtcc	ttgaggagga	gactgatggc	cacgggcagc	cccttggtgt	4260
aggtgttgac	gaacctgttg	agctgggagg	gatgcatgcg	gggggagatg	agatgcatct	4320
tggcctggat	cttgagattg	gcgatgttcc	cgcccagatc	ccgccggggg	ttcatgttgt	4380
gcaggaccac	cagcacggtg	tatccggtgc	acttggggaa	tttgtcatgc	aacttggaag	4440
ggaaggcgtg	aaagaatttg	gagacgccct	tgtgaccgcc	caggttttcc	atgcactcat	4500
ccatgatgat	ggcgatgggc	ccgtgggcgg	cggcctgggc	aaagacgttt	cgggggtcgg	4560
acacatcgta	gttgtggtcc	tgggtgagct	cgtcataggc	cattttaatg	aatttggggc	4620
ggagggtgcc	cgactggggg	acgaaggtgc	cctcgatccc	gggggcgtag	ttgccctcgc	4680
agatctgcat	ctcccaggcc	ttgagctcgg	agggggggat	catgtccacc	tgcggggcga	4740
tgaaaaaaac	ggtttccggg	gcgggggaga	tgagctgggc	cgaaagcagg	ttccggagca	4800
gctgggactt	gccgcagccg	gtggggccgt	agatgacccc	gatgaccggc	tgcaggtggt	4860
agttgaggga	gagacagctg	ccgtcctcgc	ggaggagggg	ggccacctcg	ttcatcatct	4920

cgcgcacatg	catgttctcg	cgcacgagtt	ccgccaggag	gcgctcgccc	cccagcgaga	4980
ggagctcttg	cagcgaggcg	aagtttttca	gcggcttgag	yccgtcggcc	atgggcattt	5040
tggagagggt	ctgttgcaag	agttccagac	ggtcccagag	ctcggtgatg	tgctctaggg	5100
catctcgatc	cagcagacct	cctcgtttcg	cgggttgggg	cgactgcggg	agtagggcac	5160
caggcgatgg	gcgtccagcg	aggccagggt	ccggtccttc	cagggtcgca	gggtccgcgt	5220
cagcgtggtc	tccgtcacgg	tgaaggggtg	cgcgccgggc	tgggcgcttg	cgagggtgcg	5280
cttcaggctc	atccggctgg	tcgagaaccg	ctcccggtcg	gcgccctgcg	cgtcggccag	5340
gtagcaattg	agcatgagtt	cgtagttgag	cgcctcggcc	gcgtggccct	tggcgcggag	5400
cttacctttg	gaagtgtgtc	cgcagacggg	acagaggagg	gacttgaggg	cgtagagctt	5460
gggggcgagg	aagacggact	cgggggcgta	ggcgtccgcg	ccgcagctgg	cgcagacggt	5520
ctcgcactcc	acgagccagg	tgaggtcggg	ccggttgggg	tcaaaaacga	ggtttcctcc	5580
gtgctttttg	atgcgtttct	tacctctggt	ctccatgagc	tcgtgtcccc	gctgggtgac	5640
aaagaggctg	tccgtgtccc	cgtagaccga	ctttatgggc	cggtcctcga	gcggggtgcc	5700
geggteeteg	tcgtagagga	accccgccca	ctccgagacg	aaggcccggg	tccaggccag	5760
cacgaaggag	gccacgtggg	aggggtagcg	gtcgttgtcc	accagcgggt	ccaccttctc	5820
cagggtatgc	aagcacatgt	cccctcgtc	cacatccagg	aaggtgattg	gcttgtaagt	5880
gtaggccacg	tgaccggggg	tcccggccgg	gggggtataa	aagggggcgg	gcccctgctc	5940
gtcctcactg	tcttccggat	cgctgtccag	gagcgccagc	tgttggggta	ggtattccct	6000
ctcgaaggct	ggcataacct	cggcactcag	gttgtcagtt	tctagaaacg	aggaggattt	6060
gatattgacg	gtgccgttgg	agacgccttt	catgagcccc	tcgtccatct	ggtcagaaaa	6120
gacgatcttt	ttgttgtcga	gcttggtggc	gaaggagccg	tagagggcgt	tggagaggag	6180
cttggcgatg	gagcgcatgg	tctggttctt	ttccttgtcg	gcgcgctcct	tggcggcgat	6240
gttgagctgc	acgtactcgc	gcgccacgca	cttccattcg	gggaagacgg	tggtgagctc	6300
gtcgggcacg	attctgaccc	gccagccgcg	gttgtgcagg	gtgatgaggt	ccacgctggt	6360
ggccacctcg	ccgcgcaggg	gctcgttggt	ccagcagagg	cgcccgccct	tgcgcgagca	6420
gaaggggggc	agcgggtcca	gcatgagctc	gtcgggggg	tcggcgtcca	cggtgaagat	6480
gccgggcaga	agctcggggt	cgaagtagct	gatgcaggtg	tccagatcgt	ccagcgccgc	6540
ttgccagtcg	cgcacggcca	gcgcgcgctc	gtaggggctg	aggggcgtgc	cccagggcat	6600
ggggtgcgtg	agcgcggagg	cgtacatgcc	gcagatgtcg	tagacgtaga	ggggctcctc	6660

gaggacgccg	atgtaggtgg	ggtagcagcg	ccccccgcgg	atgctggcgc	gcacgtagtc	6720
gtacagctcg	tgcgagggcg	cgaggagccc	cgtgccgagg	ttggagcgtt	gcggcttttc	6780
ggcgcggtag	acgatctggc	ggaagatggc	gtgggagttg	gaggagatgg	tgggcctctg	6840
gaagatgttg	aagtgggcgt	ggggcaggcc	gaccgagtcc	ctgatgaagt	gggcgtagga	6900
gtcctgcagc	ttggcgacga	gctcggcggt	gacgaggacg	tccagggcgc	agtagtcgag	6960
ggtctcttgg	atgatgtcgt	acttgagctg	gcccttctgc	ttccacagct	cgcggttgag	7020
aaggaactct	tcgcggtcct	tccagtactc	ttcgaggggg	aacccgtcct	gatcggcacg	7080
gtaagagccc	accatgtaga	actggttgac	ggccttgtag	gcgcagcagc	ccttctccac	7140
ggggagggcg	taagcttgtg	cggccttgcg	cagggaggtg	tgggtgaggg	cgaaggtgtc	7200
gcgcaccatg	accttgagga	actggtgctt	gaagtcgagg	tcgtcgcagc	cgccctgctc	7260
ccagagctgg	aagtccgtgc	gcttcttgta	ggcggggttg	ggcaaagcga	aagtaacatc	7320
gttgaagagg	atcttgcccg	cgcggggcat	gaagttgcga	gtgatgcgga	aaggctgggg	7380
cacctcggcc	cggttgttga	tgacctgggc	ggcgaggacg	atctcgtcga	agccgttgat	7440
gttgtgcccg	acgatgtaga	gttccacgaa	tegegggegg	cccttaacgt	ggggcagctt	7500
cttgagctcg	tcgtaggtga	gctcggcggg	gtcgctgagc	ccgtgctgct	cgagggccca	7560
gtcggcgacg	tgggggttgg	cgctgaggaa	ggaagtccag	agatccacgg	ccagggcggt	7620
ctgcaagcgg	tcccggtact	gacggaactg	ctggcccacg	gccattttt	cgggggtgac	7680
gcagtagaag	gtgcgggggt	cgccgtgcca	gcggtcccac	ttgagctgga	gggcgaggtc	7740
gtgggcgagc	tcgacgagcg	gcgggtcccc	ggagagtttc	atgaccagca	tgaaggggac	7800
gagctgcttg	ccgaaggacc	ccatccaggt	gtaggtttcc	acatcgtagg	tgaggaagag	7860
cctttcggtg	cgaggatgcg	agccgatggg	gaagaactgg	atctcctgcc	accagttgga	7920
ggaatggctg	ttgatgtgat	ggaagtagaa	atgccgacgg	cgcgccgagc	actcgtgctt	7980
gtgtttatac	aagcgtccgc	agtgctcgca	acgctgcacg	ggatgcacgt	gctgcacgag	8040
ctgtacctgg	gttcctttga	cgaggaattt	cagtgggcag	tggagcgctg	gcggctgcat	8100
ctggtgctgt	actacgtcct	ggccatcggc	gtggccatcg	tctgcctcga	tggtggtcat	8160
gctgacgagc	ccgcgcggga	ggcaggtcca	gacttcggct	cggacgggtc	ggagagcgag	8220
gacgagggcg	cgcaggccgg	agctgtccag	ggtcctgaga	cgctgcggag	tcaggtcagt	8280
gggcagcggc	ggcgcgcggt	tgacttgcag	gagcttttcc	agggcgcgcg	ggaggtccag	8340

atggtacttg	atctccacgg	cgccgttggt	ggcgacgtcc	acggcttgca	gggtcccgtg	8400
cccctggggc	gccaccaccg	tgccccgttt	cttcttgggc	gctgcttcca	tgccggtcag	8460
aagcggcggc	gaggacgcgc	gccgggcggc	aggggcggct	cgggacccgg	aggcaggggc	8520
ggcaggggca	cgtcggcgcc	gcgcgcgggc	aggttctggt	actgcgcccg	gagaagactg	8580
gcgtgagcga	cgacgcgacg	gttgacgtcc	tggatctgac	gcctctgggt	gaaggccacg	8640
ggacccgtga	gtttgaacct	gaaagagagt	tcgacagaat	caatctcggt	atcgttgacg	8700
gcggcctgcc	gcaggatctc	ttgcacgtcg	cccgagttgt	cctggtaggc	gatctcggtc	8760
atgaactgct	cgatctcctc	ctcctgaagg	tctccgcggc	cggcgcgctc	gacggtggcc	8820
gcgaggtcgt	tggagatgcg	gcccatgagc	tgcgagaagg	cgttcatgcc	ggcctcgttc	8880
cagacgcggc	tgtagaccac	ggctccgtcg	gggtcgcgcg	cgcgcatgac	cacctgggcg	8940
aggttgagct	cgacgtggcg	cgtgaagacc	gcgtagttgc	agaggcgctg	gtagaggtag	9000
ttgagcgtgg	tggcgatgtg	ctcggtgacg	aagaagtaca	tgatccagcg	gcggagcggc	9060
atctcgctga	cgtcgcccag	ggcttccaag	cgctccatgg	cctcgtagaa	gtccacggcg	9120
aagttgaaaa	actgggagtt	gcgcgccgag	acggtcaact	cctcctccag	aagacggatg	9180
agctcagcga	tggtggcgcg	cacctcgcgc	tcgaaggccc	cggggggctc	ctcttcttcc	9240
atctcttcct	cctccactaa	catctcttct	acttcctcct	caggaggcgg	cggcggggga	9300
ggggccctgc	gtcgccggcg	gcgcacgggc	agacggtcga	tgaagcgctc	gatggtctcc	9360
ccgcgccggc	gacgcatggt	ctcggtgacg	gcgcgcccgt	cctcgcgggg	ccgcagcgtg	9420
aagacgccgc	cgcgcatctc	caggtggccg	ccgggggggt	ctccgttggg	cagggagagg	9480
gcgctgacga	tgcatcttat	caattggccc	gtagggactc	cgcgcaagga	cctgagcgtc	9540
tcgagatcca	cgggatccga	aaaccgctga	acgaaggctt	cgagccagtc	gcagtcgcaa	9600
ggtaggctga	gcccggtttc	ttgttcttcg	gggatttcgg	gaggcgggcg	ggcgatgctg	9660
ctggtgatga	agttgaagta	ggcggtcctg	agacggcgga	tggtggcgag	gagcaccagg	9720
tccttgggcc	cggcttgctg	gatgcgcaga	cggtcggcca	tgccccaggc	gtggtcctga	9780
cacctggcga	ggtccttgta	gtagtcctgc	atgagccgct	ccacgggcac	ctcctcctcg	9840
cccgcgcggc	cgtgcatgcg	cgtgagcccg	aacccgcgct	ggggctggac	gagcgccagg	9900
tcggcgacga	cgcgctcggc	gaggatggcc	tgctgtatct	gggtgagggt	ggtctggaag	9960
tcgtcgaagt	cgacgaagcg	gtggtaggct	ccggtgttga	tggtatagga	gcagttggcc	10020
atgacggacc	agttgacggt	ctggtggccg	ggtcgcacga	gctcgtggta	cttgaggcgc	10080

gagtaggcgc	gcgtgtcgaa	gatgtagtcg	ttgcaggtgc	gcacgaggta	ctggtatccg	10140
acgaggaagt	gcggcggcgg	ctggcggtag	agcggccatc	gctcggtggc	gggggcgccg	10200
ggcgcgaggt	cctcgagcat	gaggcggtgg	tagccgtaga	tgtacctgga	catccaggtg	10260
atgccggcgg	cggtggtgga	ggcgcgcggg	aactcgcgga	cgcggttcca	gatgttgcgc	10320
agcggcagga	agtagttcat	ggtggccgcg	gtctggcccg	tgaggcgcgc	gcagtcgtgg	10380
atgctctaga	catacgggca	aaaacgaaag	cggtcagcgg	ctcgactccg	tggcctggag	10440
gctaagcgaa	cgggttgggc	tgcgcgtgta	ccccggttcg	aatctcgaat	caggctggag	10500
ccgcagctaa	cgtggtactg	gcactcccgt	ctcgacccaa	gcctgctaac	gaaacctcca	10560
ggatacggag	gcgggtcgtt	ttttggcctt	ggtcgctggt	catgaaaaac	tagtaagcgc	10620
ggaaagcgac	cgcccgcgat	ggctcgctgc	cgtagtctgg	agaaagaatc	gccagggttg	10680
cgttgcggtg	tgccccggtt	cgagcctcag	cgctcggcgc	cggccggatt	ccgcggctaa	10740
cgtgggcgtg	gctgccccgt	cgtttccaag	accccttagc	cagccgactt	ctccagttac	10800
ggagcgagcc	cctcttttc	ttgtgttttt	gccagatgca	tcccgtactg	cggcagatgc	10860
gcccccaccc	tccacctcaa	ccgcccctac	cgccgcagca	gcagcaacag	ccggcgcttc	10920
tgcccccgcc	ccagcagcag	ccagccacta	ccgcggcggc	cgccgtgagc	ggagccggcg	10980
ttcagtatga	cctggccttg	gaagagggcg	aggggctggc	gcggctgggg	gcgtcgtcgc	11040
cggagcggca	cccgcgcgtg	cagatgaaaa	gggacgctcg	cgaggcctac	gtgcccaagc	11100
agaacctgtt	cagagacagg	agcggcgagg	agcccgagga	gatgcgcgcc	tcccgcttcc	11160
acgcggggcg	ggagctgcgg	cgcggcctgg	accgaaagcg	ggtgctgagg	gacgaggatt	11220
tcgaggcgga	cgagctgacg	gggatcagcc	ccgcgcgcgc	gcacgtggcc	gcggccaacc	11280
tggtcacggc	gtacgagcag	accgtgaagg	aggagagcaa	cttccaaaaa	tccttcaaca	11340
accacgtgcg	cacgctgatc	gcgcgcgagg	aggtgaccct	gggcctgatg	cacctgtggg	11400
acctgctgga	ggccatcgtg	cagaacccca	cgagcaagcc	gctgacggcg	cagctgtttc	11460
tggtggtgca	gcacagtcgg	gacaacgaga	cgttcaggga	ggcgctgctg	aatatcaccg	11520
agcccgaggg	ccgctggctc	ctggacctgg	tgaacattct	gcagagcatc	gtggtgcagg	11580
agcgcgggct	gccgctgtcc	gagaagctgg	cggctatcaa	cttctcggtg	ctgagcctgg	11640
gcaagtacta	cgctaggaag	atctacaaga	ccccgtacgt	gcccatagac	aaggaggtga	11700
agatcgacgg	gttttacatg	cgcatgaccc	tgaaagtgct	gaccctgagc	gacgatctgg	11760

gggtgtaccg	caacgacagg	atgcaccgcg	cggtgagcgc	cagccgccgg	r cgcgagctga	11820
gcgaccagga	gctgatgcac	agcctgcagc	gggccctgac	cggggccggg	accgagggg	11880
agagctactt	tgacatgggc	gcggacctgc	gctggcagcc	: cagccgccgg	gccttggaag	11940
ctgccggcgg	ttccccctac	gtggaggagg	tggacgatga	ggaggaggag	ggcgagtacc	12000
tggaagactg	atggcgcgac	cgtatttttg	ctagatgcag	caacagccac	cgcctcctga	12060
tcccgcgatg	cgggcggcgc	tgcagagcca	gccgtccggc	attaactcct	cggacgattg	12120
gacccaggcc	atgcaacgca	tcatggcgct	gacgacccgc	aatcccgaag	cctttagaca	12180
gcagcctcag	gccaaccggc	tctcggccat	cctggaggcc	gtggtgccct	cgcgctcgaa	12240
ccccacgcac	gagaaggtgc	tggccatcgt	gaacgcgctg	gtggagaaca	aggccatccg	12300
cggcgacgag	gccgggctgg	tgtacaacgc	gctgctggag	cgcgtggccc	gctacaacag	12360
caccaacgtg	cagacgaacc	tggaccgcat	ggtgaccgac	gtgcgcgagg	cggtgtcgca	12420
gcgcgagcgg	ttccaccgcg	agtcgaacct	gggctccatg	gtggcgctga	acgccttcct	12480
gagcacgcag	cccgccaacg	tgccccgggg	ccaggaggac	tacaccaact	tcatcagcgc	12540
gctgcggctg	atggtggccg	aggtgcccca	gagcgaggtg	taccagtcgg	ggccggacta	12600
cttcttccag	accagtcgcc	agggcttgca	gaccgtgaac	ctgagccagg	ctttcaagaa	12660
cttgcaggga	ctgtggggcg	tgcaggcccc	ggtcggggac	cgcgcgacgg	tgtcgagcct	12720
gctgacgccg	aactcgcgcc	tgctgctgct	gctggtggcg	cccttcacgg	acagcggcag	12780
cgtgagccgc	gactcgtacc	tgggctacct	gcttaacctg	taccgcgagg	ccatcgggca	12840
ggcgcacgtg	gacgagcaga	cctaccagga	gatcacccac	gtgagccgcg	cgctgggcca	12900
ggaggacccg	ggcaacctgg	aggccaccct	gaacttcctg	ctgaccaacc	ggtcgcagaa	12960
gatcccgccc	cagtacgcgc	tgagcaccga	ggaggagcgc	atcctgcgct	acgtgcagca	13020
gagcgtgggg	ctgttcctga	tgcaggaggg	ggccacgccc	agcgccgcgc	tcgacatgac	13080
cgcgcgcaac	atggagccca	gcatgtacgc	tcgcaaccgc	ccgttcatca	ataagctgat	13140
ggactacttg	catcgggcgg	ccgccatgaa	ctcggactac	tttaccaacg	ccatcttgaa	13200
cccgcactgg	ctcccgccgc	ccgggttcta	cacgggcgag	tacgacatgc	ccgaccccaa	13260
cgacgggttc	ctgtgggacg	acgtggacag	cagcgtgttc	tcgccgcgcc	ccgccaccac	13320
cgtgtggaag	aaagagggcg	gggaccggcg	gccgtcctcg	gcgctgtccg	gtcgcgcggg	13380
tgctgccgcg	gcggtgcctg	aggccgccag	ccccttcccg	agcctgccct	tttcgctgaa	13440
cagcgtgcgc	agcagcgagc	tgggtcggct	gacgcggccg	cgcctgctgg	gcgaggagga	13500

gtacctgaac gactccttgt tgaggcccga gcgcgagaag aacttcccca ataacgggat	13560
agagagcctg gtggacaaga tgagccgctg gaagacgtac gcgcacgagc acagggacga	13620
gccccgagct agcagcagcg caggcacccg tagacgccag cgacacgaca	13680
tctggtgtgg gacgatgagg attccgccga cgacagcagc gtgttggact tgggtgggag	13740
tggtggtggt aacccgttcg ctcacttgcg cccccgtatc gggcgcctga tgtaagaatc	13800
tgaaaaaata aaaaacggta ctcaccaagg ccatggcgac cagcgtgcgt tcttctctgt	13860
tgtttgtagt agt atg agg cgc gtg tac ccg gag ggt cct cct ccc Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro 1 5 10	13909
tcg tac gag agc gtg atg cag cag gcg gtg gcg gcg gcg atg cag ccc Ser Tyr Glu Ser Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro 15 20 25	13957
ccg ctg gag gcg cct tac gtg ccc ccg cgg tac ctg gcg cct acg gag Pro Leu Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu 30 35 40	14005
ggg cgg aac agc att cgt tac tcg gag ctg gca ccc ttg tac gat acc Gly Arg Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr 50 55 60	14053
acc cgg ttg tac ctg gtg gac aac aag tcg gcg gac atc gcc tcg ctg Thr Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu 65 70 75	14101
aac tac cag aac gac cac agc aac ttc ctg acc acc gtg gtg cag aac Asn Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn 80 85 90	14149
aac gat ttc acc ccc acg gag gcc agc acc cag acc atc aac ttt gac Asn Asp Phe Thr Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp 95 100 105	14197
gag cgc tcg cgg tgg ggc ggc cag ctg aaa acc atc atg cac acc aac Glu Arg Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn 110 115 120	14245
atg ccc aac gtg aac gag ttc atg tac agc aac aag ttc aag gcg cgg Met Pro Asn Val Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg 125 130 135 140	14293
gtg atg gtc tcg cgc aag acc ccc aat ggg gtc gcg gtg gat gag aat Val Met Val Ser Arg Lys Thr Pro Asn Gly Val Ala Val Asp Glu Asn 145 150 155	14341
tat gat ggt agt cag gac gag ctg act tac gag tgg gtg gag ttt gag Tyr Asp Gly Ser Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu 160 165 170	14389

			ggc													14437
aac Asn	gcc Ala 190	atc Ile	atc Ile	gac Asp	aac Asn	tac Tyr 195	ttg Leu	gcg Ala	gtg Val	GJA āāā	cgt Arg 200	cag Gln	aac Asn	Gly ggg	gtg Val	14485
ctg Leu 205	gag Glu	agc Ser	gac Asp	atc Ile	ggc Gly 210	gtg Val	aag Lys	ttc Phe	gac Asp	acg Thr 215	cgc Arg	aac Asn	ttc Phe	cgg Arg	ctg Leu 220	14533
ej aac	tgg Trp	gac Asp	ccc Pro	gtg Val 225	acc Thr	gag Glu	ctg Leu	gtg Val	atg Met 230	ccg Pro	ggc	gtg Val	tac Tyr	acc Thr 235	aac Asn	14581
gag Glu	gcc Ala	ttc Phe	cac His 240	ccc Pro	gac Asp	atc Ile	gtc Val	ctg Leu 245	ctg Leu	ccc Pro	Gly	tgc Cys	ggc Gly 250	gtg Val	gac Asp	14629
ttc Phe	acc Thr	gag Glu 255	agc Ser	cgc Arg	ctc Leu	agc Ser	aac Asn 260	ctg Leu	ctg Leu	ggc Gly	atc Ile	cgc Arg 265	aag Lys	cgg Arg	cag Gln	14677
ccc Pro	ttc Phe 270	cag Gln	gag Glu	ggc Gly	ttc Phe	cag Gln 275	atc Ile	ctg Leu	tac Tyr	gag Glu	gac Asp 280	ctg Leu	gag Glu	ej aaa	Gly ggc	14725
aac Asn 285	atc Ile	ccc Pro	gcg Ala	ctc Leu	ttg Leu 290	gat Asp	gtc Val	gaa Glu	gcc Ala	tat Tyr 295	gag Glu	aaa Lys	agc Ser	aag Lys	gag Glu 300	14773
			gca Ala													14821
gtg Val	cgg Arg	ggc Gly	gat Asp 320	aat Asn	ttt Phe	gct Ala	agc Ser	gcc Ala 325	gcg Ala	gca Ala	gtg Val	gcc Ala	gag Glu 330	gcg Ala	gct Ala	14869
gaa Glu	acc Thr	gaa Glu 335	agt Ser	aag Lys	ata Ile	gtc Val	atc Ile 340	cag Gln	ccg Pro	gtg Val	gag Glu	aag Lys 345	gac Asp	agc Ser	aag Lys	14917
gac Asp	agg Arg 350	agc Ser	tac Tyr	aac Asn	gtg Val	ctc Leu 355	gcg Ala	gac Asp	aag Lys	aaa Lys	aac Asn 360	acc Thr	gcc Ala	tac Tyr	cgc Arg	14965
agc Ser 365	tgg Trp	tac Tyr	ctg Leu	gcc Ala	tac Tyr 370	aac Asn	tac Tyr	ggc Gly	gac Asp	ccc Pro 375	gag Glu	aag Lys	ggc	gtg Val	cgc Arg 380	15013
tcc Ser	tgg Trp	acg Thr	ctg Leu	ctc Leu 385	acc Thr	acc Thr	tcg Ser	gac Asp	gtc Val 390	acc Thr	tgc Cys	Gly ggc	gtg Val	gag Glu 395	caa Gln	15061

gtc tac tgg tcg ctg ccc gac atg atg caa gac ccg gtc acc ttc cgc Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg 400 405 410	15109
tcc acg cgt caa gtt agc aac tac ccg gtg gtg ggc gcc gag ctc ctg Ser Thr Arg Gln Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu 415 420 425	15157
ccc gtc tac tcc aag agc ttc ttc aac gag cag gcc gtc tac tcg cag Pro Val Tyr Ser Lys Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln 430 435 440	15205
cag ctg cgc gcc ttc acc tcg ctc acg cac gtc ttc aac cgc ttc ccc Gln Leu Arg Ala Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro 445 450 450 460	15253
gag aac cag atc ctc gtc cgc ccg ccc gcg ccc acc att acc acc gtc Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val 465 470 475	15301
agt gaa aac gtt cct gct ctc aca gat cac ggg acc ctg ccg ctg cgc Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg 480 485 490	15349
age agt ate egg gga gte eag ege gtg ace gte act gae gee aga ege Ser Ser Ile Arg Gly Val Gin Arg Val Thr Val Thr Asp Ala Arg Arg 495 500 505	15397
cgc acc tgc ccc tac gtc tac aag gcc ctg ggc gta gtc gcg ccg cgc Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg 510 515 520	15445
gtc ctc tcg agc cgc acc ttc taa aaaatgtcca ttctcatctc gcccagtaat Val Leu Ser Ser Arg Thr Phe 525 530	15499
aacaccggtt ggggcctgcg cgcgcccagc aagatgtacg gaggcgctcg ccaacgctcc	15559
acgcaacacc ccgtgcgcgt gcgcgggcac ttccgcgctc cctgggggcgc cctcaagggc	15619
cgcgtgcgct cgcgcaccac cgtcgacgac gtgatcgacc aggtggtggc cgacgcgcgc	15679
aactacacgc ccgccgccgc gcccgcctcc accgtggacg ccgtcatcga cagcgtggtg	15739
geegatgege geeggtaege eegegeeaag ageeggegge ggegeatege eeggeggeae	15799
cggagcaccc ccgccatgcg cgcggcgcga gccttgctgc gcagggccag gcgcacggga	15859
cgcagggcca tgctcagggc ggccagacgc gcggcctccg gcagcagcag cgccggcagg	15919
accegeagae gegeggecae ggeggeggeg geggeeateg ceageatgte eegeeegegg	15979
cgcggcaacg tgtactgggt gcgcgacgcc gccaccggtg tgcgcgtgcc cgtgcgcacc	16039
cgcccccctc gcacttgaag atgctgactt cgcgatgttg atgtgtccca gcggcgagga	16099
ggatgtccaa gcgcaaatac aaggaagaga tgctccaggt catcgcgcct gagatctacg	16159

gccccgcggt gaaggaggaa	agaaagcccc	gcaaactgaa	gcgggtcaaa	aaggacaaaa	16219
aggaggagga agatgtggac	ggactggtgg	agtttgtgcg	cgagttcgcc	ccccggcggc	16279
gcgtgcagtg gcgcgggcgg	aaagtgaaac	cggtgctgcg	gcccggcacc	acggtggtct	16339
tcacgcccgg cgagcgttcc	ggctccgcct	ccaagcgctc	ctacgacgag	gtgtacgggg	16399
acgaggacat cctcgagcag	gcggtcgagc	gtctgggcga	gtttgcttac	ggcaagcgca	16459
gccgccccgc gcccttgaaa	gaggaggcgg	tgtccatccc	gctggaccac	ggcaacccca	16519
cgccgagcct gaagccggtg	accctgcagc	aggtgctgcc	gagcgcggcg	ccdcdccddd	16579
gcttcaagcg cgagggcggc	gaggatctgt	acccgaccat	gcagctgatg	gtgcccaagc	16639
gccagaagct ggaggacgtg	ctggagcaca	tgaaggtgga	ccccgaggtg	cagcccgagg	16699
tcaaggtgcg gcccatcaag	caggtggccc	cgggcctggg	cgtgcagacc	gtggacatca	16759
agatccccac ggagcccatg	gaaacgcaga	ccgagcccgt	gaagcccagc	accagcacca	16819
tggaggtgca gacggatccc	tggatgccgg	cgccggcttc	caccactcgc	cgaagacgca	16879
agtacggcgc ggccagcctg	ctgatgccca	actacgcgct	gcatccttcc	atcatcccca	16939
cgccgggcta ccgcggcacg	cgcttctacc	gcggctacac	cagcagccgc	cgcaagacca	16999
ccacccgccg ccgccgtcgt	cgcacccgcc	gcagcagcac	cgcgacttcc	gccgccgccc	17059
tggtgcggag agtgtaccgc	agcgggcgcg	agcctctgac	cctgccgcgc	gcgcgctacc	17119
acccgagcat cgccatttaa	ctctgccgtc	gcctcctact	tgcagatatg	gccctcacat	17179
gccgcctccg cgtccccatt	acgggctacc	gaggaagaaa	gccgcgccgt	agaaggctga	17239
cggggaacgg gctgcgtcgc	catcaccacc	ggcggcggcg	cgccatcagc	aagcggttgg	17299
ggggaggett cetgeeegeg	ctgatcccca	tcatcgccgc	ggcgatcggg	gcgatccccg	17359
gcatagcttc cgtggcggtg	caggcctctc	agcgccactg	agacacagct	tggaaaattt	17419
gtaataaaaa aatggactga	cgctcctggt	cctgtgatgt	gtgtttttag	atggaagaca	17479
tcaatttttc gtccctggca	ccgcgacacg	gcacgcggcc	gtttatgggc	acctggagcg	17539
acatcggcaa cagccaactg	aacgggggcg	ccttcaattg	gagcagtctc	tggagcgggc	17599
ttaagaattt cgggtccacg	ctcaaaacct	atggcaacaa	ggcgtggaac	agcagcacag	17659
ggcaggcgct gagggaaaag	ctgaaagagc	agaacttcca	gcagaaggtg	gtcgatggcc	17719
tggcctcggg catcaacggg	gtggtggacc	tggccaacca	ggccgtgcag	aaacagatca	17779
acageegeet ggaegeggte	ccgcccgcgg	ggtccgtgga	gatgccccag	gtggaggagg	17839

agctgcctcc cctggacaag cgcggcgaca agcgaccgcg tcccgacgcg gaggagacgc	17899
tgctgacgca cacggacgag ccgccccgt acgaggaggc ggtgaaactg ggtctgccca	17959
ccacgcggcc cgtggcgcct ctggccaccg gggtgctgaa acccagcagc agcagccagc	18019
ccgcgaccct ggacttgcct ccgcctgctt cccgcccctc cacagtggct aagcccctgc	18079
cgccggtggc cgtcgcgtcg cgcgccccc gaggccgccc ccaggcgaac tggcagagca	18139
ctctgaacag catcgtgggt ctgggagtgc agagtgtgaa gcgccgccgc tgctattaaa	18199
agacactgta gcgcttaact tgcttgtctg tgtgtatatg tatgtccgcc gaccagaagg	18259
aggaagaggc gcgtcgccga gttgcaag atg gcc acc cca tcg atg ctg ccc Met Ala Thr Pro Ser Met Leu Pro 535	18311
cag tgg gcg tac atg cac atc gcc gga cag gac gct tcg gag tac ctg Gln Trp Ala Tyr Met His Ile Ala Gly Gln Asp Ala Ser Glu Tyr Leu 540 545 550 555	18359
agt ccg ggt ctg gtg cag ttc gcc cgc gcc aca gac acc tac ttc agt Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Asp Thr Tyr Phe Ser 560 565 570	18407
ctg ggg aac aag ttt agg aac ccc acg gtg gcg ccc acg cac gat gtg Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro Thr His Asp Val 575 580 585	18455
acc acc gac cgc agc cag cgg ctg acg ctg cgc ttc gtg ccc gtg gac Thr Thr Asp Arg Ser Gln Arg Leu Thr Leu Arg Phe Val Pro Val Asp 590 595 600	18503
cgc gag gac aac acc tac tcg tac aaa gtg cgc tac acg ctg gcc gtg Arg Glu Asp Asn Thr Tyr Ser Tyr Lys Val Arg Tyr Thr Leu Ala Val 605 610 615	18551
ggc gac aac cgc gtg ctg gac atg gcc agc acc tac ttt gac atc cgc Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr Phe Asp Ile Arg 620 625 630 635	18599
ggc gtg ctg gat cgg ggg ccc agc ttc aaa ccc tac tcc ggc acc gcc Gly Val Leu Asp Arg Gly Pro Ser Phe Lys Pro Tyr Ser Gly Thr Ala 640 645 650	18647
tac aac agc ctg gct ccc aag gga gcg ccc aac act tgc cag tgg aca Tyr Asn Ser Leu Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr 655 660 665	18695
tat aaa gct ggt gat act gat aca gaa aaa acc tat aca tat gga aat Tyr Lys Ala Gly Asp Thr Asp Thr Glu Lys Thr Tyr Thr Tyr Gly Asn 670 675 680	18743
gca cct gtg caa ggc att agc att aca aag gat ggt att caa ctt gga Ala Pro Val Gln Gly Ile Ser Ile Thr Lys Asp Gly Ile Gln Leu Gly 685 690 695	18791

										gac Asp 710						18839
					-	_	_			gac Asp					_	18887
-					-			_		gac Asp						18935
_					_	_				aaa Lys	-			-	-	18983
				_						gaa Glu		_		-	_	19031
										gcc Ala 790						19079
		_						_	_	gaa Glu			_			19127
	-		_	-			-	-	_	agc Ser					_	19175
										tac Tyr						19223
				_	_				_	act Thr			_		_	19271
										gtg Val 870						19319
_				_			_		_	ctt Leu	_		_		-	19367
										gcg Ala						19415
										gtg Val						19463

	tat t Tyr (				Leu					rg T					19511
	att a Ile 1								hr T						19559
	gtt a Val A	,	Asp	_		-		ly L		-			_	a Met	19607
	atc a Ile A	Asn :		_	_		eu T						r Ála	-	19655
	Ala 1					Asp S						o Ā.		ac atc sn Ile	19703
	ctg Leu 1005					aac Asn 1010	Thr		_		atg Met 1015			_	19748
	gtg Val 1020						Asp				aac Asn 1030		elà aaa		19793
_	tgg Trp 1035	_	_	_		atg Met 1040	Āsp		_		ccc Pro 1045		aac Asn		19838
	cgc Arg 1050				_	cga Arg 1055	Туг				ctc Leu 1060		Gly Ggc		19883
	cgc Arg 1065					cac His 1070	Ile				caa Gln 1075	aag Lys	ttt Phe		19928
-	atc Ile 1080	_	_		_	ctc Leu 1085	Leu				tac Tyr 1090		tac Tyr		19973
	aac Asn 1095						Asn				cag Gln 1105				20018
	aac Asn 1110					gac Asp 1115	Gly				gcc Ala 1120	ttc Phe		_	20063
	aac Asn 1125			-			Phe		_		cac His 1135			-	20108

	acg Thr 1140	ctc Leu	gag Glu	gcc Ala	atg Met	ctg Leu 1145	cgc Arg	aac Asn	gac Asp	acc Thr	aac Asn 1150	gac Asp	cag Gln	tcc Ser	20153
	aac Asn 1155	gac Asp	tac Tyr	ctc Leu	tcg Ser	gcg Ala 1160	gcc Ala	aac Asn	atg Met	ctc Leu	tac Tyr 1165	ccc Pro	atc Ile	ccg Pro	20198
-	aac Asn 1170					ccc Pro 1175									20243
	gcc Ala 1185	ttc Phe	cgc Arg	ggc Gly	tgg Trp	tcc Ser 1190	Phe	acg Thr	cgc Arg	ctc Leu	aag Lys 1195	acc Thr	cgc Arg		20288
_	ccc Pro 1200	tcg Ser	ctc Leu	ggc Gly	tcc Ser	ggg Gly 1205	ttc Phe	gac Asp	ccc Pro	tac Tyr	ttc Phe 1210	gtc Val	tac Tyr	tcg Ser	20333
	tcc Ser 1215	atc Ile	ccc Pro	tac Tyr	ctc Leu	gac Asp 1220	ggc ggc	acc Thr	ttc Phe	tac Tyr	ctc Leu 1225	aac Asn	cac His	acc Thr	20378
	aag Lys 1230					acc Thr 1235									20423
	aac Asn 1245	gac Asp	cgc Arg	ctc Leu	ctg Leu	acg Thr 1250	ccc Pro	aac Asn	gag Glu	ttc Phe	gaa Glu 1255	atc Ile	aag Lys		20468
	gtc Val 1260	gac Asp	gga Gly	gag Glu	ej aaa	tac Tyr 1265	aac Asn	gtg Val	gcc Ala	cag Gln	tgc Cys 1270	aac Asn	atg Met	acc Thr	20513
_	gac Asp 1275					cag Gln 1280									20558
	cag Gln 1290					ccc Pro 1295								tac Tyr	20603
	ttc Phe 1305	ttc Phe	cgc Arg	aac Asn	ttc Phe	cag Gln 1310	ccc Pro	atg Met	agc Ser	cgc Arg	cag Gln 1315	gtc Val	gtg Val	gac Asp	20648
	gtc Val 1320					tac Tyr 1325		gcc Ala	gtc Val	acc Thr	ctg Leu 1330	gcc Ala	tac Tyr	cag Gln	20693
	aac Asn 1335					gtc Val 1340					ccc Pro 1345				20738

cag ggc cag ccc tac ccc gcc aac tac ccc tac ccg ctc atc ggc Gln Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu Ile Gly 1350 1355 1360	20783
aag agc gcc gcc agc gtc acc cag aaa aag ttc ctc tgc gac Lys Ser Ala Val Ala Ser Val Thr Gln Lys Lys Phe Leu Cys Asp 1365 1370 1375	20828
cgg gtc atg tgg cgc atc ccc ttc tcc agc aac ttc atg tcc atg Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met Ser Met 1380 1385 1390	20873
ggc gcg ctc acc gac ctc ggc cag aac atg ctc tac gcc aac tcc Gly Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala Asn Ser 1395 1400 1405	20918
gcc cac gcg cta gac atg aat ttc gaa gtc gac ccc atg gat gag Ala His Ala Leu Asp Met Asn Phe Glu Val Asp Pro Met Asp Glu 1410 1415 1420	20963
tcc acc ctt ctc tat gtt gtc ttc gaa gtc ttc gac gtc gtc cga Ser Thr Leu Leu Tyr Val Val Phe Glu Val Phe Asp Val Val Arg 1425 1430 1435	21008
gtg cac cag ccc cac cgc ggc gtc atc gag gcc gtc tac ctg cgc Val His Gln Pro His Arg Gly Val Ile Glu Ala Val Tyr Leu Arg 1440 1445 1450	21053
acg ccc ttc tcg gcc ggc aac gcc acc acc taa gcctcttgct Thr Pro Phe Ser Ala Gly Asn Ala Thr Thr 1455 1460	21096
tcttgcaaga tgacggcctg cgcgggctcc ggcgagcagg agctcagggc catcctccgc	21156
gacctgggct gcgggccctg cttcctgggc accttcgaca agcgcttccc gggattcatg	21216
gccccgcaca agctggcctg cgccatcgtc aacacggccg gccgcgagac cgggggcgag	21276
cactggctgg cettegeetg gaaceegege teccaeacet getacetett egaceeette	21336
gggttctcgg acgagcgcct caagcagatc taccagttcg agtacgaggg cctgctgcgt	21396
cgcagcgccc tggccaccga ggaccgctgc gtcaccctgg aaaagtccac ccagaccgtg	21456
cagggtccgc gctcggccgc ctgcgggctc ttctgctgca tgttcctgca cgccttcgtg	21516
cactggcccg accgccccat ggacaagaac cccaccatga acttgctgac gggggtgccc	21576
aacggcatgc tccagtcgcc ccaggtggaa cccaccctgc gccgcaacca ggaggcgctc	21636
taccgcttcc tcaacgccca ctccgcctac tttcgctccc accgcgcgcg catcgagaag	21696
gccaccgcct tcgaccgcat gaatcaagac atgtaatccg gtgtgtgtat gtgaatgctt	21756
tattcatcat aataaacagc acatgtttat gccaccttct ctgaggctct gactttattt	21816
agaaatcgaa ggggttctgc cggctctcgg catggcccgc gggcagggat acgttgcgga	21876

actggtactt	gggcagccac	ttgaactcgg	ggatcagcag	cttcggcacg	gggaggtcgg	21936	
ggaacgagtc	gctccacagc	ttgcgcgtga	gttgcagggc	gcccagcagg	tcgggcgcgg	21996	
agatcttgaa	atcgcagttg	ggacccgcgt	tctgcgcgcg	agagttacgg	tacacggggt	22056	
tgcagcactg	gaacaccatc	agggccgggt	gcttcacgct	cgccagcacc	gtcgcgtcgg	22116	
tgatgccctc	cacgtccaga	tcctcggcgt	tggccatccc	gaagggggtc	atcttgcagg	22176	
tctgccgccc	catgctgggc	acgcagccgg	gcttgtggtt	gcaatcgcag	tgcaggggga	22236	
tcagcatcat	ctgggcctgc	tcggagctca	tgcccgggta	catggccttc	atgaaagcct	22296	
ccagctggcg	gaaggcctgc	tgcgccttgc	cgccctcggt	gaagaagacc	ccgcaggact	22356	
tgctagagaa	ctggttggtg	gcgcagccag	cgtcgtgcac	gcagcagcgc	gcgtcgttgt	22416	
tggccagctg	caccacgctg	cgcccccagc	ggttctgggt	gatcttggcc	cggtcggggt	22476	
tctccttcag	cgcgcgctgc	ccgttctcgc	tcgccacatc	catctcgatc	gtgtgctcct	22536	
tctggatcat	cacggtcccg	tgcaggcacc	gcagcttgcc	ctcggcctcg	gtgcacccgt	22596	
gcagccacag	cgcgcagccg	gtgctctccc	agttcttgtg	ggcgatctgg	gagtgcgagt	22656	
gcacgaagcc	ctgcaggaag	cggcccatca	tcgtggtcag	ggtcttgttg	ctggtgaagg	22716	
tcagcggaat	gccgcggtgc	tcctcgttca	catacaggtg	gcagatacgg	cggtacacct	22776	
cgccctgctc	gggcatcagc	tggaaggcgg	acttcaggtc	gctctccacg	cggtaccggt	22836	
ccatcagcag	cgtcatcact	tccatgccct	tctcccaggc	cgaaacgatc	ggcaggctca	22896	
gggggttctt	caccgttgtc	atcttagtcg	ccgccgccga	agtcaggggg	tcgttctcgt	22956	
ccagggtctc	aaacactcgc	ttgccgtcct	tctcggtgat	gcgcacgggg	ggaaagctga	23016	
agcccacggc	cgccagctcc	teeteggeet	gcctttcgtc	ctcgctgtcc	tggctgatgt	23076	
cttgcaaagg	cacatgcttg	gtcttgcggg	gtttcttttt	gggcggcaga	ggcggcggcg	23136	
gagacgtgct	gggcgagcgc	gagttctcgc	tcaccacgac	tatttcttct	ccttggccgt	23196	
cgtccgagac	cacgcggcgg	taggcatgcc	tcttctgggg	cagaggcgga	ggcgacgggc	23256	
tctcgcggtt	cggcgggcgg	ctggcagagc	cccttccgcg	ttcgggggtg	cgctcctggc	23316	
ggcgctgctc	tgactgactt	cctccgcggc	cggccattgt	gttctcctag	ggagcaagca	23376	
tggagactca	gccatcgtcg	ccaacatcgc	catctgcccc	agaagaagaa	gacgagaacc	23436	
agcagcagca	gaatgaaagc	ttaaccgccc	cgccgcccag	ccccacctcc	gacgccgcag	23496	
ccccagacat	gcaagagatg	gaggaatcca	tcgagattga	cctgggctac	gtgacgcccg	23556	

cggagcacga	ggaggagctg	gcagcgcgct	tttcagcccc	ggaagagaac	caccaagagc	23616
agccagagca	ggaagcagag	agcgagcaga	accaggctgg	gctcgagcat	ggcgactacc	23676
tgagcggggc	agaggacgtg	ctcatcaagc	atctggcccg	ccaatgcatc	atcgtcaagg	23736
acgcgctgct	cgaccgcgcc	gaggtgcccc	tcagcgtggc	ggagctcagc	cgcgcctacg	23796
agcgcaacct	cttctcgccg	cgcgtgcccc	ccaagcgcca	gcccaacggc	acctgcgagc	23856
ccaacccgcg	cctcaacttc	tacccggtct	tcgcggtgcc	cgaggccctg	gccacctacc	23916
acctctttt	caagaaccaa	aggatccccg	tctcctgccg	cgccaaccgc	acccgcgccg	23976
acgccctgct	caacctgggc	cccggcgccc	gcctacctga	tatcgcctcc	ttggaagagg	24036
ttcccaagat	cttcgagggt	ctgggcagcg	acgagactcg	ggccgcgaac	gctctgcaag	24096
gaagcggaga	ggagcatgag	caccacagcg	ccctggtgga	gttggaaggc	gacaacgcgc	24156
gcctggcggt	cctcaagcgc	acggtcgagc	tgacccactt	cgcctacccg	gcgctcaacc	24216
tgccccccaa	ggtcatgagc	gccgtcatgg	accaggtgct	catcaagcgc	gcctcgcccc	24276
tctcggagga	ggagatgcag	gaccccgaga	gctcggacga	gggcaagccc	gtggtcagcg	24336
acgagcagct	ggcgcgctgg	ctgggagcga	gtagcacccc	ccagagcctg	gaagagcggc	24396
gcaagctcat	gatggccgtg	gtcctggtga	ccgtggagct	ggagtgtctg	cgccgcttct	24456
tcgccgacgc	ggagaccctg	cgcaaggtcg	aggagaacct	gcactacctc	ttcagacacg	24516
ggttcgtgcg	ccaggcctgc	aagatctcca	acgtggagct	gaccaacctg	gtctcctaca	24576
tgggcatcct	gcacgagaac	cgcctggggc	agaacgtgct	gcacaccacc	ctgcgcgggg	24636
aggcccgccg	cgactacatc	cgcgactgcg	tctacctgta	cctctgccac	acctggcaga	24696
cgggcatggg	cgtgtggcag	cagtgcctgg	aggagcagaa	cctgaaagag	ctctgcaagc	24756
tcctgcagaa	gaacctcaag	gccctgtgga	ccgggttcga	cgagcgcacc	accgccgcgg	24816
acctggccga	cctcatcttc	cccgagcgcc	tgcggctgac	gctgcgcaac	gggctgcccg	24876
actttatgag	ccaaagcatg	ttgcaaaact	ttcgctcttt	catcctcgaa	cgctccggga	24936
tcctgcccgc	cacctgctcc	gcgctgccct	cggacttcgt	gccgctgacc	ttccgcgagt	24996
gccccccgcc	gctctggagc	cactgctacc	tgctgcgcct	ggccaactac	ctggcctacc	25056
actcggacgt	gatcgaggac	gtcagcggcg	agggcctgct	cgagtgccac	tgccgctgca	25116
acctctgcac	gccgcaccgc	tccctggcct	gcaaccccca	gctgctgagc	gagacccaga	25176
tcatcggcac	cttcgagttg	caaggccccg	gcgagggcaa	ggggggtctg	aaactcaccc	25236
cggggctgtg	gacctcggcc	tacttgcgca	agttcgtgcc	cgaggactac	catcccttcg	25296

agatcaggtt	ctacgaggac	caatcccagc	cgcccaaggc	cgagctgtcg	gcctgcgtca	25356
tcacccaggg	ggccatcctg	gcccaattgc	aagccatcca	gaaatcccgc	caagaatttc	25416
tgctgaaaaa	gggccacggg	gtctacttgg	acccccagac	cggagaggag	ctcaacccca	25476
gcttccccca	ggatgccccg	aggaagcagc	aagaagctga	aagtggagct	gccgccgccg	25536
ccggaggatt	tggaggaaga	ctgggagagc	agtcaggcag	aggaggagga	gatggaagac	25596
tgggacagca	ctcaggcaga	ggaggacagc	ctgcaagaca	gtctggagga	ggaagacgag	25656
gtggaggagg	cagaggaaga	agcagccgcc	gccagaccgt	cgtcctcggc	ggaggaggag	25716
aaagcaagca	gcacggatac	catctccgct	ccgggtcggg	gtcgcggcgg	ccgggcccac	25776
agtagatggg	acgagaccgg	gcgcttcccg	aaccccacca	cccagaccgg	taagaaggag	25836
cggcagggat	acaagtcctg	gcgggggcac	aaaaacgcca	tcgtctcctg	cttgcaagcc	25896
tgcgggggca	acatctcctt	cacccggcgc	tacctgctct	tccaccgcgg	ggtgaacttc	25956
ccccgcaaca	tcttgcatta	ctaccgtcac	ctccacagcc	cctactactg	tttccaagaa	26016
gaggcagaaa	cccagcagca	gcagcagcag	cagaaaacca	gcggcagcag	ctagaaaatc	26076
cacagcggcg	gcaggtggac	tgaggatcgc	ggcgaacgag	ccggcgcaga	cccgggagct	26136
gaggaaccgg	atctttccca	ccctctatgc	catcttccag	cagagtcggg	ggcaagagca	26196
ggaactgaaa	gtcaagaacc	gttctctgcg	ctcgctcacc	cgcagttgtc	tgtatcacaa	26256
gagcgaagac	caacttcagc	gcactctcga	ggacgccgag	gctctcttca	acaagtactg	26316
cgcgctcact	cttaaagagt	agcccgcgcc	cgcccacaca	cggaaaaagg	cgggaattac	26376
gtcaccacct	gcgcccttcg	cccgaccatc	atcatgagca	aagagattcc	cacgccttac	26436
atgtggagct	accagececa	gatgggcctg	geegeeggeg	ccgcccagga	ctactccacc	26496
cgcatgaact	ggctcagtgc	cgggcccgcg	atgatctcac	gggtgaatga	catccgcgcc	26556
caccgaaacc	agatactcct	agaacagtca	gcgatcaccg	ccacgccccg	ccatcacctt	26616
aatccgcgta	attggcccgc	cgccctggtg	taccaggaaa	ttccccagcc	cacgaccgta	26676
ctacttccgc	gagacgccca	ggccgaagtc	cagctgacta	actcaggtgt	ccagctggcc	26736
ggcggcgccg	ccctgtgtcg	tcaccgcccc	gctcagggta	taaagcggct	ggtgatccga	26796
ggcagaggca	cacagctcaa	cgacgaggtg	gtgagctctt	cgctgggtct	gcgacctgac	26856
ggagtcttcc	aactcgccgg	atcggggaga	tcttccttca	cgcctcgtca	ggccgtcctg	26916
actttggaga	gttcgtcctc	gcagccccgc	tcgggtggca	tcggcactct	ccagttcgtg	26976

gaggagttca	ctccctcggt	ctacttcaac	cccttctccg	gctcccccgg	ccactacccg	27036
gacgagttca	tcccgaactt	cgacgccatc	agcgagtcgg	tggacggcta	cgattgaatg	27096
tcccatggtg	gcgcggctga	cctagctcgg	cttcgacacc	tggaccactg	ccgccgcttc	27156
cgctgcttcg	ctcgggatct	cgccgagttt	gcctactttg	agctgcccga	ggagcaccct	27216
cagggcccgg	cccacggagt	gcggatcgtc	gtcgaagggg	gtctcgactc	ccacctgctt	27276
cggatcttca	gccagcgtcc	gatcctggcc	gagcgcgagc	aaggacagac	ccttctgacc	27336
ctgtactgca	tctgcaacca	ccccggcctg	catgaaagtc	tttgttgtct	gctgtgtact	27396
gagtataata	aaagctgaga	tcagcgacta	ctccggactt	ccgtgtgttc	ctgctatcaa	27456
ccagtccctg	ttcttcaccg	ggaacgagac	cgagctccag	ctccagtgta	agccccacaa	27516
gaagtacctc	acctggctgt	tccagggctc	tccgatcgcc	gttgtcaacc	actgcgacaa	27576
cgacggagtc	ctgctgagcg	gccctgccaa	ccttactttt	tccacccgca	gaagcaagct	27636
ccagctcttc	caacccttcc	tccccgggac	ctatcagtgc	gtctcgggac	cctgccatca	27696
caccttccac	ctgatcccga	ataccacagc	gtcgctcccc	gctactaaca	accaaactac	27756
ccaccaacgc	caccgtcgcg	acctttcctc	tgggtctaat	accactaccg	gaggtgagct	27816
ccgaggtcga	ccaacctctg	ggatttacta	cggcccctgg	gaggtggtag	ggttaatagc	27876
gctaggccta	gttgcgggtg	ggcttttggc	tctctgctac	ctatacctcc	cttgctgttc	27936
gtacttagtg	gtgctgtgtt	gctggtttaa	gaaatgggga	agatcaccct	agtgagctgc	27996
ggtgtgctgg	tggcggtggt	gctttcgatt	gtgggactgg	geggegegge	tgtagtgaag	28056
gagaaggccg	atccctgctt	gcatttcaat	cccgacaaat	gccagctgag	ttttcagccc	28116
gatggcaatc	ggtgcgcggt	gctgatcaag	tgcggatggg	aatgcgagaa	cgtgagaatc	28176
gagtacaata	acaagactcg	gaacaatact	ctcgcgtccg	tgtggcagcc	cggggacccc	28236
gagtggtaca	ccgtctctgt	ccccggtgct	gacggctccc	cgcgcaccgt	gaataatact	28296
ttcatttttg	cgcacatgtg	cgacacggtc	atgtggatga	gcaagcagta	cgatatgtgg	28356
cccccacga	aggagaacat	cgtggtcttc	tccatcgctt	acagcgtgtg	cacggcgcta	28416
atcaccgcta	tcgtgtgcct	gagcattcac	atgctcatcg	ctattcgccc	cagaaataat	28476
gccgaaaaag	aaaaacagcc	ataacacgtt	ttttcacaca	cctttttcag	accatggcct	28536
ctgttaaatt	tttgctttta	tttgccagtc	tcattgccgt	cattcatgga	atgagtaatg	28596
agaaaattac	tatttacact	ggcactaatc	acacattgaa	aggtccagaa	aaagccacag	28656
aagtttcatg	gtattgttat	tttaatgaat	cagatgtatc	tactgaactc	tgtggaaaca	28716

ataacaaaaa	aaatgagagc	attactctca	tcaagtttca	atgtggatct	gacttaaccc	28776
taattaacat	cactagagac	tatgtaggta	tgtattatgg	aactacagca	ggcatttcgg	28836
acatggaatt	ttatcaagtt	tctgtgtctg	aacccaccac	gcctagaatg	accacaacca	28896
caaaaactac	acctgttacc	actatacagc	tcactaccaa	tggctttctt	gccatgcttc	28956
aagtggctga	aaatagcacc	agcattcaac	ccaccccacc	cagtgaggaa	attcccagat	29016
ccatgattgg	cattattgtt	gctgtagtgg	tgtgcatgtt	gatcatcgcc	ttgtgcatgg	29076
tgtactatgc	cttctgctac	agaaagcaca	gactgaacga	caagctggaa	cacttactaa	29136
gtgttgaatt	ttaattttt	agaaccatga	agatcctagg	ccttttagtt	ttttctatca	29196
ttacctctgc	tctatgcaat	tctgacaatg	aggacgttac	tgtcgttgtc	ggatcaaatt	29256
atacactaaa	aggtccagca	aaaggtatgc	tttcgtggta	ttgttggttc	ggaactgacg	29316
agcaacagac	agaactttgc	aatgctcaaa	aaggcaaaac	ctcaaattct	aaaatctcta	29376
attatcaatg	caatggcact	gacttagtat	tgctcaatgt	cacgaaagca	tatgctggca	29436
gttacacctg	ccctggagat	gatgccgaca	atatgatttt	ttacaaagtg	gaagtggttg	29496
atcccactac	tccaccgccc	accaccacaa	ctactcatac	cacacacaca	gaacaaacac	29556
cagaggcagc	agaagcagag	ttggccttcc	aggttcacgg	agattccttt	gctgtcaata	29616
cccctacacc	cgatcagcgg	tgtccggggc	tgctcgtcag	cggcattgtc	ggtgtgcttt	29676
cgggattagc	agtcataatc	atctgcatgt	tcatttttgc	ttgctgctat	agaaggcttt	29736
accgacaaaa	atcagaccca	ctgctgaacc	tctatgttta	attttttcca	gagccatgaa	29796
ggcagttagc	gctctagttt	tttgttcttt	gattggcatt	gtttttagtg	ctgggttttt	29856
gaaaaatctt	accatttatg	aaggtgagaa	tgccactcta	gtgggcatca	gtggtcaaaa	29916
tgtcagctgg	ctaaaatacc	atctagatgg	gtggaaagac	atttgcgatt	ggaatgtcac	29976
tgtgtataca	tgtaatggag	ttaacctcac	cattactaat	gccacccaag	atcagaatgg	30036
taggtttaag	ggccagagtt	tcactagaaa	taatgggtat	gaatcccata	acatgtttat	30096
ctatgacgtc	actgtcatca	gaaatgagac	tgccaccacc	acacagatgc	ccactacaca	30156
cagttctacc	actactacca	tgcaaaccac	acagacaacc	actacatcaa	ctcagcatat	30216
gaccaccact	acagcagcaa	agccaagtag	tgcagcgcct	cagccccagg	ctttggcttt	30276
gaaagctgca	caacctagta	caactactag	gaccaatgag	cagactactg	aatttttgtc	30336
cactgtcgag	agccacacca	cagctacctc	cagtgccttc	tctagcaccg	ccaatctctc	30396

ctcgctttcc	tctacaccaa	tcagtcccgc	tactactccc	accccagctc	ttctccccac	30456
tcccctgaag	caaactgagg	acagcggcat	gcaatggcag	atcaccctgc	tcattgtgat	30516
cgggttggtc	atcctggccg	tgttgctcta	ctacatcttc	tgccgccgca	ttcccaacgc	30576
gcaccgcaaa	ccggcctaca	agcccatcgt	tatcgggcag	ccggagccgc	ttcaggtgga	30636
agggggtcta	aggaatcttc	tcttctcttt	tacagtatgg	tgattgaact	atgattccta	30696
gacaattctt	gatcactatt	cttatctgcc	tcctccaagt	ctgtgccacc	ctcgctctgg	30756
tggccaacgc	cagtccagac	tgtattgggc	ccttcgcctc	ctacgtgctc	tttgccttca	30816
tcacctgcat	ctgctgctgt	agcatagtct	gcctgcttat	caccttcttc	cagttcattg	30876
actggatctt	tgtgcgcatc	gcctacctgc	gccaccaccc	ccagtaccgc	gaccagcgag	30936
tggcgcggct	gctcaggctc	ctctgataag	catgcgggct	ctgctacttc	tcgcgcttct	30996
gctgttagtg	ctccccgcc	ccgtcgaccc	ccggtccccc	actcagtccc	ccgaagaggt	31056
ccgcaaatgc	aaattccaag	aaccctggaa	attcctcaaa	tgctaccgcc	aaaaatcaga	31116
catgcttccc	agctggatca	tgatcattgg	gatcgtgaac	attctggcct	gcaccctcat	31176
ctcctttgtg	atttacccct	gctttgactt	tggttggaac	tcgccagagg	cgctctatct	31236
cccgcctgaa	cctgacacac	caccacagca	acctcaggca	cacgcactac	caccaccaca	31296
gcctaggcca	caatacatgc	ccatattaga	ctatgaggcc	gagccacagc	gacccatgct	31356
ccccgctatt	agttacttca	atctaaccgg	cggagatgac	tgacccactg	gccaacaaca	31416
acgtcaacga	ccttctcctg	gacatggacg	gccgcgcctc	ggagcagcga	ctcgcccaac	31476
ttcgcattcg	ccagcagcag	gagagagccg	t.caaggagct	gcaggacggc	atagccatcc	31536
accagtgcaa	gaaaggcatc	ttctgcctgg	tgaaacaggc	caagatctcc	tacgaggtca	31596
ccccgaccga	ccatcgcctc	tcctacgagc	tcctgcagca	gcgccagaag	ttcacctgcc	31656
tggtcggagt	caaccccatc	gtcatcaccc	agcagtcggg	cgataccaag	gggtgcatcc	31716
actgctcctg	cgactcccc	gactgcgtcc	acactctgat	caagaccctc	tgcggcctcc	31776
gcgacctcct	ccccatgaac	taatcacccc	cttatccagt	gaaataaata	tcatattgat	31836
gatgatttaa	ataaaaaata	atcatttgat	ttgaaataaa	gatacaatca	tattgatgat	31896
ttgagtttta	aaaaataaag	aatcacttac	ttgaaatctg	ataccaggtc	tctgtccatg	31956
ttttctgcca	acaccacctc	actcccctct	tcccagctct	ggtactgcag	accccggcgg	32016
gctgcaaact	tcctccacac	gctgaagggg	atgtcaaatt	cctcctgtcc	ctcaatcttc	32076

attt	tatc	tt c	tatc	_	_	r L	_	 _	g V		-	at gac sp Asp	32126
ttc Phe 1475	Asp				ccc Pro 1480	Tyr						gtg Val	32171
ccc Pro 1490	Phe				ccc Pro 1495	Phe							32216
aag Lys 1505	Pro				ctg Leu 1510								32261
acc Thr 1520	Lys				atc Ile 1525					Gly			32306
ctc Leu 1535	_		_		aaa Lys 1540			_	_			-	32351
gcc Ala 1550	Āla				ttt Phe 1555					ctt Leu		-	32396
gat Asp 1565					acc Thr 1570								32441
tct Ser 1580					ata Ile 1585								32486
gct Ala 1595					tca Ser 1600								32531
					gcc Ala 1615								32576
aat Asn 1625					cta Leu 1630								32621
agt Ser 1640					aac Asn 1645				act Thr	-			32666
tca Ser 1655					gaa Glu 1660								32711

aga Arg 1670	Phe				ggc Gly 1675	Ile				att Ile 1680					32756
gaa Glu 1685	Phe				agt Ser 1690	Thr				gtc Val 1695				tac Tyr	32801
cca Pro 1700	Ile		_		ttg Leu 1705	Gly				acc Thr 1710		gac Asp	_		32846
ggc Gly 1715					tgg Trp 1720	Asn									32891
tgg Trp 1730	Thr	aca Thr	gcc Ala	gac Asp	ccc Pro 1735	Ser				aaa Lys 1740				gaa Glu	32936
aaa Lys 1745					aca Thr 1750					aag Lys 1755					32981
att Ile 1760	ctg Leu	ggt Gly	act Thr	gtg Val	act Thr 1765	gta Val	ttg Leu	gca Ala	gtg Val	aat Asn 1770	aat Asn	gga Gly	-		33026
aac Asn 1775					aca Thr 1780					ctc Leu 1785					33071
ttt Phe 1790					gtt Val 1795					tcc Ser 1800		tta Leu	-		33116
gaa Glu 1805					aga Arg 1810					aca Thr 1815		gct Ala	-		33161
tat Tyr 1820	act Thr	aat Asn	gct Ala	ata Ile	ggt Gly 1825	ttt Phe	atg Met	cct Pro	aac Asn	ata Ile 1830	aag Lys	gcc Ala	tat Tyr	cct Pro	33206
aaa Lys 1835					gct Ala 1840					att Ile 1845					33251
tat Tyr 1850	ctc Leu	aat Asn	GJÀ āāā	gat Asp	gag Glu 1855	gcc Ala	aaa Lys	cca Pro	ctg Leu	atg Met 1860	ctg Leu	att Ile	att Ile	act Thr	33296
ttt Phe 1865	aat Asn	gaa Glu	act Thr	gag Glu	gat Asp 1870	gca Ala	act Thr	tgc Cys	acc Thr	tac Tyr 1875	agt Ser	atc Ile	act Thr	ttt Phe	33341

caa tgg aaa tgg gat agt act aag tac aca ggt gaa aca ctt gct Gln Trp Lys Trp Asp Ser Thr Lys Tyr Thr Gly Glu Thr Leu Ala 1880 1885 1890	33386
acc agc tcc ttc acc ttc tcc tac atc gcc caa gaa tga acactgtatc Thr Ser Ser Phe Thr Phe Ser Tyr Ile Ala Gln Glu 1895 1900 1905	33435
ccaccctgca tgccaaccct tcccacccca ctctgtctat ggaaaaaact ctgaagcaca	33495
aaataaaata aagttcaagt gttttattga ttcaacagtt ttacaggatt cgagcagtta	33555
tttttcctcc accctcccag gacatggaat acaccaccct ctccccccgc acagccttga	33615
acatctgaat gccattggtg atggacatgc ttttggtctc cacgttccac acagtttcag	33675
agcgagccag tctcgggtcg gtcagggaga tgaaaccctc cgggcactcc cgcatctgca	33735
cctcacaget caacagetga ggattgteet eggtggtegg gatcaeggtt atetggaaga	33795
agcagaagag cggcggtggg aatcatagtc cgcgaacggg atcggccggt ggtgtcgcat	33855
caggeceege ageagteget geegeegeeg eteegteaag etgetgetea gggggteegg	33915
gtccagggac tccctcagca tgatgcccac ggccctcagc atcagtcgtc tggtgcggcg	33975
ggcgcagcag cgcatgcgga tctcgctcag gtcgctgcag tacgtgcaac acaggaccac	34035
caggttgttc aacagtccat agttcaacac gctccagccg aaactcatcg cgggaaggat	34095
gctacccacg tggccgtcgt accagatect caggtaaate aagtggcget cectecagaa	34155
cacgctgccc acgtacatga tctccttggg catgtggcgg ttcaccacct cccggtacca	34215
catcaccctc tggttgaaca tgcagccccg gatgatcctg cggaaccaca gggccagcac	34275
cgccccgccc gccatgcagc gaagagaccc cgggtcccgg caatggcaat ggaggaccca	34335
ccgctcgtac ccgtggatca tctgggagct gaacaagtct atgttggcac agcacaggca	34395
tatgctcatg catctcttca gcactgtgag gtoch	34455
cacqqqaac tottqcaqqa caqqqaaqqa qqqaqaa	34515
tacattgtgc atggacaggg tatcggaatg agggarga	34575
agegegggte teggtetest cacagegtes tangerers	34635
ggacgcggct gatcgtgttc gggacggtgt gatgatagatagatagatagatagatagatagat	34695
acttgctgta gcagaacctg gtccgggggg taga	34755
gcttggaacg ctcggtgttg assttgtsss seemed by	34815
ctagggcctc aggartgatg aagatgggat gatagat	34875
ccgtggaatg ggccagaccc agccagatga torotthin in	34935
- J - J - J - J - J - J - J - J - J - J	77900

gggagggaag aacaggaaga accatgatta acttttaatc caaacggtct cggagcactt caaaatgaag gtcgcggaga tggcacctct cgcccccgct gtgttggtgg aaaataacag	34995 35055 35115
CCaggicaaa ggtgatacgg ttgtggagat gttacaacat gattaca	35115
ccaggtcaaa ggtgatacgg ttctcgagat gttccacggt ggcttccagc aaagcctcca	
cgcgcacatc cagaaacaag acaatagcga aagcgggagg gttctctaat tcctcaatca	35175
tcatgttaca ctcctgcacc atccccagat aattttcatt tttccagcct tgaatgattc	35235
gaactagttc ctgaggtaaa tccaagccag ccatgataaa gagctcgcgc agagcgccct	35295
ccaccggcat tettaagcae acceteataa ttecaagata ttetgeteet ggtteacetg	35355
cagcagattg acaagcggaa tatcaaaatc tctgccgcga tccctaagct cctccctcag	35415
caataactgt aagtactctt tcatatcctc tccgaaattt ttagccatag gaccaccagg	35475
aataagatta gggcaagcca cagtacagat aaaccgaagt cctccccagt gagcattgcc	35535
aaatgcaaga ctgctataag catgctggct agacccggtg atatcttcca gataactgga	35595
cagaaaatca cccaggcaat ttttaagaaa atcaacaaaa gaaaaatcct ccaggtgcac	35655
gtttagagcc tcgggaacaa cgatgaagta aatgcaagcg gtgcgttcca gcatggttag	35715
ttagctgatc tgtaaaaaac aaaaaataaa acattaaacc atgctagcct ggcgaacagg	35775
tgggtaaatc gttctctcca gcaccaggca ggccacgggg tctccggcgc gaccctcgta	35835
aaaattgtcg ctatgattga aaaccatcac agagagacgt tcccggtggc cggcgtgaat	35895
gattcgacaa gatgaataca cccccggaac attggcgtcc gcgagtgaaa aaaagcgccc	35955
gaggaagcaa taaggcacta caatgctcag tctcaagtcc agcaaagcga tgccatgcgg	36015
atgaagcaca aaatcctcag gtgcgtacaa aatgtaatta ctcccctcct gcacaggcag	36075
cgaagccccc gatccctcca gatacacata caaagcctca gcgtccatag cttaccgagc	36135
agcagcacac aacaggegea agagteagag aaaggetgag etetaacetg tecaceeget	36195
ctctgctcaa tatatagccc agatctacac tgacgtaaag gccaaagtct aaaaataccc	36255
gccaaataat cacacacgcc cagcacacgc ccagaaaccg gtgacacact caaaaaaata	36315
cgcgcacttc ctcaaacgcc caaactgccg tcatttccgg gttcccacgc tacgtcatcg	36375
gaattcgact ttcaaattcc gtcgaccgtt aaaaacgtca cccgccccgc	36435
cgcccgtctc tcggccaatc accttcctcc ctccccaaat tcaaacagct catttgcata	36495
ttaacgcgca ccaaaagttt gaggtatatt attgatgatg	36535

- <210> 10
- <211> 531
- <212> PRT
- <213> chimpanzee adenovirus serotype Pan7

<400> 10

- Met Met Arg Arg Val Tyr Pro Glu Gly Pro Pro Pro Ser Tyr Glu Ser
- Val Met Gln Gln Ala Val Ala Ala Ala Met Gln Pro Pro Leu Glu Ala
- Pro Tyr Val Pro Pro Arg Tyr Leu Ala Pro Thr Glu Gly Arg Asn Ser
- Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Arg Leu Tyr
- Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn
- Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr
- Pro Thr Glu Ala Ser Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg 105
- Trp Gly Gly Gln Leu Lys Thr Ile Met His Thr Asn Met Pro Asn Val
- Asn Glu Phe Met Tyr Ser Asn Lys Phe Lys Ala Arg Val Met Val Ser
- Arg Lys Thr Pro Asn Gly Val Ala Val Asp Glu Asn Tyr Asp Gly Ser
- Gln Asp Glu Leu Thr Tyr Glu Trp Val Glu Phe Glu Leu Pro Glu Gly 170
- Asn Phe Ser Val Thr Met Thr Ile Asp Leu Met Asn Asn Ala Ile Ile 180
- Asp Asn Tyr Leu Ala Val Gly Arg Gln Asn Gly Val Leu Glu Ser Asp
- Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg Leu Gly Trp Asp Pro
- Val Thr Glu Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His 230
- Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val Asp Phe Thr Glu Ser
- Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg Gln Pro Phe Gln Glu 265

Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu Gly Gly Asn Ile Pro Ala 280 Leu Leu Asp Val Glu Ala Tyr Glu Lys Ser Lys Glu Glu Ala Ala Ala 290 Ala Ala Thr Ala Ala Val Ala Thr Ala Ser Thr Glu Val Arg Gly Asp Asn Phe Ala Ser Ala Ala Ala Val Ala Glu Ala Ala Glu Thr Glu Ser 325 330 Lys Ile Val Ile Gln Pro Val Glu Lys Asp Ser Lys Asp Arg Ser Tyr Asn Val Leu Ala Asp Lys Lys Asn Thr Ala Tyr Arg Ser Trp Tyr Leu 360 Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Leu Leu Thr Thr Ser Asp Val Thr Cys Gly Val Glu Gln Val Tyr Trp Ser 390 Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Ser Thr Arg Gln 405 Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Leu Pro Val Tyr Ser 420 Lys Ser Phe Phe Asn Glu Gln Ala Val Tyr Ser Gln Gln Leu Arg Ala 440 Phe Thr Ser Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile 455 Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val 470

Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Arg
485 490 495

Gly Val Gln Arg Val Thr Val Thr Asp Ala Arg Arg Arg Thr Cys Pro
500 505 510

Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Arg Val Leu Ser Ser 515 520 525

Arg Thr Phe 530

<210> 11

<211> 932

<212> PRT

<213> chimpanzee adenovirus serotype Pan7

## <400> 11

Met Ala Thr Pro Ser Met Leu Pro Gln Trp Ala Tyr Met His Ile Ala Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu Thr Leu Arg Phe Val Pro Val Asp Arg Glu Asp Asn Thr Tyr Ser Tyr Lys Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro Ser Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly 120 Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Gly Asp Thr Asp Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val Gln Gly Ile Ser Ile Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Ser Asp Gly Gln Ala Ile 170 Tyr Ala Asp Glu Thr Tyr Gln Pro Glu Pro Gln Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys Thr Glu Thr Gly Gly Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe Asp Asn Arg Ser Ala Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu Tyr Thr Glu Asn Val 265

Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr Lys Ala Gly Thr Asp 275 280 285

Asp Ser Ser Ser Ile Asn Leu Gly Gln Gln Ser Met Pro Asn Arg 290 Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr 310 Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp 355 360 Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp Ala 390 395 Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys Ala Asn Gly Asp Asn 405 410 Gln Thr Trp Thr Lys Asp Asp Thr Val Asn Asp Ala Asn Glu Leu 420 Gly Lys Gly Asn Pro Phe Ala Met Glu Ile Asn Ile Gln Ala Asn Leu 440 Trp Arg Asn Phe Leu Tyr Ala Asn Val Ala Leu Tyr Leu Pro Asp Ser 455 460 Tyr Lys Tyr Thr Pro Ala Asn Ile Thr Leu Pro Thr Asn Thr Asn Thr 470 Tyr Asp Tyr Met Asn Gly Arg Val Val Ala Pro Ser Leu Val Asp Ala 485 490 Tyr Ile Asn Ile Gly Ala Arg Trp Ser Leu Asp Pro Met Asp Asn Val 505 Asn Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met 515 Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln 535 Lys Phe Phe Ala Ile Lys Ser Leu Leu Leu Pro Gly Ser Tyr Thr 545 550 Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Thr Asp Gly Ala Ser Ile Ala Phe Thr Ser 585

Ile Asn Leu Tyr Ala Thr Phe Phe Pro Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr Pro Ile Pro Ala Asn Ala Thr Asn Val Pro Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala Phe Arg Gly Trp Ser Phe Thr Arg Leu Lys Thr Arg Glu Thr Pro Ser Leu Gly Ser Gly Phe Asp Pro Tyr Phe Val Tyr Ser Gly Ser Ile Pro Tyr Leu Asp Gly Thr Phe Tyr Leu Asn His Thr Phe Lys Lys Val Ser Ile Thr Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu Thr Pro Asn Glu Phe Glu Ile Lys Arg Thr Val Asp Gly Gly Gly Tyr Asn Val Ala Gln Cys Asn Met Thr Lys Asp Trp Phe Leu Val Gln Met Leu Ala His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Gly Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met Ser Arg Gln Val Val Asp Glu Val Asn Tyr Lys Asp Tyr Gln Ala Val Thr Leu Ala Tyr Gln His Asn Asn Ser Gly Phe Val Gly Tyr Leu Ala Pro Thr Met Arg Gln Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu Ile Gly Lys Ser Ala Val Ala Ser Val Thr Gln Lys Lys Phe Leu Cys Asp Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met Ser Met Gly Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met Asn Phe Glu Val Asp Pro Met Asp Glu Ser Thr Leu Leu 890

Tyr Val Val Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro His

Arg Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly 920

Asn Ala Thr Thr 930

<210> 12 <211> 443 <212> PRT

<213> chimpanzee adenovirus serotype Pan7

<400> 12

Met Ser Lys Lys Arg Val Arg Val Asp Asp Phe Asp Pro Val Tyr

Pro Tyr Asp Ala Asp Asn Ala Pro Thr Val Pro Phe Ile Asn Pro Pro

Phe Val Ser Ser Asp Gly Phe Gln Glu Lys Pro Leu Gly Val Leu Ser

Leu Arg Leu Ala Asp Pro Val Thr Thr Lys Asn Gly Glu Ile Thr Leu

Lys Leu Gly Glu Gly Val Asp Leu Asp Ser Ser Gly Lys Leu Ile Ser

Asn Thr Ala Thr Lys Ala Ala Ala Pro Leu Ser Phe Ser Asn Asn Thr

Ile Ser Leu Asn Met Asp Thr Pro Leu Tyr Thr Lys Asp Gly Lys Leu 100 105 110

Ser Leu Gln Val Ser Pro Pro Leu Asn Ile Leu Lys Ser Thr Ile Leu

Asn Thr Leu Ala Val Ala Tyr Gly Ser Gly Leu Gly Leu Ser Gly Gly

Thr Ala Leu Ala Val Gln Leu Ala Ser Pro Leu Thr Phe Asp Glu Lys

Gly Asn Ile Lys Ile Asn Leu Ala Ser Gly Pro Leu Thr Val Asp Ala

Ser Arg Leu Ser Ile Asn Cys Lys Arg Gly Val Thr Val Thr Thr Ser

Gly Asp Ala Ile Glu Ser Asn Ile Ser Trp Pro Lys Gly Ile Arg Phe 200

Glu Gly Asn Gly Ile Ala Ala Asn Ile Gly Arg Gly Leu Glu Phe Gly Thr Thr Ser Thr Glu Thr Asp Val Thr Asp Ala Tyr Pro Ile Gln Val Lys Leu Gly Thr Gly Leu Thr Phe Asp Ser Thr Gly Ala Ile Val Ala Trp Asn Lys Glu Asp Asp Lys Leu Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Lys Ile Tyr Ser Glu Lys Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln Ile Leu Gly Thr Val Thr Val Leu 290 Ala Val Asn Asn Gly Ser Leu Asn Pro Ile Thr Asn Thr Val Ser Thr 310 Ala Leu Val Ser Leu Lys Phe Asp Ala Ser Gly Val Leu Leu Ser Ser Ser Thr Leu Asp Lys Glu Tyr Trp Asn Phe Arg Lys Gly Asp Val Thr Pro Ala Glu Pro Tyr Thr Asn Ala Ile Gly Phe Met Pro Asn Ile Lys Ala Tyr Pro Lys Asn Thr Ser Ala Ala Ser Lys Ser His Ile Val Ser 375 Gln Val Tyr Leu Asn Gly Asp Glu Ala Lys Pro Leu Met Leu Ile Ile 385 Thr Phe Asn Glu Thr Glu Asp Ala Thr Cys Thr Tyr Ser Ile Thr Phe Gln Trp Lys Trp Asp Ser Thr Lys Tyr Thr Gly Glu Thr Leu Ala Thr Ser Ser Phe Thr Phe Ser Tyr Ile Ala Gln Glu 435 <210> 13

<211> 338 <212> PRT

<213> simian serotype C1

<400> 13

Ala Pro Lys Gly Ala Pro Asn Thr Ser Gln Trp Leu Asp Lys Gly Val 5

Thr Thr Thr Asp Asn Asn Thr Glu Asn Gly Asp Glu Glu Asp Glu Val Ala Glu Glu Glu Glu Glu Lys Gln Ala Thr Tyr Thr Phe Gly Asn **4** O Ala Pro Val Lys Ala Glu Ala Glu Ile Thr Lys Glu Gly Leu Pro Ile Gly Leu Glu Val Pro Ser Glu Gly Asp Pro Lys Pro Ile Tyr Ala Asp Lys Leu Tyr Gln Pro Glu Pro Gln Val Gly Glu Glu Ser Trp Thr Asp Thr Asp Gly Thr Asp Glu Lys Tyr Gly Gly Arg Ala Leu Lys Pro Glu Thr Lys Met Lys Pro Cys Tyr Gly Ser Phe Ala Lys Pro Thr Asn Val 120 Lys Gly Gly Gln Ala Lys Val Lys Lys Val Glu Glu Gly Lys Val Glu 135 Tyr Asp Ile Asp Met Asn Phe Phe Asp Leu Arg Ser Gln Lys Thr Gly 150 Leu Lys Pro Lys Ile Val Met Tyr Ala Glu Asn Val Asp Leu Glu Thr 165 170 Pro Asp Thr His Val Val Tyr Lys Pro Gly Ala Ser Asp Ala Ser Ser 185 His Ala Asn Leu Gly Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr Ile 195 200 Gly Phe Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser Thr Gly 215 Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val Val 235 Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Leu Asp 250 Ser Leu Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln Ala Val 265 Asp Ser Tyr Asp Pro Asp Val Arg Val Ile Glu Asn His Gly Val Glu 280 Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Asp Gly Val Gly Pro Arg 295 300 Thr Asp Ser Tyr Lys Gly Ile Glu Thr Asn Gly Asp Glu Asn Thr Thr 310 315

Trp Lys Asp Leu Asp Pro Asn Gly Ile Ser Glu Leu Ala Lys Gly Asn 325 330 335

Pro Phe

<210> 14

<211> 315

<212> PRT

<213> chimpanzee adenovirus Pan-9

<400> 14

Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Asp

1 10 15

Gly Glu Thr Ala Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val 20 25 30

Gln Gly Ile Asn Ile Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Thr 35 40 45

Asp Asp Gln Pro Ile Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln 50 55 60

Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr 65 70 75 80

Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly 85 90 95

Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys
100 105 110

Thr Gly Thr Gly Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe 115 120 125

Asp Asn Arg Ser Ala Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu 130 135 140

Tyr Thr Glu Asn Val Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr 145 150 155 160

Lys Ala Gly Thr Asp Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln 165 170 175

Ala Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile 180 185 190

Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly 195 200 205

Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr 210 215 220

Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg
225 230 235 240

Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val 245 250 255

Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys 260 265 270

Phe Pro Leu Asp Ala Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys 275 280 285

Ala Asn Gly Thr Asp Gln Thr Thr Trp Thr Lys Asp Asp Ser Val Asn 290 295 300

Asp Ala Asn Glu Ile Gly Lys Gly Asn Pro Phe 305 310 315

<210> 15

<211> 315

<212> PRT

<213> chimpanzee adenovirus Pan-5

<400> 15

Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Asp 1 5 10 15

Gly Asp Thr Gly Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val 20 25 30

Gln Gly Ile Ser Ile Thr Lys Asp Gly Ile Gln Leu Gly Thr Asp Thr 35 40 45

Asp Asp Gln Pro Ile Tyr Ala Asp Lys Thr Tyr Gln Pro Glu Pro Gln 50 55 60

Val Gly Asp Ala Glu Trp His Asp Ile Thr Gly Thr Asp Glu Lys Tyr 65 70 75 80

Gly Gly Arg Ala Leu Lys Pro Asp Thr Lys Met Lys Pro Cys Tyr Gly
85 90 95

Ser Phe Ala Lys Pro Thr Asn Lys Glu Gly Gly Gln Ala Asn Val Lys 100 105 110

Thr Glu Thr Gly Gly Thr Lys Glu Tyr Asp Ile Asp Met Ala Phe Phe 115 120 125

Asp Asn Arg Ser Ala Ala Ala Ala Gly Leu Ala Pro Glu Ile Val Leu 130 135 140

Tyr Thr Glu Asn Val Asp Leu Glu Thr Pro Asp Thr His Ile Val Tyr 145 150 155 160

Lys Ala Gly Thr Asp Asp Ser Ser Ser Ser Ile Asn Leu Gly Gln Gln 165 170 175

Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile 180 185 190

Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met Gly Val Leu Ala Gly 195 200 205

Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu Gln Asp Arg Asn Thr 210 215 220

Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu Gly Asp Arg Thr Arg 225 230 235 240

Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser Tyr Asp Pro Asp Val 245 250 255

Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys 260 265 270

Phe Pro Leu Asp Ala Val Gly Arg Thr Asp Thr Tyr Gln Gly Ile Lys 275 280 285

Ala Asn Gly Ala Asp Gln Thr Thr Trp Thr Lys Asp Asp Thr Val Asn 290 295 300

Asp Ala Asn Glu Leu Gly Lys Gly Asn Pro Phe 305 310 315

<210> 16

<211> 324

<212> PRT

<213> chimpanzee adenovirus Pan-6

<400> 16

Gly Asn Gly Gly Thr Met Glu Thr His Thr Tyr Gly Val Ala Pro Met  $20 \hspace{1cm} 25 \hspace{1cm} 30$ 

Gly Gly Glu Asn Ile Thr Lys Asp Gly Leu Gln Ile Gly Thr Asp Val 35 40 45

Thr Ala Asn Gln Asn Lys Pro Ile Tyr Ala Asp Lys Thr Phe Gln Pro 50 55 60

Glu Pro Gln Val Gly Glu Glu Asn Trp Gln Glu Thr Glu Asn Phe Tyr 65 70 75 80

Gly Gly Arg Ala Leu Lys Lys Asp Thr Lys Met Lys Pro Cys Tyr Gly 85 90 95

Ser Tyr Ala Arg Pro Thr Asn Glu Lys Gly Gly Gln Ala Lys Leu Lys 100 105 Val Gly Asp Asp Gly Val Pro Thr Lys Glu Phe Asp Ile Asp Leu Ala 120 Phe Phe Asp Thr Pro Gly Gly Thr Val Asn Gly Gln Asp Glu Tyr Lys 135 Ala Asp Ile Val Met Tyr Thr Glu Asn Thr Tyr Leu Glu Thr Pro Asp Thr His Val Val Tyr Lys Pro Gly Lys Asp Asp Ala Ser Ser Glu Ile 165 170 Asn Leu Val Gln Gln Ser Met Pro Asn Arg Pro Asn Tyr Ile Gly Phe 185 Arg Asp Asn Phe Ile Gly Leu Met Tyr Tyr Asn Ser Thr Gly Asn Met 195 200 Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala Val Val Asp Leu 215 Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Leu Leu Asp Ser Leu 230 235 Gly Asp Arg Thr Arg Tyr Phe Ser Met Trp Asn Gln Ala Val Asp Ser 245 250 Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu 260 265 Leu Pro Asn Tyr Cys Phe Pro Leu Asp Gly Ser Gly Thr Asn Ala Ala 280 Tyr Gln Gly Val Lys Val Lys Asp Gly Gln Asp Gly Asp Val Glu Ser 300 Glu Trp Glu Asn Asp Asp Thr Val Ala Ala Arg Asn Gln Leu Cys Lys 310 315 Gly Asn Ile Phe <210> 17 <211> 314 <212> PRT <213> chimpanzee adenovirus Pan-7 <400> 17 Ala Pro Lys Gly Ala Pro Asn Thr Cys Gln Trp Thr Tyr Lys Ala Gly

Asp Thr Asp Thr Glu Lys Thr Tyr Thr Tyr Gly Asn Ala Pro Val Gln

25

20

108

Gly	Ile	Ser 35	Ile	Thr	Lys	Asp	Gly 40	Ile	Gln	Leu	Gly	Thr 45	Asp	Ser	Asp
Gly	Gln 50	Ala	Ile	Tyr	Ala	Asp 55	Glu	Thr	Tyr	Gln	Pro 60	Glu	Pro	Gln	Val
Gly 65	Asp	Ala	Glu	Trp	His 70	Asp	Ile	Thr	Gly	Thr 75	Asp	Glu	Lys	Tyr	Gly 80
Gly	Arg	Ala	Leu	Lys 85	Pro	Asp	Thr	Lys	Met 90	Lys	Pro	Cys	Tyr	Gly 95	Ser
Phe	Ala	Lys	Pro 100	Thr	Asn	Lys	Glu	Gly 105	Gly	Gln	Ala	Asn	Val 110	Lys	Thr
Glu	Thr	Gly 115	Gly	Thr	Lys	Glu	Tyr 120	Asp	Ile	Asp	Met	Ala 125	Phe	Phe	Asp
Asn	Arg 130	Ser	Ala	Ala	Ala	Ala 135	Gly	Leu	Ala	Pro	Glu 140	Ile	Val	Leu	Tyr
Thr 145	Glu	Asn	Val	Asp	Leu 150	Glu	Thr	Pro	Asp	Thr 155	His	Ile	Val	Tyr	Lys 160
Ala	Gly	Thr	Asp	Asp 165	Ser	Ser	Ser	Ser	Ile 170	Asn	Leu	Gly	Gln	Gln 175	Ser
Met	Pro	Asn	Arg 180	Pro	Asn	Tyr	Ile	Gly 185	Phe	Arg	Asp	Asn	Phe 190	Ile	Gly
Leu	Met	Tyr 195	Tyr	Asn	Ser	Thr	Gly 200	Asn	Met	Gly	Val	<b>Leu</b> 205	Ala	Gly	Gln
Ala	Ser 210	Gln	Leu	Asn	Ala	Val 215	Val	Asp	Leu	Gln	Asp 220	Arg	Asn	Thr	Glu
Leu 225	Ser	Tyr	Gln	Leu	Leu 230	Leu	Asp	Ser	Leu	Gly 235	Asp	Arg	Thr	Arg	Tyr 240
Phe	Ser	Met	Trp	Asn 245	Gln	Ala	Val	Asp	Ser 250	Tyr	Asp	Pro	Asp	Val 255	Arg
Ile	Ile	Glu	Asn 260	His	Gly	Val	Glu	Asp 265	Glu	Leu	Pro	Asn	Tyr 270	Cys	Phe
Pro	Leu	Asp 275	Ala	Val	Gly	Arg	Thr 280	Asp	Thr	Tyr	Gln	Gly 285	Ile	Lys	Ala
Asn	Gly 290	Asp	Asn	Gln	Thr	Thr 295	Trp	Thr	Lys	Asp	Asp 300	Thr	Val	Asn	Asp
Ala 305	Asn	Glu	Leu	Gly	Lys 310	Gly	Asn	Pro	Phe						

- <210> 18
- <211> 179
- <212> PRT
- <213> chimpanzee adenovirus Pan9
- <400> 18
- Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Gln Ile Leu Ala 1 5 10 15
- Glu Asn Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln 20 25 30
- Ile Leu Ala Thr Val Ser Val Leu Val Val Gly Ser Gly Asn Leu Asn 35 40 45
- Pro Ile Thr Gly Thr Val Ser Ser Ala Gln Val Phe Leu Arg Phe Asp 50 55 60
- Ala Asn Gly Val Leu Leu Thr Glu His Ser Thr Leu Lys Lys Tyr Trp 65 70 75 80
- Gly Tyr Arg Gln Gly Asp Ser Ile Asp Gly Thr Pro Tyr Thr Asn Ala 85 90 95
- Val Gly Phe Met Pro Asn Leu Lys Ala Tyr Pro Lys Ser Gln Ser Ser 100 105 110
- Thr Thr Lys Asn Asn Ile Val Gly Gln Val Tyr Met Asn Gly Asp Val 115 120 125
- Ser Lys Pro Met Leu Leu Thr Ile Thr Leu Asn Gly Thr Asp Asp Ser 130 140
- Asn Ser Thr Tyr Ser Met Ser Phe Ser Tyr Thr Trp Thr Asn Gly Ser 145 150 155 160
- Tyr Val Gly Ala Thr Phe Gly Ala Asn Ser Tyr Thr Phe Ser Tyr Ile 165 170 175
- Ala Gln Glu
- <210> 19
- <211> 185
- <212> PRT
- <213> chimpanzee adenovirus Pan6
- <400> 19
- Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Gln Leu Leu Ser 1 5 10 15
- Asp Arg Asp Ala Lys Phe Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln 20 25 30

Ile Leu Gly Thr Val Ala Val Ala Ala Val Thr Val Gly Ser Ala Leu 35 40 45

Asn Pro Ile Asn Asp Thr Val Lys Ser Ala Ile Val Phe Leu Arg Phe 50 55 60

Asp Ser Asp Gly Val Leu Met Ser Asn Ser Ser Met Val Gly Asp Tyr 65 70 75 80

Trp Asn Phe Arg Glu Gly Gln Thr Thr Gln Ser Val Ala Tyr Thr Asn 85 90 95

Ala Val Gly Phe Met Pro Asn Ile Gly Ala Tyr Pro Lys Thr Gln Ser 100 105 110

Lys Thr Pro Lys Asn Ser Ile Val Ser Gln Val Tyr Leu Thr Gly Glu 115 120 125

Thr Thr Met Pro Met Thr Leu Thr Ile Thr Phe Asn Gly Thr Asp Glu
130 135 140

Lys Asp Thr Thr Pro Val Ser Thr Tyr Ser Met Thr Phe Thr Trp Gln 145 150 155 160

Trp Thr Gly Asp Tyr Lys Asp Lys Asn Ile Thr Phe Ala Thr Asn Ser 165 170 175

Phe Ser Phe Ser Tyr Ile Ala Gln Glu 180 185

<210> 20

<211> 179

<212> PRT

<213> chimpanzee adenovirus Pan7

<400> 20

Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Lys Ile Tyr Ser 1 5 10 15

Glu Lys Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln
20 25 30

Ile Leu Gly Thr Val Thr Val Leu Ala Val Asn Asn Gly Ser Leu Asn 35 40 45

Pro Ile Thr Asn Thr Val Ser Thr Ala Leu Val Ser Leu Lys Phe Asp 50 55 60

Ala Ser Gly Val Leu Leu Ser Ser Ser Thr Leu Asp Lys Glu Tyr Trp 65 70 75 80

Asn Phe Arg Lys Gly Asp Val Thr Pro Ala Glu Pro Tyr Thr Asn Ala 85 90 95

Ile Gly Phe Met Pro Asn Ile Lys Ala Tyr Pro Lys Asn Thr Ser Ala 100 105 110

Ala Ser Lys Ser His Ile Val Ser Gln Val Tyr Leu Asn Gly Asp Glu 115 120 125

Ala Lys Pro Leu Met Leu Ile Ile Thr Phe Asn Glu Thr Glu Asp Ala 130 135 140

Thr Cys Thr Tyr Ser Ile Thr Phe Gln Trp Lys Trp Asp Ser Thr Lys 145 150 155 160

Tyr Thr Gly Glu Thr Leu Ala Thr Ser Ser Phe Thr Phe Ser Tyr Ile 165 170 175

Ala Gln Glu

<210> 21

<211> 179

<212> PRT

<213> chimpanzee adenovirus Pan5

<400> 21

Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys His Ile Tyr Ser 1 10 15

Glu Lys Asp Ala Lys Leu Thr Leu Cys Leu Thr Lys Cys Gly Ser Gln 20 25 30

Ile Leu Gly Thr Val Ser Leu Ile Ala Val Asp Thr Gly Ser Leu Asn 35 40 45

Pro Ile Thr Gly Thr Val Thr Thr Ala Leu Val Ser Leu Lys Phe Asp 50 55 60

Ala Asn Gly Val Leu Gln Ser Ser Ser Thr Leu Asp Ser Asp Tyr Trp 65 70 75 80

Asn Phe Arg Gln Gly Asp Val Thr Pro Ala Glu Ala Tyr Thr Asn Ala 85 90 95

Ile Gly Phe Met Pro Asn Leu Lys Ala Tyr Pro Lys Asn Thr Ser Gly 100 105 110

Ala Ala Lys Ser His Ile Val Gly Lys Val Tyr Leu His Gly Asp Thr 115 120 125

Gly Lys Pro Leu Asp Leu Ile Ile Thr Phe Asn Glu Thr Ser Asp Glu 130 135 140

Ser Cys Thr Tyr Cys Ile Asn Phe Gln Trp Gln Trp Gly Ala Asp Gln 145 150 155 160

Tyr Lys Asn Glu Thr Leu Ala Val Ser Ser Phe Thr Phe Ser Tyr Ile 165 170 175

Ala Lys Glu

<210> 22

<211> 183

<212> PRT

<213> human adenovirus Ad 2

<400> 22

Thr Leu Trp Thr Thr Pro Asp Pro Ser Pro Asn Cys Arg Ile His Ser
1 10 15

Asp Asn Asp Cys Lys Phe Thr Leu Val Leu Thr Lys Cys Gly Ser Gln 20 25 30

Val Leu Ala Thr Val Ala Ala Leu Ala Val Ser Gly Asp Leu Ser Ser 35 40 45

Met Thr Gly Thr Val Ala Ser Val Ser Ile Phe Leu Arg Phe Asp Gln 50 55 60

Asn Gly Val Leu Met Glu Asn Ser Ser Leu Lys Lys His Tyr Trp Asn 65 70 75 80

Phe Arg Asn Gly Asn Ser Thr Asn Ala Asn Pro Tyr Thr Asn Ala Val 85 90 95

Gly Phe Met Pro Asn Leu Leu Ala Tyr Pro Lys Thr Gln Ser Gln Thr 100 105 110

Ala Lys Asn Asn Ile Val Ser Gln Val Tyr Leu His Gly Asp Lys Thr 115 120 125

Lys Pro Met Ile Leu Thr Ile Thr Leu Asn Gly Thr Ser Glu Ser Thr 130 135 140

Glu Thr Ser Glu Val Ser Thr Tyr Ser Met Ser Phe Thr Trp Ser Trp 145 150 155 160

Glu Ser Gly Lys Tyr Thr Thr Glu Thr Phe Ala Thr Asn Ser Tyr Thr 165 170 175

Phe Ser Tyr Ile Ala Gln Glu
180

<210> 23

<211> 182

<212> PRT

<213> human adenovirus Ad 5

<400> 23

Thr Leu Trp Thr Thr Pro Ala Pro Ser Pro Asn Cys Arg Leu Asn Ala
1 10 15

Glu Lys Asp Ala Lys Leu Thr Leu Val Leu Thr Lys Cys Gly Ser Gln Ile Leu Ala Thr Val Ser Val Leu Ala Val Lys Gly Ser Leu Ala Pro Ile Ser Gly Thr Val Gln Ser Ala His Leu Ile Ile Arg Phe Asp Glu Asn Gly Val Leu Ile Asn Asn Ser Phe Leu Asp Pro Glu Tyr Trp Asn Phe Arg Asn Gly Asp Leu Thr Glu Gly Thr Ala Tyr Thr Asn Ala Val Gly Phe Met Pro Asn Leu Ser Ala Tyr Pro Lys Ser His Gly Lys Thr Ala Lys Ser Asn Ile Val Ser Gln Val Tyr Leu Asn Gly Asp Lys Thr Lys Pro Val Thr Leu Thr Ile Thr Leu Asn Gly Thr Gln Glu Thr Gly 135 Asp Thr Thr Pro Ser Ala Tyr Ser Met Ser Phe Ser Trp Asp Trp Ser Gly His Asn Tyr Ile Asn Glu Ile Phe Ala Thr Ser Ser Tyr Thr Glu 170 Ser Tyr Ile Ala Gln Glu 180 <210> 24 <211> 34264 <212> DNA <213> simian adenovirus SV-1 <220> <221> CDS <222> (12454)..(13965) <223> L2 Penton <220> <221> CDS <222> (16841)..(19636) <223> L3 Hexon

<220> <221> CDS

<222> (28059)..(29150) <223> L5 Fiber #2

<220>
<221> CDS
<222> (29183)..(30865)
<223> L5 Fiber #1
<400> 24

tccttattct ggaaacgtgc caatatgata atgagcgggg aggagcgagg cggggccggg 60 120 gcgcttagtt tttacgtatg cggaaggagg ttttataccg gaagttgggt aatttgggcg 180 tatacttgta agttttgtgt aatttggcgc gaaaaccggg taatgaggaa gttgaggtta 240 atatgtactt tttatgactg ggcggaattt ctgctgatca gcagtgaact ttgggcgctg 300 acggggaggt ttcgctacgt ggcagtacca cgagaaggct caaaggtccc atttattgta 360 ctcctcagcg ttttcgctgg gtatttaaac gctgtcagat catcaagagg ccactcttga 420 gtgccggcga gtagagtttt ctcctccgcg ctgccgcgat gaggctggtt cccgagatgt 480 acggtgtttt ctgcagcgag acggcccgga actcagatga gctgcttaat acagatctgc 540 tggatgttcc caactcgcct gtggcttcgc ctccgtcgct tcatgatctt ttcgatgtgg 600 aagtggatcc accgcaagat cccaacgagg acgcggtaaa cagtatgttc cctgaatgtc 660 tgtttgaggc ggctgaggag ggttctcaca gcagtgaaga gagcagacgg ggagaggaac 720 tggacttgaa atgctacgag gaatgtctgc cttctagcga ttctgaaacg gaacagacag 780 ggggagacgg ctgtgagtcg gcaatgaaaa atgaacttgt attagactgt ccagaacatc 840 ctggtcatgg ctgccgtgcc tgtgcttttc atagaaatgc cagcggaaat cctgagactc 900 tatgtgctct gtgttatctg cgccttacca gcgattttgt atacagtaag taaagtgttt 960 tcattggcgt acggtagggg attcgttgaa gtgctttgtg acttattatg tgtcattatt 1020 tctaggtgac gtgtccgacg tggaagggga aggagataga tcaggggctg ctaattctcc 1080 ttgcactttg ggggctgtgg ttccagttgg catttttaaa ccgagtggtg gaggagaacg 1140 agccggagga gaccgagaat ctgagagccg gcctggaccc tccagtggaa gactaggtgc 1200 tgaggatgat cctgaagagg ggactagtgg gggtgctagg aaaaagcaaa aaactgagcc 1260 tgaacctaga aactttttga atgagttgac tgtaagccta atgaatcggc agcgtcctga 1320 gacggtgttt tggactgagt tggaggatga gttcaagaag ggggaattaa acctcttgta 1380 caagtatggg tttgagcagt tgaaaactca ctggttggag ccgtgggagg atatggaaat 1440 ggctctagac acctttgcta aagtggctct gcggccggat aaagtttaca ctattcgccg 1500

cactgttaat	ataaaaaaga	gtgtttatgt	tatcggccat	ggagctctgg	tgcaggtgca	1560
gaccccagac	cgggtggctt	tcaattgcgg	catgcagagt	ttgggccccg	gggtgatagg	1620
tttgaatgga	gttacatttc	aaaatgtcag	gtttactggt	gatgatttta	atggctctgt	1680
gtttgtgact	agcacccagc	taaccctcca	cggtgtttac	ttttttaact	ttaacaatac	1740
atgtgtggag	tcatggggta	gggtgtctct	gaggggctgc	agttttcatg	gttgctggaa	1800
ggcggtggtg	ggaagaatta	aaagtgtcat	gtctgtgaag	aaatgcatat	ttgaacgctg	1860
tgtgatagct	ctagcagtag	aggggtacgg	acggatcagg	aataacgccg	catctgagaa	1920
tggatgtttt	cttttgctga	aaggtacggc	cagcgttaag	cataatatga	tttgcggcag	1980
cggcctgtgc	ccctcgcagc	tcttaacttg	cgcagatgga	aactgtcaca	ccttgcgcac	2040
cgtgcacata	gtgtcccact	cgcgccgcac	ctggccaaca	tttgagcaca	atatgctcat	2100
gcgttgcgcc	gttcacctag	gtgctagacg	cggcgtgttt	atgccttatc	aatgtaactt	2160
tagtcatact	aagattttgc	tggaaactga	ttccttccct	cgagtatgtt	tcaatggggt	2220
gtttgacatg	tcaatggaac	tttttaaagt	gataagatat	gatgaaacca	agtctcgttg	2280
tcgctcatgt	gaatgcggag	ctaatcattt	gaggttgtat	cctgtaaccc	tgaacgttac	2340
cgaggagctg	aggacggacc	accacatgct	gtcttgcctg	cgtaccgact	atgaatccag	2400
cgatgaggag	tgaggtgagg	ggcggagcca	caaagggtat	aaaggggcat	gaggggtggg	2460
cgcggtgttt	caaaatgagc	gggacgacgg	acggcaatgc	gtttgagggg	ggagtgttca	2520
gcccatatct	gacatctcgt	cttccttcct	gggcaggagt	tcgtcagaat	gtagtgggct	2580
ccaccgtgga	cggacggccg	gtcgcccctg	caaattccgc	caccctcacc	tatgccaccg	2640
tgggatcatc	gttggacact	gccgcggcag	ctgccgcttc	tgctgccgct	tctactgctc	2700
gcggcatggc	ggctgatttt	ggactatata	accaactggc	cactgcagct	gtggcgtctc	2760
ggtctctggt	tcaagaagat	gccctgaatg	tgatcttgac	tcgcctggag	atcatgtcac	2820
gtcgcctgga	cgaactggct	gcgcagatat	cccaagctaa	ccccgatacc	gcttcagaat	2880
cttaaaataa	agacaaacaa	atttgttgaa	aagtaaaatg	gctttatttg	tttttttgg	2940
ctcggtaggc	tcgggtccac	ctgtctcggt	cgttaaggac	tttgtgtatg	ttttccaaaa	3000
cacggtacag	atgggcttgg	atgttcaagt	acatgggcat	gaggccatct	ttggggtgga	3060
gataggacca	ctgaagagcg	tcatgttccg	gggtggtatt	gtaaatcacc	cagtcgtagc	3120
agggtttttg	agcgtggaac	tggaatatgt	ccttcaggag	caggctaatg	gccaagggta	3180
gacccttagt	gtaggtgttt	acaaagcggt	tgagctggga	gggatgcatg	cggggggaga	3240

tgatatgcat	cttggcttgg	attttgaggt	tagctatgtt	accacccagg	tctctgcggg	3300
ggttcatgtt	atgaaggacc	accagcacgg	tatagccagt	gcatttgggg	aacttgtcat	3360
gcagtttgga	ggggaaggcg	tggaagaatt	tagatacccc	cttgtgcccc	cctaggtttt	3420
ccatgcactc	atccataata	atggcaatgg	gacccctggc	ggccgcttta	gcaaacacgt	3480
tttgggggtt	ggaaacatca	tagttttgct	ctagagtgag	ctcatcatag	gccatcttta	3540
caaagcgggg	taggagggtg	cccgactggg	ggatgatagt	tccatctggg	cctggagcgt	3600
agttgccctc	acagatctgc	atctcccagg	ccttaatttc	cgaggggggg	atcatgtcca	3660
cctggggggc	gataaaaaac	acggtttctg	gcggggggtt	aatgagctgg	gtggaaagca	3720
agttacgcaa	cagctgggat	ttgccgcaac	cggtgggacc	gtagatgacc	ccgatgacgg	3780
gttgcagctg	gtagttcaga	gaggaacagc	tgccgtcggg	gcgcaggagg	ggagctacct	3840
cattcatcat	gcttctgaca	tgtttatttt	cactcactaa	gttttgcaag	agcctctccc	3900
cacccaggga	taagagttct	tccaggctgt	tgaagtgttt	cagcggtttc	aggccgtcgg	3960
ccatgggcat	cttttcaagc	gactgacgaa	gcaagtacag	tcggtcccag	agctcggtga	4020
cgtgctctat	ggaatctcga	tccagcagac	ttcttggttt	cgggggttgg	gccgactttc	4080
gctgtagggc	accagccggt	gggcgtccag	ggccgcgagg	gttctgtcct	tccagggtct	4140
cagcgttcgg	gtgagggtgg	tctcggtgac	ggtgaaggga	tgagccccgg	gctgggcgct	4200
tgcgagggtg	cgcttcaggc	tcatcctgct	ggtgctgaag	cgggcgtcgt	ctccctgtga	4260
gtcggccaga	tagcaacgaa	gcatgaggtc	gtagctgagg	gactcggccg	cgtgtccctt	4320
ggcgcgcagc	tttcccttgg	aaacgtgctg	acatttggtg	cagtgcagac	acttgagggc	4380
gtagagtttt	ggggccagga	agaccgactc	gggcgagtag	gcgtcggctc	cgcactgagc	4440
gcagacggtc	tcgcactcca	ccagccacgt	gagctcgggt	ttagcgggat	caaaaaccaa	4500
gttgcctcca	tttttttga	tgcgtttctt	accttgcgtc	tccatgagtc	tgtgtcccgc	4560
ttccgtgaca	aaaaggctgt	cggtatcccc	gtagaccgac	ttgagggggc	gatcttccaa	4620
aggtgttccg	aggtcttccg	cgtacaggaa	ctgggaccac	tccgagacaa	aggctcgggt	4680
ccaggctaac	acgaaggagg	cgatctgcga	ggggtatctg	tcgttttcaa	tgagggggtc	4740
caccttttcc	agggtgtgca	gacacaggtc	gtcctcctcc	gcgtccacga	aggtgattgg	4800
cttgtaagtg	taggtcacgt	gacccgcacc	cccccaaggg	gtataaaagg	gggcgtgccc	4860
actctccccg	tcactttctt	ccgcatcgct	gtggaccaga	gccagctgtt	cgggtgagta	4920

ggccctctca	aaagccggca	tgatttcggc	gctcaagttg	tcagtttcta	caaacgaggt	4980
ggatttgata	ttcacgtgcc	ccgcggcgat	gcttttgatg	gtggaggggt	ccatctgatc	5040
agaaaacacg	atctttttat	tgtcaagttt	ggtggcgaaa	gacccgtaga	gggcgttgga	5100
aagcaacttg	gcgatggagc	gcagggtctg	atttttctcc	cgatcggccc	tctccttggc	5160
ggcgatgttg	agttgcacgt	actcgcgggc	cacgcaccgc	cactcgggga	acacggcggt	5220
gcgctcgtcg	ggcaggatgc	gcacgcgcca	gccgcggttg	tgcagggtga	tgaggtccac	5280
gctggtggcc	acctccccgc	ggaggggctc	gttggtccaa	cacaatcgcc	ccccttttct	5340
ggagcagaac	ggaggcaggg	gatctagcaa	gttggcgggc	ggggggtcgg	cgtcgatggt	5400
aaatatgccg	ggtagcagaa	ttttattaaa	ataatcgatt	tcggtgtccg	tgtcttgcaa	5460
cgcgtcttcc	cacttcttca	ccgccagggc	cctttcgtag	ggattcaggg	gcggtcccca	5520
gggcatgggg	tgggtcaggg	ccgaggcgta	catgccgcag	atgtcgtaca	cgtacagggg	5580
ctccctcaac	accccgatgt	aagtggggta	acagcgcccc	ccgcggatgc	tggctcgcac	5640
gtagtcgtac	atctcgtgag	agggagccat	gagcccgtct	cccaagtggg	tcttgtgggg	5700
tttttcggcc	cggtagagga	tctgcctgaa	gatggcgtgg	gagttggaag	agatagtggg	5760
gcgttggaag	acgttaaagt	tggctccggg	cagtcccacg	gagtcttgga	tgaactgggc	5820
gtaggattcc	cggagcttgt	ccaccagggc	tgcggttacc	agcacgtcga	gagcgcagta	5880
gtccaacgtc	tcgcggacca	ggttgtaggc	cgtctcttgt	tttttctccc	acagttcgcg	5940
attgaggagg	tattcctcgc	ggtctttcca	gtactcttcg	gcgggaaatc	ctttttcgtc	6000
cgctcggtaa	gaacctaaca	tgtaaaattc	gttcacggct	ttgtatggac	aacagccttt	6060
ttctaccggc	agggcgtacg	cttgagcggc	ctttctgaga	gaggtgtggg	tgagggcgaa	6120
ggtgtcccgc	accatcactt	tcaggtactg	atgtttgaag	tccgtgtcgt	cgcaggcgcc	6180
ctgttcccac	agcgtgaagt	cggtgcgctt	tttctgcctg	ggattgggga	gggcgaatgt	6240
gacgtcgtta	aagaggattt	teceggegeg	gggcatgaag	ttgcgagaga	tcctgaaggg	6300
tccgggcacg	tccgagcggt	tgttgatgac	ttgcgccgcc	aggacgatct	cgtcgaagcc	6360
gttgatgttg	tggcccacga	tgtaaagttc	gataaagcgc	ggctgtccct	tgagggccgg	6420
cgctttttc	aactcctcgt	aggtgagaca	gtccggcgag	gagagaccca	gctccgcccg	6480
ggcccagtcg	gagagctgag	ggttagccgc	gaggaaagag	ctccacaggt	caagggctag	6540
cagagtttgc	aagcggtcgc	ggaactcgcg	aaactttttc	cccacggcca	ttttctccgg	6600
cgtcaccacg	tagaaagtgc	aggggcggtc	gttccagacg	teccategga	gctctagggc	6660
	ggatttgata agaaaacacg aagcaacttg ggcgatgttg gcgctcgtcg gctggtggcc ggagcagaac aaatatgccg cgcgtcttcc gggcatgggg ctccctcaac gtagtcgtac gtagtcgtac gtaggagg ctctaccgc gctcggtaa ttctaccggc attgaggagg cgctcggtaa ttctaccggc ggtgtcccgc ggtgtcccgc ggtgtcccgc ctgttccac gacgtcgtta tccgggcacg gttgatgtg cgctttttc	ggatttgata         ttcacgtgcc           agaaaacacg         atcttttat           aagcaacttg         gcgatggagc           ggcgatgttg         agttgcacgt           gccgctcgtcg         ggcaggatgc           gcaggagaac         ggaggcaggg           aaatatgccg         ggtagcagaa           cgcgtcttcc         cacttctca           gggcatggg         tgggtcaggg           ctccctcaac         accccgatgt           gtagtcgtac         accccgatgt           gtagtcgtac         acgtaggg           ttttcggcc         cggtagagga           gcgttggaag         acgttaaagt           gtaggattcc         cggagcttgt           gttccaacgtc         tcgcggacca           attgaggagg         tattcctcgc           ggtgtcccgc         accatcact           ctgttcccgc         accatcact           ctgttcccgc         accatcact           tccgggcacgt         tccgagcggt           gacgtcgtta         aagaggattt           tccgggcacg         tccgagcggt           gttgatgtt         tggcccacga           gcgtttttt         aactcctcgt           ggcccagtcg         gagagctgag           cagagtttg         aagcggtcgag	ggatttgata         ttcacgtgcc         ccgcggcgat           agaaaacacg         atcttttat         tgtcaagtt           aagcaacttg         gcgatggagc         gcagggtctg           ggcgatgttg         agttgcacgt         actcgcggg           gcgctcgtcg         ggcaggatgc         gcacgggcca           gcaggagaac         ggaggcaggg         gatttaacaa           aaatatgccg         ggaggcaggg         ccgccagggc           gggcatgggg         tgggtcaggg         ccgcaggcgta           gggcatgggg         tgggtcaggg         ccgaggcgta           gtagtcggg         tgggtagggg         ccgaggggg           ggggttggaag         tgggtagggg         ccgaggggg           gtaggttggaag         tggttgaggg         ccaccagggg           gtaggattgagg         tggttgagaca         ggttttcag           gttgaggagg         tattcctcgg         ggttttcca           ggtgggaggg         tcagggaggg         cttgaaaatt<	ggatttgata         ttcacgtgcc         ccgcggcgat         gcttttgatg           agaaaacacg         atcttttat         tgtcaagtt         ggtggcgaaa           aagcaacttg         gcgatggagc         gcagggtctg         attttcccc           ggcgatgttg         agttgcacgt         actcgcgggc         cacgcaccgc           gcgctcgtcg         ggcaggatgc         gcacgcgcca         gccgcggttg           gctggtggcc         acctccccgc         ggagggggctc         gttggtccaa           ggagcagaac         ggatgcagag         gatctagcaa         ttttattaa         ataatcgatt           cggctcttcc         cacttcttca         ccgccagggc         cctttcgtag           gggcatgggg         tgggtcaggg         cctttcgtag         gagcccgcc           gggcatgggg         tgggtcaggg         ccgttgggg         catgccgcag           ctccctcaac         accccgatgt         aagtggggta         acagcgcccc           gtagtcgtaa         acctcaggga         tcgcctgaa         gatgccgtgg           gcgttggaag         acgttagagga         tctgcctgag         cagtcccag           gcgttggaag         cggttggagga         cggttgggg         cagtccaggg           gcgttggaag         tcgcctggg         cggttgggg         cggtttttt           ctcacacggc         tctgggtcagg	ggatttgata         ttcacgtgcc         ccgcggcgat         gtttgatg         gtggaggggt           agaaaacacg         atcttttat         tgtcaagtt         ggtggcgaaa         gacccgtaga           aagcaacttg         gcgatggacg         gcaggtctg         atttttccc         cgatcggcc           gcgatgttg         agttgcacgt         actcgcggcc         cacgcgctg         cactcagggg           gcgctcgtcg         gcaggatgc         gcagggggcc         gttggtcca         cacaatcgcc           ggagcagaac         ggaggaggg         gattggcaga         tttattaaa         ataatcgat         tcgggtccg           aaatatgcg         ggtagcagaa         ttttattaaa         ataacggccc         cgggggtcgg         ggaggggccg         ggaggggccg         ggaggggccg         ggaggggccg         ggaggggccg         ggaggggccgg         ggaggggccc         ggaggggccc         ggaggggccc         ggaggggccc         ggaggggccg         gggggggccg         ggaggggccg         ggaggggccg         ggaggggccg         ggaggggccc         ggaggggccc         ggaggggccc         ggaggggccc         ggaggggccc         ggaggggcccc         ggaggggcccc         ccgcgggatcg         cctccccaag         atgtccacca         gagttggaac         gagcccgtacca         gagtccgtacca         gagtcccacca         gagtcccacca         gagcatctacca         ggagcatcacca         ggcgctc	ggacttgata tcaagtgga tgatttagga gctttagtg ggagtgggg catctagtag ggatttgata tcaagtgga caggagggt getttgatag gggagggggg catctagtag agaaaacacg atcttttat tgtcaagttt ggggggaaa gacccgtagag gggggttgga aagaaacactg gegatggaga cacggaggg cacggaggg cacggagggggggg

cagctcgcag	gcttgacgaa	cgagggtctc	ctcgcccgag	acgtgcatga	ccagcatgaa	6720
gggtaccaac	: tgtttcccga	acgagcccat	ccatgtgtag	gtttctacgt	cgtaggtgac	6780
aaagagccgc	tgggtgcgcg	cgtgggagcc	gatcgggaag	aagctgatct	cctgccacca	6840
gttggaggaa	tgggtgttga	tgtggtgaaa	gtagaagtcc	cgccggcgca	cagagcattc	6900
gtgctgatgt	ttgtaaaagc	gaccgcagta	gtcgcagcgc	tgcacgctct	gtatctcctg	6960
aatgagatgc	gcttttcgcc	cgcgcaccag	aaaccggagg	gggaagttga	gacgggggct	7020
tggtggggcg	gcatcccctt	cgccttggcg	gtgggagtct	gcgtctgcgc	cctccttctc	7080
tgggtggacg	acggtgggga	cgacgacgcc	ccgggtgccg	caagtccaga	tctccgccac	7140
ggaggggcgc	aggcgttgca	ggaggggacg	cagctgcccg	ctgtccaggg	agtcgagggc	7200
ggccgcgctg	aggtcggcgg	gaagcgtttg	caagttcact	ttcagaagac	cggtaagagc	7260
gtgagccagg	tgcacatggt	acttgatttc	caggggggtg	ttggaagagg	cgtccacggc	7320
gtagaggagg	ccgtgtccgc	gcggggccac	caccgtgccc	cgaggaggtt	ttatctcact	7380
cgtcgagggc	gagcgccggg	gggtagaggc	ggctctgcgc	cggggggcag	cggaggcagt	7440
ggcacgtttt	cgtgaggatt	cggcagcggt	tgatgacgag	cccggagact	gctggcgtgg	7500
gcgacgacgc	ggcggttgag	gtcctggatg	tgccgtctct	gcgtgaagac	caccggcccc	7560
cgggtcctga	acctgaaaga	gagttccaca	gaatcaatgt	ctgcatcgtt	aacggcggcc	7620
tgcctgagga	tctcctgtac	gtcgcccgag	ttgtcttgat	aggcgatctc	ggccatgaac	7680
tgctccactt	cttcctcgcg	gaggtcgccg	tggcccgctc	gctccacggt	ggcggccagg	7740
tcgttggaga	tgcgacgcat	gagttgagag	aaggcgttga	ggccgttctc	gttccacacg	7800
cggctgtaca	ccacgtttcc	gaaggagtcg	cgcgctcgca	tgaccacctg	ggccacgttg	7860
agttccacgt	ggcgggcgaa	gacggcgtag	tttctgaggc	gctggaagag	gtagttgagc	7920
gtggtggcga	tgtgctcgca	gacgaagaag	tacatgatcc	agcgccgcag	ggtcatctcg	7980
ttgatgtctc	cgatggcttc	gagacgctcc	atggcctcgt	agaagtcgac	ggcgaagttg	8040
aaaaattggg	agttgcgggc	ggccaccgtg	agttcttctt	gcaggaggcg	gatgagatcg	8100
gcgaccgtgt	cgcgcacctc	ctgctcgaaa	gcgccccgag	gcgcctctgc	ttcttcctcc	8160
ggctcctcct	cttccagggg	cacgggttcc	tccggcagct	ctgcgacggg	gacggggcgg	8220
cgacgtcgtc	gtctgaccgg	caggcggtcc	acgaagcgct	cgatcatttc	gccgcgccgg	8280
cgacgcatgg	tctcggtgac	ggcgcgtccg	ttttcgcgag	gtcgcagttc	gaagacgccg	8340

ccgcgcagag	cgcccccgtg	cagggagggt	aagtggttag	ggccgtcggg	cagggacacg	8400
gcgctgacga	tgcattttat	caattgctgc	gtaggcactc	cgtgcaggga	tctgagaacg	8460
tcgaggtcga	cgggatccga	gaacttctct	aggaaagcgt	ctatccaatc	gcagtcgcaa	8520
ggtaagctga	ggacggtggg	ccgctggggg	gcgtccgcgg	gcagttggga	ggtgatgctg	8580
ctgatgatgt	aattaaagta	ggcggtcttc	aggcggcgga	tggtggcgag	gaggaccacg	8640
tctttgggcc	cggcctgttg	aatgcgcagg	cgctcggcca	tgccccaggc	ctcgctctga	8700
cagcgacgca	ggtctttgta	gtagtcttgc	atcagtctct	ccaccggaac	ctctgcttct	8760
cccctgtctg	ccatgcgagt	cgagccgaac	ccccgcaggg	gctgcagcaa	cgctaggtcg	8820
gccacgaccc	tctcggccag	cacggcctgt	tggatctgcg	tgagggtggt	ctggaagtcg	8880
tccaggtcca	cgaagcggtg	ataggccccc	gtgttgatgg	tgtaggtgca	gttggccatg	8940
acggaccagt	tgacgacttg	catgccgggt	tgggtgatct	ccgtgtactt	gaggcgcgag	9000
taggcgcggg	actcgaacac	gtagtcgttg	catgtgcgta	ccagatactg	gtagccaacc	9060
aggaagtggg	gaggcggttc	tcggtacagg	ggccagccga	ctgtggcggg	ggcgccgggg	9120
gacaggtcgt	ccagcatgag	gcgatggtag	tggtagatgt	agcgggagag	ccaggtgatg	9180
ccggccgagg	tggtcgcggc	cctggtgaat	tcgcggacgc	ggttccagat	gttgcgcagg	9240
gggcgaaagc	gctccatggt	gggcacgctc	tgccccgtga	ggcgggcgca	atcttgtacg	9300
ctctagatgg	aaaaagaca	gggcggtcat	cgactccctt	ccgtagctcg	gggggtaaag	9360
tcgcaagggt	gcggcggcgg	ggaaccccgg	ttcgagaccg	gccggatccg	ccgctcccga	9420
tgcgcctggc	cccgcatcca	cgacgtccgc	gtcgagaccc	agccgcgacg	ctccgcccca	9480
atacggaggg	gagtcttttg	gtgtttttc	gtagatgcat	ccggtgctgc	ggcagatgcg	9540
acctcagacg	cccaccacca	ccgccgcggc	ggcagtaaac	ctgagcggag	gcggtgacag	9600
ggaggaggag	gagctggctt	tagacctgga	agagggagag	gggctggccc	ggctgggagc	9660
gccgtcccca	gagagacacc	ctagggttca	gctcgtgagg	gacgccaggc	aggcttttgt	9720
gccgaagcag	aacctgttta	gggaccgcag	cggtcaggag	gcggaggaga	tgcgcgattg	9780
caggtttcgg	gcgggtagag	agctgagggc	gggcttcgat	cgggagcggc	tcctgagggc	9840
ggaggatttc	gagcccgacg	agcgttctgg	ggtgagcccg	gcccgcgctc	acgtctcggc	9900
ggccaacctg	gtgagcgcgt	acgagcagac	ggtgaacgag	gagcgcaact	tccaaaagag	9960
ctttaacaat	cacgtgagga	ccctgatcgc	gagggaggag	gtgaccatcg	ggctgatgca	10020
tctgtgggac	ttcgtggagg	cctacgtgca	gaacccggcc	agcaaacctc	tgacggccca	10080
	gcgctgacga tcgaggtcga ggtaagctga ctgatgatgt tctttgggcc cagcgacgca cccctgtctg gccacgacgca tccaggtcca acggacgagg aggaagtcgt ccggcgagg ggcgaaagc ctctagatgg tcgcaagggt tgcgccaaggg acctcagacg ccgaggg acctcagacg ccgaggg acctcagacg acctcagacg aggaggaggag gcgatccca acggacgagg caggtttcgc atacggaggag gccgtccca gccgaagcag caggtttcgg caggtttcgg caggtttcgg caggtttcgg	gegetgaega tgcattttat tegaggtega egggateega ggtaagetga ggaeggtggg etgatgatgt aattaaagta tetttgggee eggeetgttg cagegaegea ggtetttgta cecetgtetg ceatgegagt gecaegaece teteggeeag tecaggteea eggagetgg aeggaeggg aetegaete gaeagtegg gaggeggtte gaeaggtegt ceageage eeggeegagg tggtegegg eeggeegagg geggeggg tgceaeggg gagtetttg etetagatgg gaggegggg teceatgge eecgeaegg tgegeetgge eecgeaega ataeggaggg gagtetttg aceteagaeg gagtetttg aceteagaeg gagtetttg aceteagaeg gagtetttg gaggaggag gagtettttg aceteagaeg gagtettttg aceteagaeg gagtettttg geeggeega aacetgttta caggtttegg gegggtagag ggaggattte gageeegaeg ggaggattte gageeegaeg ggaecaaectg gtgageggt etttaacaat caegtgagga	gegetgacga tgcattttat caattgetge tegaggtega egggateega ggacgtggg cegetgggg ctgatggt aattaaagta ggcggtette tetttgggce eggeetgttg aatgegeagg eagegeega ggacgacga ggtetttgta gtagtettge eeggeeggg acteagggeggggggggggggggggggggggggggggggg	gegetgacga tgeattttat caattgetge gtaggeacte tegaggtega eggetatega gacettetet aggaaagegt ggtaagetga gacegteggg eegteegggg eettetgagge eegetgtg aattaaagta ggeggtette aggeggega tetttgggee eggeetgttg aatgeeggg eggeteggeg eaggegace eeggeegg eggeegggggggggg	gegetgaega tgeattttat caattgetge gtaggeacte egtgeaggga teegaggetga egggateega gaactteete aggaaageeg eeagttegga eegateegag gegteegegg geagttegga etgtgaggae etgtgaggae etgtgaggae etgtgaggae eegateegag eggeteegegg geagtteggae eegateegag eggeteegegg geagteggae eegateeggae eggeteegega eggeteegega eggeagaegae eegateegag eggeagaegae eegateegag eggeagaegae eegateegag eggeagaegae eegateegage eggeagaegaegaegaegaegaegaegaegaegaegaega	cegegeagag egececegt caggagggg aagtgtaa gegegeagag tetagaaaag gegetgaaga tectagaagag tectagaagag tectagaggagaagaggagaagaggagaagaggaggaggagga

gctgttcctg	atcgtgcagc	acagccgcga	caacgagacg	ttccgcgacg	ccatgttgaa	10140
catcgcggag	cccgagggtc	gctggctctt	ggatctgatt	aacatcctgc	agagcatcgt	10200
ggtgcaggag	aggggcctca	gcttagcgga	caaggtggcg	gccattaact	attcgatgca	10260
gagcctgggg	aagttctacg	ctcgcaagat	ctacaagagc	ccttacgtgc	ccatagacaa	10320
ggaggtgaag	atagacagct	tttacatgcg	catggcgctg	aaggtgctga	cgctgagcga	10380
cgacctcggc	gtgtaccgta	acgacaagat	ccacaaggcg	gtgagcgcca	gccgccggcg	10440
ggagctgagc	gacagggagc	tgatgcacag	cctgcagagg	gcgctggcgg	gcgccgggga	10500
cgaggagcgc	gaggcttact	tcgacatggg	agccgatctg	cagtggcgtc	ccagcgcgcg	10560
cgccttggag	gcggcgggct	accccgacga	ggaggatcgg	gacgatttgg	aggaggcagg	10620
cgagtacgag	gacgaagcct	gaccgggcag	gtgttgttt	agatgcagcg	gccggcggac	10680
ggggccaccg	cggatcccgc	acttttggca	tccatgcaga	gtcaaccttc	gggcgtgacc	10740
gcctccgatg	actgggcggc	ggccatggac	cgcattatgg	cgctgactac	ccgcaacccc	10800
gaggctttta	gacagcaacc	ccaggccaac	cgtttttcgg	ccatcttgga	agcggtggtg	10860
ccctcccgca	ccaaccccac	acacgagaaa	gtcctgacta	tcgtgaacgc	cctggtagac	10920
agcaaggcca	tccgccgcga	cgaggcgggc	ttgatttaca	acgctctgct	ggaacgggtg	10980
gcgcgctaca	acagcactaa	cgttcagacc	aatctggatc	gcctcaccac	cgacgtgaag	11040
gaggcgctgg	ctcagaagga	gcggtttctg	agggacagca	atctgggctc	tctggtggca	11100
ctcaacgcct	tcctgagcac	gcagccggcc	aacgtgcccc	gcgggcagga	ggactacgtg	11160
agcttcatca	gcgctctgag	gctgctggtg	tccgaggtgc	cccagagcga	ggtgtatcag	11220
tctgggccgg	attacttctt	ccagacgtcc	cgacagggct	tgcaaacggt	gaacctgact	11280
caggccttta	aaaacttgca	aggcatgtgg	ggcgttaagg	ccccggtggg	cgatcgagcc	11340
accatctcca	gtctgctgac	ccccaacact	cgcctgctgc	tgctcttgat	cgcgccgttc	11400
accaacagta	gcactatcag	ccgtgactcg	tacctgggtc	atctcatcac	tttgtaccgc	11460
gaggccatcg	gtcaggctca	gatcgacgag	cacacatatc	aggagatcac	taacgtgagc	11520
cgggccctgg	gtcaggaaga	taccggcagc	ctggaagcca	cgttgaactt	tttgctaacc	11580
aaccggaggc	aaaaaatacc	ctcccagttt	acgttaagcg	ccgaggagga	gaggattctg	11640
cgatacgtgc	agcagtccgt	gagtctgtac	ttgatgcggg	agggcgccac	cgcttccacg	11700
gctttagaca	tgacggctcg	gaacatggaa	ccgtcctttt	actccgccca	ccggccgttc	11760

attaaccgtc tgatggacta cttccatcgc gcggccgcca tgaacgggga gtacttcacc	11820
aatgccatcc tgaatccgca ttggatgccc ccgtccggct tctacaccgg cgagtttgac	11880
ctgcccgaag ccgacgacgg ctttctttgg gacgacgtgt ccgacagcat tttcacgccg	11940
ggcaatcgcc gattccagaa gaaggagggc ggagacgagc tccccctctc cagcgtggag	12000
gcggcctcta ggggagagag tccctttccc agtctgtctt ccgccagcag tggtcgggta	12060
acgcgcccgc ggttgccggg ggagagcgac tacctgaacg accccttgct gcggccggct	12120
aggaagaaaa atttccccaa caacggggtg gaaagcttgg tggataaaat gaatcgttgg	12180
aagacctacg cccaggagca gcgggagtgg gaggacagtc agccgcgacc gctggttccg	12240
ccgcactggc gtcgtcagag agaagacccg gacgactccg cagacgatag tagcgtgttg	12300
gacctgggag ggagcggagc caaccccttt gctcacttgc aacccaaggg gcgttccagt	12360
cgcctctact aataaaaaag acgcggaaac ttaccagagc catggccaca gcgtgtgtcc	12420
tttcttcctc tctttcttcc tcggcgcggc aga atg aga aga gcg gtg aga gtc Met Arg Arg Ala Val Arg Val 1 5	12474
acg ccg gcg gcg tat gag ggt ccg ccc cct tct tac gaa agc gtg atg Thr Pro Ala Ala Tyr Glu Gly Pro Pro Pro Ser Tyr Glu Ser Val Met 10 15 20	12522
gga tca gcg aac gtg ccg gcc acg ctg gag gcg cct tac gtt cct ccc Gly Ser Ala Asn Val Pro Ala Thr Leu Glu Ala Pro Tyr Val Pro Pro 25 30 35	12570
aga tac ctg gga cct acg gag ggc aga aac agc atc cgt tac tcc gag Arg Tyr Leu Gly Pro Thr Glu Gly Arg Asn Ser Ile Arg Tyr Ser Glu 40 45 50 55	12618
ctg gca ccc ctg tac gat acc acc aag gtg tac ctg gtg gac aac aag Leu Ala Pro Leu Tyr Asp Thr Thr Lys Val Tyr Leu Val Asp Asn Lys 60 65 70	12666
tcg gcg gac atc gcc tcc ctg aat tat caa aac gat cac agc aat ttt Ser Ala Asp Ile Ala Ser Leu Asn Tyr Gln Asn Asp His Ser Asn Phe 75 80 85	12714
ctg act acc gtg gtg cag aac aat gac ttc acc ccg acg gag gcg ggc Leu Thr Thr Val Val Gln Asn Asn Asp Phe Thr Pro Thr Glu Ala Gly 90 95 100	12762
acg cag acc att aac ttt gac gag cgt tcc cgc tgg ggc ggt cag ctg Thr Gln Thr Ile Asn Phe Asp Glu Arg Ser Arg Trp Gly Gly Gln Leu 105 110 115	12810
aaa acc atc ctg cac acc aac atg ccc aac atc aac gag ttc atg tcc Lys Thr Ile Leu His Thr Asn Met Pro Asn Ile Asn Glu Phe Met Ser 120 125 130 135	12858

	_			gcc Ala		_	_	-		_	_	_		 12906
				tgg Trp										12954
-		_		atc Ile	-	_	_						_	13002
_				agg Arg	_			_	_	_	_	_		 13050
				aga Arg 205										13098
				ggc Gly										13146
	_	_	_	ejā aaa	_			_			_	_	_	 13194
				atc Ile										13242
				gac Asp										13290
				gaa Glu 285										13338
				gac Asp										13386
				caa Gln										13434
				acc Thr										13482
				aag Lys										13530

acg gac gtg acc tgc ggc tcg cag caa gtg tac tgg tcc ctg ccg gat	12570
Thr Asp Val Thr Cys Gly Ser Gln Gln Val Tyr Trp Ser Leu Pro Asp 360 365 370 375	13578
atg atg caa gac ccg gtc acc ttc cgc ccc tcc acc caa gtc agc aac Met Met Gln Asp Pro Val Thr Phe Arg Pro Ser Thr Gln Val Ser Asn 380 385 390	13626
ttc ccg gtg gtg ggc acc gag ctg ctg ccc gtc cat gcc aag agc ttc Phe Pro Val Val Gly Thr Glu Leu Leu Pro Val His Ala Lys Ser Phe 395 400 405	13674
tac aac gaa cag gcc gtc tac tcg caa ctc att cgc cag tcc acc gcg Tyr Asn Glu Gln Ala Val Tyr Ser Gln Leu Ile Arg Gln Ser Thr Ala 410 415 420	13722
ctt acc cac gtg ttc aat cgc ttt ccc gag aac cag att ctg gtg cgc Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu Val Arg 425 430 435	13770
cct ccc gct cct acc att acc acc gtc agt gaa aac gtt ccc gcc ctc Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala Leu 440 445 450 455	13818
aca gat cac gga acc ctg ccg ctg cgc agc agt atc agt gga gtt cag Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser Ile Ser Gly Val Gln 460 465 470	13866
cgc gtg acc atc acc gac gcc aga cgt cga acc tgt ccc tac gtt tac Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val Tyr 475 480 485	13914
aaa gct ctt ggc gta gtg gct cct aaa gtg ctc tct agt cgc acc ttc Lys Ala Leu Gly Val Val Ala Pro Lys Val Leu Ser Ser Arg Thr Phe 490 495 500	13962
taa acatgtccat cctcatctct cccgataaca acaccggctg gggactgggc	14015
teeggeaaga tgtaeggegg ageeaaaagg egeteeagte ageaceeagt tegagttegg	14075
ggccacttcc gtgctccctg gggagcttac aagcgaggac tctcgggccg aacggcggta	14135
gacgatacca tagatgccgt gattgccgac gcccgccggt acaaccccgg accggtcgct	14195
agegeegeet ceaeegtgga tteegtgate gacagegtgg tagetggege tegggeetat	14255
getegeegea agaggegget geateggaga egtegeecea eegeegeeat getggeagee	14315
agggccgtgc tgaggcgggc ccggagggta ggcagaaggg ctatgcgccg cgctgccgcc	14375
aacgccgccg ccgggagggc ccgccgacag gctgcccgcc aggctgctgc cgccatcgct	14435
agcatggcca gacccaggag agggaacgtg tactgggtgc gcgattctgt gacgggagtc	14495
cgagtgccgg tgcgcagccg acctccccga agttagaaga tccaagctgc gaagacggcg	14555
gtactgagtc tccctgttgt tatcagccca acatgagcaa gcgcaagttt aaagaagaac	14615

tgctgcagac	gctggtgcct	gagatctatg	gccctccgga	cgtgaagcct	gacattaagc	14675
cccgcgatat	caagcgtgtt	aaaaagcggg	aaaagaaaga	ggaactcgcg	gtggtagacg	14735
atggcggagt	ggaatttatt	aggagtttcg	ccccgcgacg	cagggttcaa	tggaaagggc	14795
ggcgggtaca	acgcgttttg	aggccgggca	ccgcggtagt	ttttaccccg	ggagagcggt	14855
cggccgttag	gggtttcaaa	aggcagtacg	acgaggtgta	cggcgacgag	gacatattgg	14915
aacaggcggc	tcaacagatc	ggagaatttg	cctacggaaa	gcgttcgcgt	cgcgaagacc	14975
tggccatcgc	tttagacagc	ggcaacccca	cgcccagcct	caaacctgtg	acgctgcagc	15035
aggtgctccc	cgtgagcgcc	agcacggaca	gcaagagggg	aataaaaaga	gaaatggaag	15095
atctgcagcc	caccatccag	ctcatggtcc	ctaaacggca	gaggctggaa	gaggtcctgg	15155
agaaaatgaa	agtggaccca	agcatagagc	cggacgtcaa	agtcaggccg	atcaaagaag	15215
tggcccctgg	tctcggggtg	cagacggtgg	atatccagat	ccccgtcacg	tcagcttcga	15275
ccgccgtgga	agccatggaa	acgcaaacgg	aaacccctgc	cgcgatcggt	accagggaag	15335
tggcgttgca	aaccgacccc	tggtacgaat	acgccgcccc	tcggcgtcag	aggcgacccg	15395
ctcgttacgg	ccccgccaac	gccatcatgc	cagaatatgc	gctgcatccg	tctatcctgc	15455
ccacccccgg	ctaccgggga	gtgacgtatc	gcccgtcagg	aacccgccgc	cgaacccgtc	15515
gaagaagaag	ctcccgtcgt	gctctggccc	ccgtgtcggt	gcgccgcgta	acacgccggg	15575
gaaagacagt	taccattccc	aacccgcgct	accaccctag	catcctttaa	tgactctgcc	15635
gttttgcaga	tggctctgac	ttgccgcgtg	cgccttcccg	ttccgcacta	tcgaggaaga	15695
tctcgtcgta	ggagaggcat	ggcgggtagt	ggtcgccggc	gggctttgcg	caggcgcatg	15755
aaaggcggaa	ttttacccgc	tctgataccc	ataatcgccg	ccgccatcgg	tgccataccc	15815
ggcgtcgctt	cagtggcctt	gcaagcagct	cgtaataaat	aaacgaaggc	ttttgcactt	15875
atgtcctggt	cctgactatt	ttatgcagaa	agagcatgga	agacatcaat	tttacgtcgc	15935
tggctccgcg	gcacggctcg	cggccgctca	tgggcacctg	gaacgacatc	ggcaccagtc	15995
agctcaacgg	gggcgctttc	aattggggga	gcctttggag	cggcattaaa	aactttggct	16055
ccacgattaa	atcctacggc	agcaaagcct	ggaacagtag	tgctggtcag	atgctccgag	16115
ataaactgaa	ggacaccaac	ttccaagaaa	aagtggtcaa	tggggtggtg	accggcatcc	16175
acggcgcggt	agatctcgcc	aaccaagcgg	tgcagaaaga	gattgacagg	cgtttggaaa	16235
gctcgcgggt	gccgccgcag	agaggggatg	aggtggaggt	cgaggaagta	gaagtagagg	16295

aaa	agct	gcc	cccg	ctgg	ag a	aagt	tccc	g gt	gaga	ctcc	gag	acco	ıcag	aago	gaccca	16355
ggc	caga	act	agaa	gaaa	ct c	tggt	gacg	g ag	ragca	.agga	gcc	tccc	tcg	tacg	agcaag	16415
cct	tgaa	aga	gggc	gcct	ct c	cacc	ctac	c ca	atga	caaa	acc	gato	gcg	ccta	tggctc	16475
ggc	cggt	gta	cggg	aagg	ac t	acaa	gcct	g to	acgo	taga	gct	cccc	ccg	ccgc	caccgc	16535
cgc	cccc	cac	gcgc	ccga	cc g	ttcc	cccc	c cc	ctgc	cggc	tcc	gtcg	gcg	ggac	ccgtgt	16595
ccg	cacc	cgt	cgcc	gtgc	ct c	tgcc	agcc	g cc	cgcc	cagt	ggd	cgtg	gcc	actg	ccagaa	16655
acc	ccag	agg	ccag	agag	ga g	ccaa	ctgg	c aa	agca	cgct	gaa	cago	atc	gtgg	gcctgg	16715
gag	tgaa	aag	cctg	aaac	gc c	gccg	ttgc	t at	tatt	aaaa	gtg	tago	taa	aaaa	tttccc	16775
gtt	gtat	acg	cctc	ctat	gt t	accg	ccag	a ga	cgcg	tgac	tgt	cgcc	gcg	agcg	ccgctt	16835
tcaag atg gcc acc cca tcg atg atg ccg cag tgg tct tac atg cac atc Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile 505 510 515													16885			
gcc Ala	ggg Gly 520	cag Gln	gac Asp	gcc Ala	tcg Ser	gag Glu 525	tac Tyr	ctg Leu	agc Ser	ccc Pro	ggt Gly 530	ctc Leu	gtg Val	cag Gln	ttc Phe	16933
gcc Ala 535	cgc Arg	gcc Ala	acc Thr	gac Asp	acc Thr 540	tac Tyr	ttc Phe	agc Ser	ttg Leu	gga Gly 545	aac Asn	aag Lys	ttt Phe	aga Arg	aac Asn 550	16981
ccc Pro	acc Thr	gtg Val	gcc Ala	ccc Pro 555	acc Thr	cac His	gat Asp	gta Val	acc Thr 560	acg Thr	gac Asp	cgc Arg	tcg Ser	caa Gln 565	agg Arg	17029
ctg Leu	acc Thr	ctg Leu	cgt Arg 570	ttt Phe	gtg Val	ccc Pro	gta Val	gac Asp 575	cgg Arg	gag Glu	gac Asp	acc Thr	gcg Ala 580	tac Tyr	tct Ser	17077
tac Tyr	aaa Lys	gtg Val 585	cgc Arg	tac Tyr	acg Thr	ctg Leu	gcc Ala 590	gta Val	ej aaa	gac Asp	aac Asn	cga Arg 595	gtg Val	ctg Leu	gac Asp	17125
atg Met	gcc Ala 600	agc Ser	acc Thr	tac Tyr	ttt Phe	gac Asp 605	atc Ile	cgg Arg	gga Gly	gtg Val	ctg Leu 610	gat Asp	cgc Arg	ggt Gly	ccc Pro	17173
agt Ser 615	ttt Phe	aag Lys	ccc Pro	tac Tyr	tcg Ser 620	ggt Gly	acc Thr	gcg Ala	tac Tyr	aat Asn 625	tcc Ser	ctg Leu	gct Ala	ccc Pro	aag Lys 630	17221
ggc Gly	gct Ala	ccc Pro	aac Asn	cct Pro 635	gca Ala	gaa Glu	tgg Trp	acg Thr	aat Asn 640	tca Ser	gac Asp	agc Ser	aaa Lys	gtt Val 645	aaa Lys	17269
gtg Val	agg Arg	gca Ala	cag Gln 650	gcg Ala	cct Pro	ttt Phe	gtt Val	agc Ser 655	tcg Ser	tat Tyr	ggt Gly	gct Ala	aca Thr 660	gcg Ala	att Ile	17317

aca Thi	a aaa r Lys	gaç Gli 665	ı Gly	att Ile	caç e Glr	g gtg Val	gga Gly 670	Val	a aco L Thr	tta Lev	a aca ı Thi	a gad Asp 675	Se:	c gga	a tca y Ser	17365
aca Thi	e cca Pro 680	Glr	g tat 1 Tyr	gca Ala	ı gat ı Asp	aaa Lys 685	Thr	tat Tyı	cag Gln	r cct	gag Glu 690	ı Pro	g caa o Glr	a att	gga Gly	17413
gaa Glu 695	ı Leu	caç Gln	ı tgg ı Trp	aac Asn	agc Ser 700	Asp	gtt Val	gl≯ gg≊	acc Thr	gat Asp 705	Asp	aaa Lys	ata : Ile	a gca e Ala	a gga a Gly 710	17461
aga Arg	ı gtg Val	cta Leu	aag Lys	aaa Lys 715	Thr	acg Thr	ccc Pro	atg Met	ttc Phe 720	Pro	tgt Cys	tac Tyr	: Gl <sup>7</sup>	tca Ser 725	tat Tyr	17509
gcc Ala	: agg . Arg	ccc Pro	act Thr 730	aat Asn	gaa Glu	aaa Lys	gga Gly	gga Gly 735	Gln	gca Ala	aca Thr	ccg Pro	Ser 740	Ala	agt Ser	17557
caa Gln	gac Asp	gtg Val 745	Gln	aat Asn	ccc Pro	gaa Glu	tta Leu 750	caa Gln	ttt Phe	ttt Phe	gcc Ala	tct Ser 755	Thr	aat Asn	gtc Val	17605
gcc Ala	aat Asn 760	aca Thr	cca Pro	aaa Lys	gca Ala	gtt Val 765	cta Leu	tat Tyr	gcg Ala	gag Glu	gac Asp 770	gtg Val	tca Ser	att Ile	gaa Glu	17653
gcg Ala 775	cca Pro	gac Asp	act Thr	cac His	ttg Leu 780	gtg Val	ttc Phe	aaa Lys	cca Pro	aca Thr 785	gtc Val	act Thr	gaa Glu	ggc	att Ile 790	17701
aca Thr	agt Ser	tca Ser	gag Glu	gct Ala 795	cta Leu	ctg Leu	acc Thr	caa Gln	caa Gln 800	gct Ala	gct Ala	ccc Pro	aac Asn	cgt Arg 805	cca Pro	17749
aac Asn	tac Tyr	ata Ile	gcc Ala 810	ttt Phe	aga Arg	gat Asp	aat Asn	ttt Phe 815	att Ile	ggt Gly	ctc Leu	atg Met	tac Tyr 820	tac Tyr	aat Asn	17797
agc Ser	aca Thr	ggt Gly 825	aac Asn	atg Met	gga Gly	gta Val	ctg Leu 830	gca Ala	ggc ggc	cag Gln	gct Ala	tct Ser 835	cag Gln	cta Leu	aat Asn	17845
gca Ala	gtt Val 840	gtt Val	gac Asp	ctg Leu	caa Gln	gac Asp 845	aga Arg	aat Asn	act Thr	gag Glu	ctg Leu 850	tcc Ser	tac Tyr	caa Gln	ctc Leu	17893
atg Met 855	ttg Leu	gac Asp	gcc Ala	ctc Leu	gga Gly 860	gac Asp .	cgc Arg	agt Ser	cgg Arg	tac Tyr 865	ttt Phe	tct Ser	atg Met	tgg Trp	aac Asn 870	17941
caa Gln	gct Ala	gtg Val	Asp	agt Ser 875	tac Tyr	gat Asp	cct Pro .	gat Asp	gta Val 880	aga Arg	atc Ile	ata Ile	gaa Glu	aac Asn 885	cat His	17989

Gly	gta Val	gaa Glu	gat Asp 890	gaa Glu	ttg Leu	cct Pro	aat Asn	tat Tyr 895	tgc Cys	ttt Phe	cct t Pro ]	Leu G	ga 1y 00	ggc	atg Met	18037
gca Ala	gta Val	acc Thr 905	gac Asp	acc Thr	tac Tyr	tcg Ser	cct Pro 910	ata Ile	aag Lys	gtt Val .	Asn (	gga g Gly G 915	ga ly	ggc	aat Asn	18085
gga Gly	tgg Trp 920	gaa Glu	gcc Ala	aat Asn	aac Asn	ggc Gly 925	gtt Val	ttc Phe	acc Thr	gaa Glu	aga g Arg G 930	gga g Gly V	tg (	gaa Glu	ata Ile	18133
ggt Gly 935	Ser	eja Gaa	aac Asn	atg Met	ttt Phe 940	gcc Ala	atg Met	gag Glu	att Ile	aac Asn 1 945	ctg c Leu G	caa g Sln A	cc a la <i>i</i>	aac Asn	cta Leu 950	18181
tgg Trp	cgt Arg	agc Ser	ttt Phe	ctg Leu 955	tac Tyr	tcc Ser	aat Asn	Ile	960 GJA aaa	ctg 1 Leu 1	tac c Tyr I	etg c Seu P	ro A	gac Asp 965	tct Ser	18229
ctc Leu	aaa Lys	atc Ile	act Thr 970	cct Pro	gac Asp	aac Asn	atc Ile	aca Thr 975	ctc Leu	cca ( Pro (	gag a Glu A	sn L	aa a ys <i>1</i> 80	aac Asn	acc Thr	18277
tat Tyr	cag Gln	tat Tyr 985	atg Met	aac Asn	ggt Gly	cgc Arg	gtg Val 990	acg Thr	cca Pro	ccc ( Pro (	Gly L	etg g ieu V 195	tt <u>c</u> al <i>P</i>	gac Asp	acc Thr	18325
tac Tyr	gtt Val 1000	Asn	gtg Val	Gly	gcg Ala	cgc Arg 100	Tr			c gat o Asp		Me	g ga t As		_	18370
	aac Asn	cct Pro	ttt	aat	cac	cac His	cg		c ac							
	1015		rne	Asn	III	102		g Ası		c gga a Gly		Ar	c ta g Ty			18415
tcc Ser	atg	ctc Leu		gga	aac	102 gga	0 cg Are	c ta	n Ala		Leu 102 ttc	Arc 5 cac His		r A	ag	18415 18460
	atg Met 1030 ccc	ctc Leu cag	ctg	gga Gly ttc	aac Asn ttt	gga Gly 103	o cg Ard 5 att	c tao g Ty: t aaa	n Ala	a Gly g ccc	Leu 102 ttc Phe 104	Arc 5 cac His 0	g Ty c at	r A	arg ag lln	
Ser gtg Val ggt	atg Met 1030 ccc Pro 1045	ctc Leu cag Gln	ctg Leu aaa Lys	gga Gly ttc Phe	aac Asn ttt Phe	gga Gly 103 gca Ala 105	o cgc Arc 5 at: Ile 0 aac Ass	c tag g Ty: t aas e Lys	n Alac gtor Value a aac	a Gly g ccc l Pro	Leu 102 ttc Phe 104 ctg Leu 105	Arg 5 cac His 0 ctc Let 5	c ats Il	r A	ag ln cc ro	18460
gtg Val ggt Gly atc Ile	atg Met 1030 ccc Pro 1045 tcc Ser 1060	ctc Leu cag Gln tac Tyr	ctg Leu aaa Lys acc Thr	gga Gly ttc Phe tac Tyr	aac Asn ttt Phe gag Glu	gga Gly 103 gca Ala 105 tgg Trp 1065	O cg Ard Asr	c tag g Ty: t aaa e Lys c tto	n Alac gtor Value a aao a Asi a aao a Asi a aao	g ccc l Pro c ctg n Leu	Leu 102 cttc Phe 104 ctg Leu 105. gac Asp 1070	Arg 5 cac His 0 ctc Lev 5 ytc Val	c ats Il	c c c c c c c c c c c c c c c c c c c	arg ag aln acc ro tg et	18460 18505

	gcc Ala 1105						Thr				atg Met 1115			18685
	acc Thr 1120										tgc Cys 1130			18730
_	ctg Leu 1135						Asn				gtg Val 1145		atc Ile	18775
	ccc Pro 1150										tgg Trp 1160		ttc Phe	18820
_	ctc Leu 1165										tcc Ser 1175		ttc Phe	18865
	tac Tyr 1180										ctg Leu 1190			18910
	tac Tyr 1195										atc Ile 1205			18955
	tcc Ser 1210										ctg Leu 1220		ccc Pro	19000
	ttc Phe 1225	gaa Glu	atc Ile	aag Lys	cgt Arg	tcg Ser 1230	gtg Val	gac Asp	ggt Gly	gaa Glu	ggg Gly 1235	tac Tyr	aac Asn	19045
-	cag Gln 1240										att Ile 1250		atg Met	19090
	cac His 1255										gtg Val 1265			19135
	aag Lys 1270										ttc Phe 1280			19180
	cgc Arg 1285										aat Asn 1295			19225
_	aaa Lys 1300										ttc Phe 1310			19270

atg gga ccc acc atg cga gag ggg cag gcc tac ccg gcc aac tat Met Gly Pro Thr Met Arg Glu Gly Gln Ala Tyr Pro Ala Asn Tyr 1315 1320 1325	19315
ccc tatccc ctg att ggg gccacc gcc gtg ccc agcctc acg cagPro TyrPro Leu Ile Gly AlaThr Ala Val Pro SerLeu Thr Gln133013351340	19360
aaa aagttc ctc tgc gac cgggtg atg tgg agg atcccc ttc tctLysLysPhe Leu Cys Asp ArgVal Met Trp Arg IlePro Phe Ser134513501355	19405
agc aac ttc atg tct atg ggc tcc ctc acc gac ctg ggg cag aac Ser Asn Phe Met Ser Met Gly Ser Leu Thr Asp Leu Gly Gln Asn 1360 1365 1370	19450
atg ctg tac gcc aac tcc gct cac gcc ttg gat atg acc ttt gag Met Leu Tyr Ala Asn Ser Ala His Ala Leu Asp Met Thr Phe Glu 1375 1380 1385	19495
gtg gat ccc atg gat gag ccc acg ctt ctc tat gtt ctg ttt gaa Val Asp Pro Met Asp Glu Pro Thr Leu Leu Tyr Val Leu Phe Glu 1390 1395 1400	19540
gtc ttc gac gtg gtg cgc atc cac cag ccg cac cgc ggc gtc atc Val Phe Asp Val Val Arg Ile His Gln Pro His Arg Gly Val Ile 1405 1410 1415	19585
gag gcc gtc tac ctg cgc aca cct ttc tct gcc ggt aac gcc acc Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn Ala Thr 1420 1425 1430	19630
acc taa agaagccgat gggctccagc gaacaggagc tgcaggccat tgttcgcgac Thr	19686
ctgggctgcg ggccctactt tttgggcacc ttcgacaagc gttttcccgg cttcatgtc	cc 19746
ccccacaagc cggcctgtgc catcgttaac acggccggac gggagaccgg gggggtcc	ac 19806
tggctcgcct tcgcctggaa cccgcgtaac cgcacctgct acctgttcga cccttttgg	gt 19866
ttctccgacg aaaggctgaa gcagatctac cagttcgagt acgaggggct cctcaagcg	gc 19926
agcgctctgg cctccacgcc cgaccactgc gtcaccctgg aaaagtccac ccaaacggt	c 19986
caggggcccc tctcggccgc ctgcgggctc ttctgttgca tgtttttgca cgccttcgt	g 20046
cactggcctc acacccccat ggatcacaac cccaccatgg atctgctcac cggagtgc	cc 20106
aacagcatgc ttcacagccc ccaggtcgcc cccaccctgc gccgtaacca ggaacacct	g 20166
tatcgctttc tggggaaaca ctctgcctat tttcgccgcc accggcagcg catcgaac	gg 20226
gccacggcct tcgaaagcat gagccaaaga gtgtaatcaa taaaaaacat ttttattt	ga 20286
catgatacgc gcttctggcg ttttattaaa aatcgaaggg ttcgagggag gggtcctc	gt 20346

gcccgctggg	gagggacacg	ttgcgatact	ggaaacgggc	gctccaacga	aactcgggga	20406
tcaccagccg	ı cggcaggggc	acgtcttcta	ggttctgctt	ccaaaactgc	cgcaccagct	20466
gcagggctcc	catgacgtcg	ggcgccgata	tcttgaagtc	gcagttaggg	ccggagctcc	20526
cgcggctgtt	geggaacaeg	gggttggcac	actggaacac	cagcacgccg	gggttgtgga	20586
tactggccag	ggccgtcggg	tcggtcacct	ccgacgcatc	cagatcctcg	gcgttgctca	20646
gggcaaacgg	ggtcagcttg	cacatctgcc	gcccaatctg	gggtactagg	tcgcgcttgt	20706
tgaggcagtc	gcagcgcaga	gggatcagga	tgcgtcgctg	cccgcgttgc	atgatagggt	20766
aactcgccgc	caggaactcc	tccatttgac	ggaaggccat	ctgggctttg	ccgccctcgg	20826
tgtagaatag	cccgcaggac	ttgctagaga	atacgttatg	accgcagttg	acgtcctccg	20886
cgcagcagcg	ggcgtcttcg	ttcttcagct	gaaccacgtt	gcggccccaa	cggttctgga	20946
ccaccttggc	tctagtgggg	tgctccttca	gcgcccgctg	tccgttctcg	ctggttacat	21006
ccatttccaa	cacgtgctcc	ttgcagacca	tctccactcc	gtggaagcaa	aacaggacgc	21066
cctcctgctg	ggtactgcga	tgctcccata	cggcgcatcc	ggtgggctcc	cagctcttgt	21126
gttttacccc	cgcgtaggct	tccatgtaag	ccataaggaa	tctgcccatc	agctcggtga	21186
aggtcttctg	gttggtgaag	gttagcggca	ggccgcggtg	ctcctcgttc	aaccaagttt	21246
gacagatctt	gcggtacacc	gctccctggt	cgggcagaaa	cttaaaagcc	gctctgctgt	21306
cgttgtctac	gtggaacttc	tccattaaca	tcatcatggt	ttccataccc	ttctcccacg	21366
ctgtcaccag	tggtttgctg	teggggttet	tcaccaacac	ggcggtagag	gggccctcgc	21426
cggccccgac	gtccttcatg	gtcattcttt	gaaactccac	ggagccgtcc	gcgcgacgta	21486
ctctgcgcac	cggagggtag	ctgaagccca	cctccaccac	ggtgccttcg	ccctcgctgt	21546
cggagacaat	ctccggggat	ggcggcggcg <sup>°</sup>	cgggtgtcgc	cttgcgagcc	ttcttcttgg	21606
gagggagctg	aggcgcctcc	tgctcgcgct	cggggctcat	ctcccgcaag	tagggggtaa	21666
tggagctgcc	tgcttggttc	tgacggttgg	ccattgtatc	ctaggcagaa	agacatggag	21726
cttatgcgcg	aggaaacttt	aaccgccccg	tcccccgtca	gcgacgaaga	tgtcatcgtc	21786
gaacaggacc	cgggctacgt	tacgccgccc	gaggatctgg	aggggcctga	ccggcgcgac	21846
gctagtgagc	ggcaggaaaa	tgagaaagag	gaggcctgct	acctcctgga	aggcgacgtt	21906
ttgctaaagc	atttcgccag	gcagagcacc	atagttaagg	aggccttgca	agaccgctcc	21966
gaggtgccct	tggacgtcgc	cgcgctctcc	caggcctacg	aggcgaacct	tttctcgcct	22026

cgagtgcctc	cgaagagaca	gcccaacggc	acctgcgagc	ccaacccgcg	actcaacttc	22086
taccccgtgt	tcgccgtacc	agaggcgctg	gccacctatc	acatttttt	caaaaaccaa	22146
cgcatccccc	tatcgtgccg	ggccaaccgc	accgcggccg	ataggaatct	caggcttaaa	22206
aacggagcca	acatacctga	tatcacgtcg	ctggaggaag	tgcccaagat	tttcgagggt	22266
ctgggtcgag	atgagaagcg	ggcggcgaac	gctctgcaga	aagaacagaa	agagagtcag	22326
aacgtgctgg	tggagctgga	gggggacaac	gcgcgtctgg	ccgtcctcaa	acgctgcata	22386
gaagtctccc	acttcgccta	ccccgccctc	aacttgccac	ccaaagttat	gaaatcggtc	22446
atggatcagc	tgctcatcaa	gagagctgag	cccctggatc	ccgaccaccc	cgaggcggaa	22506
aactcagagg	acggaaagcc	cgtcgtcagc	gacgaggagc	tcgagcggtg	gctggaaacc	22566
agggaccccc	aacagttgca	agagaggcgc	aagatgatga	tggcggccgt	gctggtcacc	22626
gtggagctgg	aatgcctgca	acggtttttc	agcgacgtgg	agacgctacg	caaaatcggg	22686
gaatccctgc	actacacctt	ccgccagggc	tacgtccgcc	aggcctgcaa	gatctccaac	22746
gtggagctca	gcaacctggt	ctcctacatg	ggcatcctcc	acgagaaccg	gctggggcag	22806
agcgtgctgc	actgcacctt	gcaaggcgag	gcgcggcggg	actacgtgcg	agactgcatc	22866
tacctcttcc	tcaccctcac	ctggcagacc	gccatgggcg	tctggcagca	gtgcttggaa	22926
gagagaaacc	tcaaagagct	agacaaactc	ctctgccgcc	agcggcgcgc	cctgtggtcc	22986
ggtttcagcg	agcgcacggt	cgccagcgct	ctggcggaca	tcatcttccc	ggagcgcctg	23046
atgaaaacct	tgcaaaacgg	cctgccggat	ttcatcagtc	aaagcatttt	gcaaaacttc	23106
cgctcttttg	tcctggaacg	ctccgggatc	ttgcccgcca	tgagctgcgc	gctaccttct	23166
gactttgtcc	ccctctccta	ccgcgagtgc	cctccccac	tgtggagcca	ctgctacctc	23226
ttccaactgg	ccaactttct	ggcctaccac	tccgacctca	tggaagacgt	aagcggagag	23286
ggtttactgg	agtgccactg	ccgctgcaac	ctgtgcaccc	cccacagatc	gctggcctgc	23346
aacaccgagc	tactcagcga	aacccaggtc	ataggtacct	tcgagatcca	ggggccccag	23406
cagcaagagg	gtgcttccgg	cttgaagctc	actccggcgc	tgtggacctc	ggcttactta	23466
cgcaaatttg	tagccgagga	ctaccacgcc	cacaaaattc	agttttacga	agaccaatct	23526
cgaccaccga	aagcccccct	cacggcctgc	gtcatcaccc	agagcaagat	cctggcccaa	23586
ttgcaatcca	tcaaccaagc	gcgccgcgat	ttccttttga	aaaagggtcg	gggggtgtac	23646
ctggaccccc	agaccggcga	ggaactcaac	ccgtccacac	tctccgtcga	agcagccccc	23706
ccgagacatg	ccgcccaagg	gaaccgccaa	gcagctgatc	gctcggcaga	gagcgaagaa	23766

gcaagagctg	ctccagcagc	aggtggagga	cgaggaagag	atgtgggaca	gccaggcaga	23826
ggaggtgtca	gaggacgagg	aggagatgga	aagctgggac	agcctagacg	aggaggagga	23886
cgagctttca	gaggaagagg	cgaccgaaga	aaaaccacct	gcatccagcg	cgccttctct	23946
gagccgacag	ccgaagcccc	ggcccccgac	gccccggcc	ggctcactca	aagccagccg	24006
taggtgggac	gccaccgaat	ctccagcggc	agcggcaacg	gcagcgggta	aggccaaacg	24066
cgagcggcgg	gggtattgct	cctggcgggc	ccacaaaagc	agtattgtga	actgcttgca	24126
acactgcggg	ggaaacatct	cctttgcccg	acgctacctc	ctcttccatc	acggtgtggc	24186
cttccctcgc	aacgttctct	attattaccg	tcatctctac	agcccctacg	aaacgctcgg	24246
agaaaaaagc	taaggcctcc	tccgccgcga	ggaaaaactc	cgccgccgct	gccgccgcca	24306
aggatccacc	ggccaccgaa	gagctgagaa	agcgcatctt	tcccactctg	tatgctatct	24366
ttcagcaaag	ccgcgggcag	caccctcagc	gcgaactgaa	aataaaaaac	cgctccttcc	24426
gctcgctcac	ccgcagctgt	ctgtaccaca	agagagaaga	ccagctgcag	cgcaccctgg	24486
acgacgccga	agcactgttc	agcaaatact	gctcagcgtc	tcttaaagac	taaaagaccc	24546
gcgctttttc	cccctcggcc	gccaaaaccc	acgtcatcgc	cagcatgagc	aaggagattc	24606
ccacccccta	catgtggagc	tatcagcccc	agatgggcct	ggccgcgggg	gccgcccagg	24666
actactccag	caagatgaac	tggctcagcg	ccggccccca	catgatctca	cgagttaacg	24726
gcatccgagc	ccaccgaaac	cagattctct	tagaacaggc	ggcaatcacc	gccacacccc	24786
ggcgccaact	caacccgcct	agttggcccg	ccgcccaggt	gtatcaggaa	aatccccgcc	24846
cgaccacagt	cctcctgcca	cgcgacgcgg	aggccgaagt	cctcatgact	aactctgggg	24906
tacaattagc	gggcgggtcc	aggtacgcca	ggtacagagg	tcgggccgct	ccttactctc	24966
ccgggagtat	aaagagggtg	atcattcgag	gccgaggtat	ccagctcaac	gacgagacgg	25026
tgagctcctc	aaccggtctc	agacctgacg	gagtcttcca	gctcggagga	gcgggccgct	25086
cttccttcac	cactcgccag	gcctacctga	ccctgcagag	ctcttcctcg	cagccgcgct	25146
ccgggggaat	cggcactctc	cagttcgtgg	aagagttcgt	tccctccgtc	tacttcaacc	25206
ccttctccgg	ctcgcctgga	cgctacccgg	acgccttcat	tcccaacttt	gacgcagtga	25266
gtgaatccgt	ggacggctac	gactgatgac	agatggtgcg	gccgtgagag	ctcggctgcg	25326
acatctgcat	cactgccgtc	agcctcgctg	ctacgctcgg	gaggcgatcg	tcttcagcta	25386
ctttgagctg	ccggacgagc	accctcaggg	tccggctcac	gggttgaaac	tcgagatcga	25446

gaacgcgctc	gagtctcgcc	tcatcgacac	cttcaccgcc	cgacctctcc	tggtagaaat	25506
ccaacggggg	atcactacca	tcaccctgtt	ctgcatctgc	cccacgcccg	gattacatga	25566
agatctgtgt	tgtcatcttt	gcgctcagtt	taataaaaac	tgaacttttt	gccgcacctt	25626
caacgccatc	tgtgatttct	acaacaaaaa	gttcttctgg	caaaggtaca	caaactgtat	25686
tttattctaa	ttctacctca	tctatcgtgc	tgaactgcgc	ctgcactaac	gaacttatcc	25746
agtggattgc	aaacggtagt	gtgtgcaagt	acttttgggg	gaacgatata	gttagtagaa	25806
ataacagcct	ttgcgagcac	tgcaactcct	ccacactaat	cctttatccc	ccatttgtta	25866
ctggatggta	tatgtgcgtt	ggctccggtt	taaatcctag	ttgctttcat	aagtggtttc	25926
tacaaaaaga	gacccttccc	aacaattctg	tttcttttt	cgccctatcc	tactgctgtt	25986
ctccctctgg	ttactctttc	aaacctctaa	ttggtatttt	agctttgata	ctcataatct	26046
ttattaactt	tataataatt	aacaacttac	agtaaacatg	cttgttctac	tgctcgccac	26106
atctttcgct	ctctctcacg	ccagaacaag	tattgttggc	gcaggttaca	atgcaactct	26166
tcaatctgct	tacatgccag	attccgacca	gataccccat	attacgtggt	acttacaaac	26226
ctccaaacct	aattcttcat	tttatgaagg	aaacaaactc	tgcgatgact	ccgacaacag	26286
aacgcacaca	tttccccacc	cttcactaca	attcgaatgc	gtaaacaaaa	gcttgaagct	26346
ttacaactta	aagccttcag	attctggctt	gtaccatgct	gtagttgaaa	aaagtaattt	26406
agaagtccac	agtgattaca	ttgaattgac	ggttgtggac	ctgccacctc	caaaatgtga	26466
ggtttcctcc	tcttaccttg	aagttcaagg	cgtggatgcc	tactgcctca	tacacattaa	26526
ctgcagcaac	tctaaatatc	cagctagaat	ttactataat	ggacaggaaa	gtaatctttt	26586
ttattattta	acaacaagcg	ctggtaacgg	taaacagtta	cctgactatt	ttactgctgt	26646
tgttgaattt	tccacctaca	gagaaacgta	tgccaagcgg	ccttacaatt	tctcataccc	26706
gtttaacgac	ctttgcaatg	aaatacaagc	gctcgaaact	ggaactgatt	ttactccaat	26766
tttcattgct	gccattgttg	taagcttaat	taccattatt	gtcagcctag	cattttactg	26826
cttttacaag	cccaaaaacc	ctaagtttga	aaaacttaaa	ctaaaacctg	tcattcaaca	26886
agtgtgattt	tgttttccag	catggtagct	gcatttctac	ttctcctctg	tctacccatc	26946
attttcgtct	cttcaacttt	cgccgcagtt	tcccacctgg	aaccagagtg	cctaccgcct	27006
tttgacgtgt	atctgattct	cacctttgtt	tgttgtatat	ccatttgcag	tatagcctgc	27066
ttttttataa	caatctttca	agccgccgac	tatttttacg	tgcgaattgc	ttactttaga	27126
caccatcctg	aatacagaaa	tcaaaacgtt	gcctccttac	tttgtttggc	atgattaagt	27186

tat	tgct	gat	actta	aatta	ıt tt	cacco	cctaa	tcaa	actgt	caa	ttgt	ccatt	c ac	caaaccct	27246
ggt	catt	cta	cacct	gtta	ıt ga	taaa	atco	c ccga	acact	CCC	tgttg	gatte	gg ctt	tacgcag	27306
cca	ccgo	ccgc	tttgg	gtatt	t at	atct	actt	gcct	tgga	agt	aaaat	tgta	ıt ttt	attttac	27366
aca	ctg	ggtg	gctac	catco	c ag	gagaa	gatt	: taco	ctaga	ata	tccto	ttgt	a aac	gcttttc	27426
aat	taca	ıgcc	tctgc	ctcc	t co	tgat	cttc	ttco	ctcga	gc	tacat	ctat	t gto	gagctact	27486
ttc	aact	cac	cggtg	ıgaga	t ga	ctga	ctct	cago	gacat	ta :	atatt	agto	ıt gga	aagaata	27546
gct	gctc	agc	gtcag	rcgag	a aa	cgcg	agtg	ttgg	gaata	ıcç .	tggaa	ctac	a gca	ıacttaaa	27606
gag	tccc	act	ggtgt	gaga	a ag	gagt	gctg	tgcc	atgt	ta a	agcag	gcag	c cct	ttcctac	27666
gat	gtca	gcg	ttcag	ggac	a tg	aact	gtct	taca	cttt	gc (	ctttg	caga	a aca	aaccttc	27726
tgc	acca	tga	tgggc	tcta	c ct	ccat	caca	atca	ccca	ac a	aagco	gggc	c tgt	agagggg	27786
gct	atcc	tct	gtcac	tgtc	a cg	cacc	tgat	tgca	tgtc	ca a	aacta	atca	a aac	tctctgt	27846
gct	ttag	gtg	atatt	ttta	a gg	tgta	aatc	aata	ataa	ac t	tacc	ttaa	a ttt	gacaaca	27906
aat	ttct	ggt	gacat	catt	c ag	cagc	acca	cttt	accc	tc t	tccc	agct	c tcg	tatggga	27966
tgc	gata	gtg	ggtgg	caaa	c tt	cctc	caaa	ccct	aaaa	ga a	aatat	tggt	a tcc	acttcct	28026
tgt	cctc	acc	cacaa	tttt	c at	cttt	tcat	M					aga g Arg V 1		28079
_	_		aac Asn 1445	ccc Pro	gtc Val	tac Tyr	ccc Pro	tat Tyr 1450			aca Thr			cct Pro	28124
			ttt Phe 1460				ccc Pro				agc Ser			ctt Leu	28169
	gaa Glu		ccc Pro 1475				tta Leu				ata Ile			ccc Pro	28214
cta Leu	tat Tyr	ttc Phe	gac Asp 1490	atg Met	gag Glu	aga Arg	aaa Lys	cta Leu 1495	gcc Ala	ctt Leu	tca Ser	ctt Leu	gga Gly 1500	aga Arg	28259
Gly ggg	ttg Leu	aca Thr	att Ile 1505	acc Thr	gcc Ala	gcc Ala	gga Gly	caa Gln 1510	tta Leu	gaa Glu	agt Ser	acg Thr	cag Gln 1515	agc Ser	28304
gta Val	caa Gln	acc Thr	aac Asn 1520	cca Pro	ccg Pro	ttg Leu	ata Ile	att Ile 1525			aac Asn			ctg Leu	28349

		_	cat His 1535								agc Ser 1545		28394
			tac Tyr 1550									ctt Leu	28439
			ttc Phe 1565			cgt Arg 1570		_		_		ctt Leu	28484
			tat Tyr 1580			aaa Lys 1585					_	ctt Leu	28529
			atc Ile 1595									GJA GGC	28574
		_	gta Val 1610	-	_	_		_		_	-	aac Asn	28619
			gct Ala 1625								ccg Pro 1635	acc Thr	28664
			aac Asn 1640		-	agc Ser 1645			_		cta Leu 1650	ctt Leu	28709
_		_	tta Leu 1655			gct Ala 1660						gta Val	28754
_			ggt Gly 1670			ata Ile 1675			_	act Thr	_	att Ile	28799
	gtc Val		att Ile 1685			gac Asp 1690				_		cta Leu	28844
_			ctt Leu 1700			ttt Phe 1705			_	cag Gln		gac Asp	28889
	acg Thr					aac Asn 1720	-	_		ttt Phe	_	cct Pro	28934
	agt Ser		ata Ile 1730			gga Gly 1735					cga Arg 1740	aac Asn	28979

aac Asn	tac Tyr	tac Tyr	gtc Val 1745	Gln	acg Thr	tat Tyr	ctt Leu	agg Arg 1750	Gly	aat Asn	gtt Val	caa Gln	aaa Lys 1755			29024
			act Thr 1760	Val	acc Thr	tac Tyr	aac Asn	tca Ser 1765	Val	gcc Ala	aca Thr	gga Gly	tat Tyr 1770	tcc Ser		29069
			aag Lys 1775	Trp	act Thr	gct Ala	ctt Leu	gca Ala 1780	Arg	gaa Glu	aag Lys	ttt Phe	gca Ala 1785	acc Thr		29114
cca Pro	aca Thr	acc Thr	tcg Ser 1790	Phe	tgc Cys	tac Tyr	att Ile	aca Thr 1795	gaa Glu	caa Gln		aac	cgtgt	ac		29160
ccc	accg <sup>.</sup>	ttt	cgttt	tttt	c ag	atg Met	aaa Lys	cgg Arg 1800	gcg Ala	aga Arg	gtt Val	gat Asp	gaa Glu 1805	Asp		29209
ttc Phe	aac Asn	cca Pro	gtg Val 1810	Tyr	cct Pro	tat Tyr	gac Asp	ccc Pro 1815					gtt Val 1820	atg Met		29254
ccc Pro	ttc Phe	att Ile	act Thr 1825	cca Pro	cct Pro	ttt Phe	acc Thr	tcc Ser 1830	tcg Ser	gat Asp	ej aaa	ttg Leu	cag Gln 1835	gaa Glu		29299
aaa Lys	cca Pro	ctt Leu	gga Gly 1840	gtg Val	tta Leu	agt Ser	tta Leu	aac Asn 1845			gat Asp			act Thr		29344
acg Thr	caa Gln	aat Asn	gag Glu 1855	tct Ser	ctt Leu	aca Thr	att Ile	aaa Lys 1860 <sub>.</sub>	Leu	gga Gly	aac Asn	ggc Gly	ctc Leu 1865	act Thr		29389
			cag Gln 1870		caa Gln	cta Leu	aca Thr	tca Ser 1875	acc Thr	gct Ala	ggc Gly	gaa Glu	gta Val 1880	gaa Glu		29434
	cca Pro			aac Asn	gct Ala	aac Asn	aac Asn	aaa Lys 1890			ctg Leu			agc Ser		29479
gat Asp	cct Pro	tta Leu	gca Ala 1900	gta Val	aag Lys	cgc Arg	aac Asn	agc Ser 1905	cta Leu	acc Thr	tta Leu	tcg Ser	cac His 1910	acc Thr		29524
gct Ala					gct Ala		Asn				ttg Leu			tca Ser	:	29569
gag Glu		Ile		ata Ile	aat Asn .	gac Asp	Lys .	gac Asp 1935	aaa Lys	cta Leu	gcc Ala	ctg Leu	caa Gln 1940	aca Thr	2	29614

			ctt Leu 1945											agc Ser	29659
gcc Ala	gcc Ala	cct Pro	tta Leu 1960	ggc Gly	att Ile	gca Ala	gac Asp	caa Gln 1965	acc Thr	cta Leu	aaa Lys	ctc Leu	ctg Leu 1970	ttt Phe	29704
acc Thr	aac Asn	cct Pro	ttg Leu 1975	tac Tyr	ttg Leu	cag Gln	aat Asn	aac Asn 1980	ttt Phe	ctc Leu	acg Thr	tta Leu	gcc Ala 1985	att Ile	29749
gaa Glu	cga Arg	ccc Pro	ctt Leu 1990	gcc Ala	att Ile	acc Thr	aat Asn	act Thr 1995	gga Gly	aag Lys	ctg Leu	gct Ala	cta Leu 2000	cag Gln	29794
ctc Leu	tcc Ser	cca Pro	ccg Pro 2005	cta Leu	caa Gln	aca Thr	gca Ala	gac Asp 2010	aca Thr	Gly ggc	ttg Leu	act Thr	ttg Leu 2015	caa Gln	29839
			cca Pro 2020											gcc Ala	29884
			cca Pro 2035												29929
	_	-	ccc Pro 2050					aac Asn 2055					cta Leu 2060	ej aaa	29974
			tac Tyr 2065					gta Val 2070						act Thr	30019
			ggc Gly 2080										tta Leu 2090	att Ile	30064
			ggt Gly 2095							aac Asn				tct Ser	30109
gtc Val	gct Ala	ctt Leu	agt Ser 2110	gct Ala	gct Ala	ttg Leu	cct Pro	tta Leu 2115	caa Gln	tac Tyr	act Thr	gat Asp	cag Gln 2120	ctt Leu	30154
cgc Arg	ctt Leu	aac Asn	gtg Val 2125	Gly	gct Ala	GJÀ ààà	ctg Leu	cgt Arg 2130	tac Tyr	aat Asn	cca Pro	gtg Val	agt Ser 2135	aag Lys	30199
			gtg Val 2140										tgg Trp 2150		30244

	_		ctc Leu 2155	att Ile	gta Val	aag Lys	cta Leu	gga Gly 2160	aat Asn	gga Gly	tta Leu	ggt Gly	ttt Phe 2165	gat Asp	30289
			aac Asn 2170	ata Ile	gct Ala	gtt Val	tct Ser	cct Pro 2175	caa Gln	gtt Val	aca Thr	tcg Ser	cct Pro 2180	gac Asp	30334
			acc Thr 2185					tcc Ser 2190					atc Ile 2195	tac Tyr	30379
	gat Asp		gat Asp 2200	-		_		ctc Leu 2205	-		gta Val			el <sup>A</sup> aaa	30424
ggt Gly	gtg Val	gtt Val	cac His 2215	ggt Gly	tct Ser	gtt Val	gct Ala	tta Leu 2220	aaa Lys	gca Ala	ttg Leu	aaa Lys	gga Gly 2225	acc Thr	30469
	-		cct Pro 2230	acg Thr	gaa Glu	agc Ser	gcc Ala	att Ile 2235	gtt Val	att Ile	ata Ile	cta Leu	cat His 2240	ttt Phe	30514
gac Asp	aat Asn	tat Tyr	gga Gly 2245	gtg Val	cga Arg	att Ile	ctc Leu	aat Asn 2250	tat Tyr	ccc Pro	act Thr	ttg Leu	ggc Gly 2255	act Thr	30559
			ttg Leu 2260										cag Gln 2270	gga Gly	30604
_		-	gac Asp 2275	act Thr	aat Asn	gta Val	ctc Leu	aat Asn 2280	gca Ala	cta Leu	gca Ala	ttt Phe	atg Met 2285	ccc Pro	30649
			agg Arg 2290					cgt Arg 2295		agc Ser	gaa Glu	gtt Val	cag Gln 2300	aat Asn	30694
			ggc Gly 2305								ttt Phe			ccc Pro	30739
gta Val	ccg Pro	tac Tyr	caa Gln 2320	ata Ile	cag Gln	tac Tyr	aac Asn	tat Tyr 2325	gga Gly	cca Pro	act Thr	Gly	tac Tyr 2330	tcc Ser	30784
ttt Phe	aaa Lys	ttt Phe	att Ile 2335	Trp	aga Arg	act Thr	gtt Val	tca Ser 2340	aga Arg	caa Gln	cca Pro	ttt Phe	gac Asp 2345	atc Ile	30829
			ttt Phe 2350	Phe							taa	aac	aactt <sup>.</sup>	tt	30875
tct	tttt	att	ttctt	ttta	t tt	taca	cgca	cagt	aagg	ct t	cctc	cacc	c ttc	catctca	30935

cagcatacac	cagcctctcc	cccttcatgg	cagtaaactg	ttgtgagtca	gtccggtatt	30995
tgggagttaa	gatccaaaca	gtctctttgg	tgatgaaaca	tggatccgtg	atggacacaa	31055
atccctggga	caggttctcc	aacgtttcgg	taaaaaactg	catgccgccc	tacaaaacaa	31115
acaggttcag	gctctccacg	ggttatctcc	ccgatcaaac	tcagacagag	taaaggtgcg	31175
atgatgttcc	actaaaccac	gcaggtggcg	ctgtctgaac	ctctcggtgc	gactcctgtg	31235
aggctggtaa	gaagttagat	tgtccagcag	cctcacagca	tggatcatca	gtctacgagt	31295
gcgtctggcg	cagcagcgca	tctgaatctc	actgagattc	cggcaagaat	cgcacaccat	31355
cacaatcagg	ttgttcatga	tcccatagct	gaacacgctc	cagccaaagc	tcattcgctc	31415
caacagcgcc	accgcgtgtc	cgtccaacct	tactttaaca	taaatcaggt	gtctgccgcg	31475
tacaaacatg	ctacccgcat	acagaacctc	ccggggcaaa	cccctgttca	ccacctgcct	31535
gtaccaggga	aacctcacat	ttatcaggga	gccatagata	gccattttaa	accaattagc	31595
taacaccgcc	ccaccagete	tacactgaag	agaaccggga	gagttacaat	gacagtgaat	31655
aatccatctc	tcataacccc	taatggtctg	atggaaatcc	agatctaacg	tggcacagca	31715
gatacacact	ttcatataca	ttttcatcac	atgtttttcc	caggccgtta	aaatacaatc	31775
ccaatacacg	ggccactcct	gcagtacaat	aaagctaata	caagatggta	tactcctcac	31835
ctcactaaca	ttgtgcatgt	tcatattttc	acattctaag	taccgagagt	tctcctctac	31895
aacagcactg	ccgcggtcct	cacaaggtgg	tagctggtga	cgattgtaag	gagccagtct	31955
gcagcgatac	cgtctgtcgc	gttgcatcgt	agaccaggga	ccgacgcact	tcctcgtact	32015
tgtagtagca	gaaccacgtc	cgctgccagc	acgtctccaa	gtaacgccgg	tccctgcgtc	32075
gctcacgctc	cctcctcaac	gcaaagtgca	accactcttg	taatccacac	agatccctct	32135
cggcctccgg	ggcgatgcac	acctcaaacc	tacagatgtc	tcggtacagt	tccaaacacg	32195
tagtgagggc	gagttccaac	caagacagac	agcctgatct	atcccgacac	actggaggtg	32255
gaggaagaca	cggaagaggc	atgttattcc	aagcgattca	ccaacgggtc	gaaatgaaga	32315
tcccgaagat	gacaacggtc	gcctccggag	ccctgatgga	atttaacagc	cagatcaaac	32375
attatgcgat	tttccaggct	atcaatcgcg	gcctccaaaa	gagcctggac	ccgcacttcc	32435
acaaacacca	gcaaagcaaa	agcgttatta	tcaaactctt	cgatcatcaa	gctgcaggac	32495
tgtacaatgc	ccaagtaatt	ttcatttctc	cactcgcgaa	tgatgtcgcg	gcaaatagtc	32555
tgaaggttca	tgccgtgcat	attaaaaagc	tccgaaaggg	cgccctctat	agccatgcgt	32615

agacacacca	tcatgactgc	aagatatcgg	gctcctgaga	cacctgcagc	agatttaaca	32675
gacccaggtc	aggttgctct	ccgcgatcgc	gaatctccat	ccgcaaagtc	atttgcaaat	32735
aattaaatag	atctgcgccg	actaaatctg	ttaactccgc	gctaggaact	aaatcaggtg	32795
tggctacgca	gcacaaaagt	tccagggatg	gcgccaaact	cactagaacc	gctcccgagt	32855
agcaaaactg	atgaatggga	gtaacacagt	gtaaaatgtt	cagccaaaaa	tcactaagct	32915
gctcctttaa	aaagtccagt	acttctatat	tcagttcgtg	caagtactga	agcaactgtg	32975
cgggaatatg	cacagcaaaa	aaaatagggc	ggctcagata	catgttgacc	taaaataaaa	33035
agaatcatta	aactaaagaa	gcctggcgaa	cggtgggata	tatgacacgc	tccagcagca	33095
ggcaagcaac	cggctgtccc	cgggaaccgc	ggtaaaattc	atccgaatga	ttaaaaagaa	33155
caacagagac	ttcccaccat	gtactcggtt	ggatctcctg	agcacagagc	aataccccc	33215
tcacattcat	atccgctaca	gaaaaaaaac	gtcccagata	cccagcggga	atatccaacg	33275
acagctgcaa	agacagcaaa	acaatccctc	tgggagcaat	cacaaaatcc	tccggtgaaa	33335
aaagcacata	catattagaa	taaccctgtt	gctggggcaa	aaaggcccgt	cgtcccagca	33395
aatgcacata	aatatgttca	tcagccattg	ccccgtctta	ccgcgtaaac	agccacgaaa	33455
aaatcgagct	aaaatccacc	caacagccta	tagctatata	tacactccac	ccaatgacgc	33515
taataccgca	ccacccacga	ccaaagttca	cccacaccca	caaaacccgc	gaaaatccag	33575
cgccgtcagc	acttccgcaa	tttcagtctc	acaacgtcac	ttccgcgcgc	cttttcactt	33635
tcccacacac	gcccttcgcc	cgcccgccct	cgcgccaccc	cgcgtcaccc	cacgtcaccg	33695
cacgtcaccc	cggccccgcc	tegetectee	ccgctcatta	tcatattggc	acgtttccag	33755
aataaggtat	attattgatg	cagcaaaaca	atccctctgg	gagcaatcac	aaaatcctcc	33815
ggtgaaaaaa	gcacatacat	attagaataa	ccctgttgct	ggggcaaaaa	ggcccgtcgt	33875
cccagcaaat	gcacataaat	atgttcatca	gccattgccc	cgtcttaccg	cgtaaacagc	33935
cacgaaaaaa	tcgagctaaa	atccacccaa	cagcctatag	ctatatatac	actccaccca	33995
atgacgctaa	taccgcacca	cccacgacca	aagttcaccc	acacccacaa	aacccgcgaa	34055
aatccagcgc	cgtcagcact	tccgcaattt	cagtctcaca	acgtcacttc	cgcgcgcctt	34115
ttcactttcc	cacacacgcc	cttcgcccgc	ccgccctcgc	gccaccccgc	gtcaccccac	34175
gtcaccgcac	gtcaccccgg	ccccgcctcg	ctcctccccg	ctcattatca	tattggcacg	34235
tttccagaat	aaggtatatt	attgatgca				34264

<210> 25

<211> 503

<212> PRT

<213> simian adenovirus SV-1

<400> 25

Met Arg Arg Ala Val Arg Val Thr Pro Ala Ala Tyr Glu Gly Pro Pro 1 5 10 15

Pro Ser Tyr Glu Ser Val Met Gly Ser Ala Asn Val Pro Ala Thr Leu 20 25 30

Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Gly Pro Thr Glu Gly Arg
35 40 45

Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Lys 50 55 60

Val Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr 65 70 75 80

Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp 85 90 95

Phe Thr Pro Thr Glu Ala Gly Thr Gln Thr Ile Asn Phe Asp Glu Arg
100 105 110

Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Leu His Thr Asn Met Pro 115 120 125

Val Lys Lys Ala Glu Asn Gln Pro Pro Glu Tyr Glu Trp Phe Glu Phe 145 150 155 160

Thr Ile Pro Glu Gly Asn Tyr Ser Glu Thr Met Thr Ile Asp Leu Met 165 170 175

Asn Asn Ala Ile Val Asp Asn Tyr Leu Gln Val Gly Arg Gln Asn Gly 180 185 190

Val Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn Phe Arg 195 200 205

Leu Gly Trp Asp Pro Val Thr Lys Leu Val Met Pro Gly Val Tyr Thr 210 215 220

Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys Gly Val 225 230 235 240

Asp Phe Thr Gln Ser Arg Leu Ser Asn Leu Leu Gly Ile Arg Lys Arg 245 250 255

Arg Pro Phe Gln Glu Gly Phe Gln Ile Met Tyr Glu Asp Leu Glu Gly 260 265 270

Gly Asn Ile Pro Gly Leu Leu Asp Val Pro Ala Tyr Glu Glu Ser Val Lys Gln Ala Glu Ala Gln Gly Arg Glu Ile Arg Gly Asp Thr Phe Ala 300 Thr Glu Pro His Glu Leu Val Ile Lys Pro Leu Glu Gln Asp Ser Lys Lys Arg Ser Tyr Asn Ile Ile Ser Gly Thr Met Asn Thr Leu Tyr Arg Ser Trp Phe Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Ile Leu Thr Thr Thr Asp Val Thr Cys Gly Ser Gln Gln Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr Phe Arg Pro Ser Thr Gln Val Ser Asn Phe Pro Val Val Gly Thr Glu Leu Leu Pro Val His Ala Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr Ser Gln Leu Ile Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg 460 Ser Ser Ile Ser Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Lys Val Leu Ser Ser Arg Thr Phe 500 <210> 26 <211> 931

<212> PRT

<213> simian adenovirus SV-1

<400> 26

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala 1 5 10 15

Gly	Gln	Asp	Ala 20	Ser	Glu	Tyr	Leu	Ser 25	Pro	Gly	Leu	Val	Gln 30	Phe	Ala
Arg	Ala	Thr 35	Asp	Thr	Tyr	Phe	Ser 40	Leu	Gly	Asn	Lys	Phe 45	Arg	Asn	Pro
Thr	Val 50	Ala	Pro	Thr	His	Asp 55	Val	Thr	Thr	Asp	Arg 60	Ser	Gln	Arg	Leu
Thr 65	Leu	Arg	Phe	Val	Pro 70	Val	Asp	Arg	Glu	Asp 75	Thr	Ala	Tyr	Ser	Туг 80
Lys	Val	Arg	Tyr	Thr 85	Leu	Ala	Val	Gly	Asp 90	Asn	Arg	Val	Leu	Asp 95	Met
Ala	Ser	Thr	Tyr 100	Phe	Asp	Ile	Arg	Gly 105	Val	Leu	Asp	Arg	Gly 110	Pro	Ser
Phe	Lys	Pro 115	Tyr	Ser	Gly	Thr	Ala 120	Tyr	Asn	Ser	Leu	Ala 125	Pro	Lys	Gly
Ala	Pro 130	Asn	Pro	Ala	Glu	Trp 135	Thr	Asn	Ser	Asp	Ser 140	Lys	Val	Lys	Val
Arg 145	Ala	Gln	Ala	Pro	Phe 150	Val	Ser	Ser	Tyr	Gly 155	Ala	Thr	Ala	Ile	Thr 160
Lys	Glu	Gly	Ile	Gln 165	Val	Gly	Val	Thr	Leu 170	Thr	Asp	Ser	Gly	Ser 175	Thr
Pro	Gln	Tyr	Ala 180	Asp	Lys	Thr	Tyr	Gln 185	Pro	Glu	Pro	Gln	Ile 190	Gly	Glu
Leu	Gln	Trp 195	Asn	Ser	Asp	Val	Gly 200	Thr	Asp	Asp	Lys	Ile 205	Ala	Gly	Arg
Val	Leu 210	Lys	Lys	Thr	Thr	Pro 215	Met	Phe	Pro	Cys	Tyr 220	Gly	Ser	Tyr	Ala
Arg 225	Pro	Thr	Asn	Glu	Lys 230	Gly	Gly	Gln	Ala	Thr 235	Pro	Ser	Ala	Ser	Gln 240
Asp	Val	Gln	Asn	Pro 245	Glu	Leu	Gln	Phe	Phe 250	Ala	Ser	Thr	Asn	Val 255	Ala
Asn	Thr	Pro	Lys 260	Ala	Val	Leu	Tyr	Ala 265	Glu	Asp	Val	Ser	Ile 270	Glu	Ala
Pro	Asp	Thr 275	His	Leu	Val	Phe	Lys 280	Pro	Thr	Val	Thr	Glu 285	Gly	Ile	Thr
Ser	Ser 290	Glu	Ala	Leu	Leu	Thr 295	Gln	Gln	Ala	Ala	Pro 300	Asn	Arg	Pro	Asn
Tyr 305	Ile	Ala	Phe	Arg	Asp 310	Asn	Phe	Ile	Gly	Leu 315	Met	Tyr	Tyr	Asn	Ser 320

Thr Gly Asn Met Gly Val Leu Ala Gly Gln Ala Ser Gln Leu Asn Ala 330 Val Val Asp Leu Gln Asp Arg Asn Thr Glu Leu Ser Tyr Gln Leu Met 350 Leu Asp Ala Leu Gly Asp Arg Ser Arg Tyr Phe Ser Met Trp Asn Gln 360 Ala Val Asp Ser Tyr Asp Pro Asp Val Arg Ile Ile Glu Asn His Gly Val Glu Asp Glu Leu Pro Asn Tyr Cys Phe Pro Leu Gly Gly Met Ala Val Thr Asp Thr Tyr Ser Pro Ile Lys Val Asn Gly Gly Gly Asn Gly Trp Glu Ala Asn Asn Gly Val Phe Thr Glu Arg Gly Val Glu Ile Gly 425 Ser Gly Asn Met Phe Ala Met Glu Ile Asn Leu Gln Ala Asn Leu Trp 440 Arg Ser Phe Leu Tyr Ser Asn Ile Gly Leu Tyr Leu Pro Asp Ser Leu Lys Ile Thr Pro Asp Asn Ile Thr Leu Pro Glu Asn Lys Asn Thr Tyr Gln Tyr Met Asn Gly Arg Val Thr Pro Pro Gly Leu Val Asp Thr Tyr 490 Val Asn Val Gly Ala Arg Trp Ser Pro Asp Val Met Asp Ser Ile Asn 505 510 Pro Phe Asn His His Arg Asn Ala Gly Leu Arg Tyr Arg Ser Met Leu Leu Gly Asn Gly Arg Tyr Val Pro Phe His Ile Gln Val Pro Gln Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Leu Pro Gly Ser Tyr Thr Tyr Glu Trp Asn Phe Arg Lys Asp Val Asn Met Ile Leu Gln Ser Ser Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Ile Arg Phe Asp Ser Ile Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His Asn Thr Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser Phe Asn Asp 615 620 610

Tyr 625	Leu	Cys	Ala	Ala	Asn 630	Met	Leu	Tyr	Pro	Ile 635	Pro	Ala	Asn	Ala	Thr 640
Ser	Val	Pro	Ile	Ser 645	Ile	Pro	Ser	Arg	Asn 650	Trp	Ala	Ala	Phe	Arg 655	Gly
Trp	Ser	Phe	Thr 660	Arg	Leu	Lys	Thr	Lys 665	Glu	Thr	Pro	Ser	Leu 670	Gly	Ser
Gly	Phe	Asp 675	Pro	Tyr	Phe	Val	Tyr 680	Ser	Gly	Ser	Ile	Pro 685	Tyr	Leu	Asp
Gly	Thr 690	Phe	Tyr	Leu	Asn	His 695	Thr	Phe	Lys	Lys	Val 700	Ser	Ile	Met	Phe
Asp 705	Ser	Ser	Val	Ser	Trp 710	Pro	Gly	Asn	Asp	Arg 715	Leu	Leu	Thr	Pro	Asn 720
Glu	Phe	Glu	Ile	Lys 725	Arg	Ser	Val	Asp	Gly 730	Glu	Gly	Tyr	Asn	Val 735	Ala
Gln	Ser	Asn	Met 740	Thr	Lys	Asp	Trp	Phe 745	Leu	Ile	Gln	Met	Leu 750	Ser	His
Tyr	Asn	Ile 755	Gly	Tyr	Gln	Gly	Phe 760	Tyr	Val	Pro	Glu	Asn 765	Tyr	Lys	Asp
Arg	Met 770	Tyr	Ser	Phe	Phe	Arg 775	Asn	Phe	Gln	Pro	Met 780	Ser	Arg	Gln	Ile
Val 785	Asp	Ser	Thr	Ala	Tyr 790	Thr	Asn	Tyr	Gln	Asp 795	Val	Lys	Leu	Pro	Tyr 800
Gln	His	Asn	Asn	Ser 805	Gly	Phe	Val	Gly	Tyr 810	Met	Gly	Pro	Thr	Met 815	Arg
Glu	Gly	Gln	Ala 820	Tyr	Pro	Ala	Asn	Tyr 825	Pro	Tyr	Pro	Leu	Ile 830	Gly	Ala
Thr	Ala	Val 835	Pro	Ser	Leu	Thr	Gln 840	Lys	Lys	Phe	Leu	Cys 845	Asp	Arg	Val
Met	Trp 850	Arg	Ile	Pro	Phe	Ser 855	Ser	Asn	Phe ·	Met	Ser 860	Met	Gly	Ser	Leu
Thr 865	Asp	Leu	Gly	Gln	Asn 870	Met	Leu	Tyr	Ala	Asn 875	Ser	Ala	His	Ala	Leu 880
Asp	Met	Thr	Phe	Glu 885	Val	Asp	Pro	Met	Asp 890	Glu	Pro	Thr	Leu	Leu 895	Tyr
Val	Leu	Phe	Glu 900	Val	Phe	Asp	Val	Val 905	Arg	Ile	His	Gln	Pro 910	His	Arg

Gly Val Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala Gly Asn 915 920 925

Ala Thr Thr 930

<210> 27

<211> 363

<212> PRT

<213> simian adenovirus SV-1

<400> 27

Met Lys Arg Thr Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr 1 5 10 15

Asp Thr Thr Thr Pro Ala Val Pro Phe Ile Ser Pro Pro Phe Val 20 25 30

Asn Ser Asp Gly Leu Gln Glu Asn Pro Pro Gly Val Leu Ser Leu Arg 35 40 45

Ile Ala Lys Pro Leu Tyr Phe Asp Met Glu Arg Lys Leu Ala Leu Ser 50 55 60

Leu Gly Arg Gly Leu Thr Ile Thr Ala Ala Gly Gln Leu Glu Ser Thr 65 70 75 80

Gln Ser Val Gln Thr Asn Pro Pro Leu Ile Ile Thr Asn Asn Asn Thr 85 90 95

Leu Thr Leu Arg His Ser Pro Pro Leu Asn Leu Thr Asp Asn Ser Leu
100 105 110

Val Leu Gly Tyr Ser Ser Pro Leu Arg Val Thr Asp Asn Lys Leu Thr 115 120 125

Phe Asn Phe Thr Ser Pro Leu Arg Tyr Glu Asn Glu Asn Leu Thr Phe 130 140

Asn Tyr Thr Glu Pro Leu Lys Leu Ile Asn Asn Ser Leu Ala Ile Asp 145 150 155 160

Ile Asn Ser Ser Lys Gly Leu Ser Ser Val Gly Gly Ser Leu Ala Val 165 170 175

Asn Leu Ser Ser Asp Leu Lys Phe Asp Ser Asn Gly Ser Ile Ala Phe 180 185 190

Gly Ile Gln Thr Leu Trp Thr Ala Pro Thr Ser Thr Gly Asn Cys Thr 195 200 205

Val Tyr Ser Glu Gly Asp Ser Leu Leu Ser Leu Cys Leu Thr Lys Cys 210 215 220

Gly Ala His Val Leu Gly Ser Val Ser Leu Thr Gly Leu Thr Gly Thr 225 230 235 240

Ile Thr Gln Met Thr Asp Ile Ser Val Thr Ile Gln Phe Thr Phe Asp 245 250 255

Asn Asn Gly Lys Leu Leu Ser Ser Pro Leu Ile Asn Asn Ala Phe Ser 260 265 270

Ile Arg Gln Asn Asp Ser Thr Ala Ser Asn Pro Thr Tyr Asn Ala Leu 275 280 285

Ala Phe Met Pro Asn Ser Thr Ile Tyr Ala Arg Gly Gly Gly Glu 290 295 300

Pro Arg Asn Asn Tyr Tyr Val Gln Thr Tyr Leu Arg Gly Asn Val Gln 305 310 315 320

Lys Pro Ile Ile Leu Thr Val Thr Tyr Asn Ser Val Ala Thr Gly Tyr 325 330 335

Ser Leu Ser Phe Lys Trp Thr Ala Leu Ala Arg Glu Lys Phe Ala Thr 340 345 350

Pro Thr Thr Ser Phe Cys Tyr Ile Thr Glu Gln 355

<210> 28

<211> 560

<212> PRT

<213> simian adenovirus SV-1

<400> 28

Met Lys Arg Ala Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr 1 5 10 15

Asp Pro Pro His Ala Pro Val Met Pro Phe Ile Thr Pro Pro Phe Thr 20 25 30

Ser Ser Asp Gly Leu Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Asn 35 40 45

Tyr Arg Asp Pro Ile Thr Thr Gln Asn Glu Ser Leu Thr Ile Lys Leu 50 55 60

Gly Asn Gly Leu Thr Leu Asp Asn Gln Gly Gln Leu Thr Ser Thr Ala 65 70 75 80

Gly Glu Val Glu Pro Pro Leu Thr Asn Ala Asn Asn Lys Leu Ala Leu 85 90 95

Val Tyr Ser Asp Pro Leu Ala Val Lys Arg Asn Ser Leu Thr Leu Ser 100 105 110

His Thr Ala Pro Leu Val Ile Ala Asp Asn Ser Leu Ala Leu Gln Val 115 Ser Glu Pro Ile Phe Ile Asn Asp Lys Asp Lys Leu Ala Leu Gln Thr 135 Ala Ala Pro Leu Val Thr Asn Ala Gly Thr Leu Arg Leu Gln Ser Ala Ala Pro Leu Gly Ile Ala Asp Gln Thr Leu Lys Leu Leu Phe Thr Asn Pro Leu Tyr Leu Gln Asn Asn Phe Leu Thr Leu Ala Ile Glu Arg Pro Leu Ala Ile Thr Asn Thr Gly Lys Leu Ala Leu Gln Leu Ser Pro Pro Leu Gln Thr Ala Asp Thr Gly Leu Thr Leu Gln Thr Asn Val Pro Leu Thr Val Ser Asn Gly Thr Leu Gly Leu Ala Ile Lys Arg Pro Leu Ile 235 Ile Gln Asp Asn Asn Leu Phe Leu Asp Phe Arg Ala Pro Leu Arg Leu 250 Phe Asn Ser Asp Pro Val Leu Gly Leu Asn Phe Tyr Thr Pro Leu Ala Val Arg Asp Glu Ala Leu Thr Val Asn Thr Gly Arg Gly Leu Thr Val 285 Ser Tyr Asp Gly Leu Ile Leu Asn Leu Gly Lys Asp Leu Arg Phe Asp 300 Asn Asn Thr Val Ser Val Ala Leu Ser Ala Ala Leu Pro Leu Gln Tyr 315 320 Thr Asp Gln Leu Arg Leu Asn Val Gly Ala Gly Leu Arg Tyr Asn Pro Val Ser Lys Lys Leu Asp Val Asn Pro Asn Gln Asn Lys Gly Leu Thr Trp Glu Asn Asp Tyr Leu Ile Val Lys Leu Gly Asn Gly Leu Gly Phe Asp Gly Asp Gly Asn Ile Ala Val Ser Pro Gln Val Thr Ser Pro Asp Thr Leu Trp Thr Thr Ala Asp Pro Ser Pro Asn Cys Ser Ile Tyr Thr Asp Leu Asp Ala Lys Met Trp Leu Ser Leu Val Lys Gln Gly Gly Val 410 405

```
Val His Gly Ser Val Ala Leu Lys Ala Leu Lys Gly Thr Leu Leu Ser
Pro Thr Glu Ser Ala Ile Val Ile Ile Leu His Phe Asp Asn Tyr Gly
Val Arg Ile Leu Asn Tyr Pro Thr Leu Gly Thr Gln Gly Thr Leu Gly
                        455
Asn Asn Ala Thr Trp Gly Tyr Arg Gln Gly Glu Ser Ala Asp Thr Asn
Val Leu Asn Ala Leu Ala Phe Met Pro Ser Ser Lys Arg Tyr Pro Arg
Gly Arg Gly Ser Glu Val Gln Asn Gln Thr Val Gly Tyr Thr Cys Ile
Gln Gly Asp Phe Ser Met Pro Val Pro Tyr Gln Ile Gln Tyr Asn Tyr
Gly Pro Thr Gly Tyr Ser Phe Lys Phe Ile Trp Arg Thr Val Ser Arg
Gln Pro Phe Asp Ile Pro Cys Cys Phe Phe Ser Tyr Ile Thr Glu Glu
<210> 29
<211> 31044
<212> DNA
<213> simian adenovirus SV-25
<220>
<221> CDS
<222> (12284)..(13801)
<223> Penton
<220>
<221> CDS
<222> (16681)..(19446)
<223> Hexon
<220>
<221> CDS
<222> (25380)..(26423)
<223> Fiber #2
<220>
<221> CDS
<222> (26457)..(28136)
<223> Fiber #1
<400> 29
```

cgaggcgggg	ccggggtgac	gtgcggtgac	gcggggtggc	gcgagggcgg	ggcgaagggc	120
gcgggtgtgt	gtgtgggagg	cgcttagttt	ttacgtatgc	ggaaggaggt	tttataccgg	180
aagatgggta	atttgggcgt	atacttgtaa	gttttgtgta	atttggcgcg	aaaactgggt	240
aatgaggaag	ttgaggttaa	tatgtacttt	ttatgactgg	gcggaatttc	tgctgatcag	300
cagtgaactt	tgggcgctga	cggggaggtt	tcgctacgtg	acagtaccac	gagaaggctc	360
aaaggtccca	tttattgtac	tcttcagcgt	tttcgctggg	tatttaaacg	ctgtcagatc	420
atcaagaggc	cactcttgag	tgctggcgag	aagagttttc	tcctccgtgc	tgccacgatg	480
aggctggtcc	ccgagatgta	cggtgttttt	agcgacgaga	cggtgcgtaa	ctcagatgac	540
ctgctgaatt	cagacgcgct	ggaaatttcc	aattcgcctg	tgctttcgcc	gccgtcactt	600
cacgacctgt	ttgtgttttg	gctcaacgct	tagcaacgtg	ttatataggg	tcaagaagga	660
gcaggagacg	cagtttgcta	ggctgttggc	cgatactcct	ggagtttttg	tggctctgga	720
tctaggccat	cactctcttt	tccaagagaa	aattatcaaa	aacttaactt	ttacgtctcc	780
tggtcgcacg	gttgcttccg	ctgcctttat	tacctatatt	ttggatcaat	ggagcaacag	840
cgacagccac	ctgtcgtggg	agtacatgct	ggattacatg	tcgatggcgc	tgtggagggc	900
catgctgcgg	aggagggttt	gcatttactt	gcgggcgcag	cctccgcggc	tggaccgagt	960
ggaggaggag	gacgagccgg	gggagaccga	gaacctgagg	gccgggctgg	accctccaac	1020
ggaggactag	gtgctgagga	tgatcccgaa	gaggggacta	gtggggctag	gaagaagcaa	1080
aagactgagt	ctgaacctcg	aaactttttg	aatgagttga	ctgtgagttt	gatgaatcgt	1140
cagcgtccgg	agacaatttt	ctggtctgaa	ttggaggagg	aattcaggag	gggggaactg	1200
aacctgctat	acaagtatgg	gtttgaacag	ttaaaaactc	actggttgga	gccgtgggag	1260
gattttgaaa	ccgccttgga	cacttttgct	aaagtggctc	tgcggccgga	taaggtttac	1320
actatccgcc	gcactgttaa	cataaagaag	agtgtttatg	ttataggcca	tggagctctg	1380
gtgcaggtgc	aaaccgtcga	ccgggtggcc	tttagttgcg	gtatgcaaaa	tctgggcccc	1440
ggggtgatag	gcttaaatgg	tgtaacattt	cacaatgtaa	ggtttactgg	tgaaagtttt	1500
aacggctctg	tgtttgcaaa	taacacacag	ctgacgctcc	acggcgttta	cttttttaac	1560
tttaataaca	. catgtgtgga	gtcgtggggc	agggtgtctt	tgaggggctg	ctgttttcac	1620
ggctgctgga	aggcggtggt	gggaagactt	aaaagtgtaa	catctgtaaa	aaaatgcgtg	1680
tttgagcggt	gtgtgttggc	tttaactgtg	gagggctgtg	gacgcattag	gaataatgcg	1740

gcgtctgaga	atggatgttt	tcttttgcta	aaaggcacgg	ctagtattaa	gcataacatg	1800
atatgcggca	gcggtctgta	cccttcacag	ctgttaactt	gcgcggatgg	aaactgtcag	1860
accttgcgca	ccgtgcacat	agcgtcccac	cagcgccgcg	cctggccaac	attcgagcac	1920
aatatgctta	tgcgttgtgc	cgtccacttg	ggccctaggc	gaggcgtgtt	tgtgccttac	1980
cagtgtaact	ttagccatac	caagatttta	ctagaacctg	ataccttctc	tcgagtgtgt	2040
ttcaatgggg	tgtttgacat	gtcaatggaa	ctgtttaaag	tgataagata	tgatgaatcc	2100
aagtctcgtt	gtcgcccatg	tgaatgcgga	gctaatcatc	tgaggttgta	tcctgtaacc	2160
ctaaacgtta	ccgaggagct	gaggacggat	caccacatgt	tgtcctgcct	gcgcaccgac	2220
tatgaatcca	gcgacgagga	gtgaggtgag	gggcggagcc	acaaagggta	taaaggggcg	2280
tgaggggtgg	gtgtgatgat	tcaaaatgag	cgggacgacg	gacggcaacg	cgtttgaggg	2340
tggagtgttc	agcccttatc	tgacatctcg	tattacttac	tgggcaggag	tgcgtcagaa	2400
tgtagtgggc	tccaccgtgg	acggacgacc	ggtcgcccct	gcaaattccg	ccaccctcac	2460
ctatgccacc	gtgggatcat	cgttggacac	tgccgcggca	gctgccgctt	ctgctgccgc	2520
ttctactgct	cgcggcatgg	cggctgattt	tggactgtat	aaccaactgg	ccactgcagc	2580
tgtggcgtct	cggtctctgg	ttcaagaaga	tgccctgaat	gtgatcctga	ctcgcctgga	2640
gatcatgtca	cgtcgcttgg	acgaactggc	tgcgcagata	tcccaagcta	accccgatac	2700
cacttcagaa	tcctaaaata	aagacaaaca	aatatgttga	aaagtaaaat	ggctttattt	2760
gtttttttg	gctcggtagg	ctcgggtcca	cctgtctcgg	tcgttaagaa	ctttgtgtat	2820
gttttccaaa	acacggtaca	gatgggcttg	gatgttcaag	tacatgggca	tgaggccatc	2880
tttggggtga	agataggacc	attgaagagc	gtcatgctcc	ggggtggtgt	tgtaaattac	2940
ccagtcgtag	cagggtttct	gggcgtggaa	ctggaagatg	tcctttagga	gtaggctgat	3000
ggccaagggc	aggcccttag	tgtaggtgtt	tacaaagcgg	ttaagctggg	agggatgcat	3060
gcgggggag	atgatatgca	tcttggcttg	gatcttgagg	ttagctatgt	taccacccag	3120
gtctctgcgg	gggttcatgt	tatgaaggac	caccagcacg	gtgtagccgg	tgcatttggg	3180
gaacttgtca	tgcagtttgg	aggggaaggc	gtggaagaat	ttagagaccc	ccttgtggcc	3240
ccctaggttt	tccatgcact	catccataat	gatggcaatg	ggacccctgg	cggccgcttt	3300
ggcaaacacg	ttttgggggt	tggaaacatc	atagttttgc	tctagagtga	gctcatcata	3360
ggccatctta	acaaagcggg	gtaggagggt	gcccgactgg	gggatgatag	ttccatctgg	3420
gcctggggcg	tagttaccct	cacagatctg	catctcccag	gccttaattt	ccgagggggg	3480

tatcatgtcc	acctgggggg	caataaagaa	cacggtttct	ggcgggggat	tgatgagctg	3540
ggtggaaagc	aagttacgca	gcagttgaga	tttgccacag	ccggtggggc	cgtagatgac	3600
cccgatgacg	ggttgcagct	ggtagttgag	agaggaacag	ctgccgtcgg	ggcgcaggag	3660
gggggctacc	tcattcatca	tgcttctaac	atgtttattt	tcactcacta	agttttgcaa	3720
gagcctctcc	ccacccaggg	ataagagttc	ttccaggctg	ttgaagtgtt	tcagcggttt	3780
taggccgtcg	gccatgggca	tcttttcgag	cgactgacga	agcaagtaca	gtcggtccca	3840
gagctcggtg	acgtgctcta	tggaatctcg	atccagcaga	cttcttggtt	gcgggggttg	3900
ggtcgacttt	cgctgtaggg	caccagccgg	tgggcgtcca	gggccgcgag	ggttctgtcc	3960
ttccagggtc	tcagcgtccg	ggtgagggtg	gtctcggtga	cggtgaaggg	atgagccccg	4020
ggctgggcgc	ttgcgagggt	gcgcttcagg	ctcatcctgc	tggtgctgaa	gcggacgtcg	4080
tetecetgtg	agtcggccag	atagcaacga	agcatgaggt	cgtagctgag	ggactcggcc	4140
gcgtgtccct	tggcgcgcag	ctttcccttg	gaaacgtgct	gacatttggt	gcagtgcaga	4200
cattggaggg	cgtagagttt	gggggccagg	aagaccgact	cgggcgagta	ggcgtcggct	4260
ccgcactgag	cgcagacggt	ctcgcactcc	actagccacg	tgagctcggg	tttagcggga	4320
tcaaaaacca	agttgcctcc	attttttttg	atgcgtttct	taccttgcgt	ttccatgagt	4380
ttgtggcccg	cttccgtgac	aaaaaggctg	teggtgtete	cgtagacaga	cttgaggggg	4440
cgatcttcca	aaggtgttcc	gaggtcttcc	gcgtacagga	actgggacca	ctccgagacg	4500
aaggctctgg	tccaggctaa	cacgaaggag	gcaatctgcg	aggggtatct	gtcgttttca	4560
atgagggggt	ccaccttttc	cagggtgtgc	agacacaggt	cgtcctcctc	cgcgtccacg	4620
aaggtgattg	gcttgtaagt	gtaggtcacg	tgatctgcac	ccccaaagg	ggtataaaag	4680
ggggcgtgcc	caccctctcc	gtcactttct	tccgcatcgc	tgtggaccag	agccagctgt	4740
tcgggtgagt	aggccctctc	aaaagccggc	atgatctcgg	cgctcaagtt	gtcagtttct	4800
acaaacgagg	tggatttgat	attcacgtgc	cccgcggcga	tgcttttgat	ggtggagggg	4860
tccatctgat	cagaaaacac	gatctttttg	ttgtcaagtt	tggtggcgaa	agacccgtag	4920
agggcgttgg	aaagcaactt	ggcgatggag	cgcagggtct	gatttttctc	ccgatcggcc	4980
ctctccttgg	cggcgatgtt	gagttgcacg	tactcccggg	ccgcgcaccg	ccactcgggg	5040
aacacggcgg	tgcgctcgtc	gggcaggatg	cgcacgcgcc	agccgcgatt	gtgcagggtg	5100
atgaggtcca	cgctggtagc	cacctccccg	cggaggggct	cgttggtcca	acacaatcgc	5160

ccccttttc	tggagcagaa	cggaggcagg	ggatctagca	agttggcggg	cggggggtcg	5220
gcgtcgatgg	tgaagatacc	gggtagcagg	atcttattaa	aataatcgat	ttcggtgtcc	5280
gtgtcttgca	acgcgtcttc	ccacttcttc	accgccaggg	ccctttcgta	gggattcagg	5340
ggcggtcccc	agggcatggg	gtgggtcagg	gccgaggcgt	acatgccgca	gatgtcatac	5400
acgtacaggg	gttccctcaa	caccccgatg	taagtggggt	aacagcgccc	cccgcggatg	5460
ctggctcgca	cgtagtcgta	catctcgcgc	gagggagcca	tgaggccgtc	tcccaagtgg	5520
gtcttgtggg	gtttttcggc	ccggtagagg	atctgtctga	agatggcgtg	ggagttggaa	5580
gagatggtgg	ggcgttggaa	gacgttaaag	ttggccccgg	gtagtcccac	ggagtcttgg	5640
atgaactggg	cgtaggattc	ccggagtttg	tccaccaggg	cggcggtcac	cagcacgtcg	5700
agagcgcagt	agtccaacgt	ctcgcggacc	aggttgtagg	ccgtctcttg	ttttttctcc	5760
cacagttcgc	ggttgaggag	gtattcctcg	cggtctttcc	agtactcttc	ggcgggaaat	5820
cctttttcgt	ccgctcggta	agaacctaac	atgtaaaatt	cgttcaccgc	tttgtatgga	5880
caacagcctt	tttctaccgg	cagggcgtac	gcttgagcgg	cctttctgag	agaggtgtgg	5940
gtgagggcga	aggtgtcccg	caccatcact	ttcaggtact	gatgtttgaa	gtccgtgtcg	6000
tcgcaggcgc	cctgttccca	cagcgtgaag	teggtgeget	ttttctgcct	gggattgggg	6060
agggcgaagg	tgacatcgtt	aaagagtatt	ttcccggcgc	ggggcatgaa	gttgcgagag	6120
atcctgaagg	gcccgggcac	gtccgagcgg	ttgttgatga	cctgcgccgc	caggacgatc	6180
tcgtcgaagc	cgttgatgtt	gtgacccacg	atgtaaagtt	cgatgaagcg	cggctgtccc	6240
ttgagggccg	gcgctttttt	caactcctcg	taggtgagac	agtccggcga	ggagagaccc	6300
agctcagccc	gggcccagtc	ggagagttga	ggattagccg	caaggaagga	gctccataga	6360
tccaaggcca	ggagagtttg	caagcggtcg	cggaactcgc	ggaacttttt	cccacggcc	6420
attttctccg	gtgtcactac	gtaaaaggtg	ttggggcggt	tgttccacac	gtcccatcgg	6480
agctctaggg	ccagctcgca	ggcttggcga	acgagggtct	cctcgccaga	gacgtgcatg	6540
accagcataa	agggtaccaa	ctgtttcccg	aacgagccca	tccatgtgta	ggtttctacg	6600
tcgtaggtga	caaagagccg	ctgggtgcgc	gcgtgggagc	cgatcggaaa	gaagctgatc	6660
tcctgccacc	agctggagga	atgggtgtta	atgtggtgga	agtagaagtc	ccgccggcgc	6720
acagagcatt	cgtgctgatg	tttgtaaaag	cgaccgcagt	agtcgcagcg	ctgcacgctc	6780
tgtatctcct	gaacgagatg	cgcttttcgc	ccgcgcacca	gaaaccggag	ggggaagttg	6840
agacgggggg	ctggtggggc	gacatcccct	tcgccttggc	ggtgggagtc	tgcgtctgcg	6900

tcctccttct	ctgggtggac	gacggtgggg	acgacgacgc	cccgggtgcc	gcaagtccag	6960
atctccgcca	cggaggggtg	caggcgctgc	aggagggac	gcagctgccc	gctgtccagg	7020
gagtcgaggg	aagtcgcgct	gaggtcggcg	ggaagcgttt	gcaagttcac	tttcagaaga	7080
ccggtaagag	cgtgagccag	gtgcagatgg	tacttgattt	ccaggggggt	gttggatgaa	7140
gcgtccacgg	cgtagaggag	tccgtgtccg	cgcggggcca	ccaccgtgcc	ccgaggaggt	7200
tttatctcac	tcgtcgaggg	cgagcgccgg	ggggtagagg	cggctctgcg	ccggggggca	7260
gcggaggcag	aggcacgttt	tcgtgaggat	tcggcagcgg	ttgatgacga	gcccggagac	7320
tgctggcgtg	ggcgacgacg	cggcggttga	ggtcctggat	gtgccgtctc	tgcgtgaaga	7380
ccaccggccc	ccgggtcctg	aacctaaaga	gagttccaca	gaatcaatgt	ctgcatcgtt	7440
aacggcggcc	tgcctgagga	tctcctgcac	gtcgcccgag	ttgtcctgat	aggcgatctc	7500
ggccatgaac	tgttccactt	cttcctcgcg	gaggtcaccg	tggcccgctc	gctccacggt	7560
ggcggccagg	tcgttggaga	tgcggcgcat	gagttgagag	aaggcgttga	ggccgttctc	7620
gttccacacg	cggctgtaca	ccacgtttcc	gaaggagtcg	cgcgctcgca	tgaccacctg	7680
ggccacgttg	agttccacgt	ggcgggcgaa	gacggcgtag	tttctgaggc	gctggaagag	7740
gtagttgagc	gtggtggcga	tgtgctcgca	gacgaagaag	tacataatcc	agcgccgcag	7800
ggtcatctcg	ttgatgtctc	cgatggcttc	gagacgctcc	atggcctcgt	agaagtcgac	7860
ggcgaagttg	aaaaattggg	agttgcgggc	ggccaccgtg	agttcttctt	gcaggaggcg	7920
gatgagatcg	gcgaccgtgt	cgcgcacctc	ctgttcgaaa	gcgccccgag	gcgcctctgc	7980
ttcttcctcc	ggctcctcct	cttccagggg	ctcgggttcc	tccggcagct	ctgcgacggg	8040
gacggggcgg	cgacgtcgtc	gtctgaccgg	caggcggtcc	acgaagcgct	cgatcatttc	8100
gccgcgccgg	cgacgcatgg	tctcggtgac	ggcgcgtccg	ttttcgcgag	gtcgcagttc	8160
gaagacgccg	ccgcgcagag	cgcccccgtg	cagggagggt	aagtggttag	ggccgtcggg	8220
cagggacacg	gcgctgacga	tgcattttat	caattgctgc	gtaggcactc	cgtgcaggga	8280
tctgagaacg	tcgaggtcga	cgggatccga	gaacttctct	aggaaagcgt	ctatccaatc	8340
gcaatcgcaa	ggtaagctga	gaacggtggg	tcgctggggg	gcgttcgcgg	gcagttggga	8400
ggtgatgctg	ctgatgatgt	aattaaagta	ggcggtcttc	aggcggcgga	tggtggcgag	8460
gaggaccacg	tctttgggcc	cggcctgttg	aatgcgcagg	cgctcggcca	tgccccaggc	8520
ctcgctctga	cagcgacgca	ggtctttgta	gaagtcttgc	atcagtctct	ccaccggaac	8580

ctctgcttct	cccctgtctg	ccatgcgagt	cgagccgaac	ccccgcaggg	gctgcagcaa	8640
cgctaggtcg	gccacgaccc	tttcggccag	cacggcctgt	tgaatctgcg	tgagggtggc	8700
ctggaagtcg	tccaggtcca	cgaagcggtg	ataggccccc	gtgttgatgg	tgtaggtgca	8760
gttggccatg	acggaccagt	tgacgacttg	catgccgggt	tgggtgatct	ccgtgtactt	8820
gaggcgcgag	taggccctgg	actcgaacac	gtagtcgttg	catgtgcgca	ccagatactg	8880
gtagccgacc	aggaagtgag	gaggcggctc	tcggtacagg	ggccagccaa	cggtggcggg	8940
ggcgccgggg	gacaggtcgt	ccagcatgag	gcggtggtag	tggtagatgt	agcgggagag	9000
ccaggtgatg	ccggccgagg	tggttgcggc	cctggtgaat	tcgcggacgc	ggttccagat	9060
gttgcgcagg	ggaccaaagc	gctccatggt	gggcacgctc	tgccccgtga	ggcgggcgca	9120
atcttgtacg	ctctagatgg	aaaaaagaca	gggcggtcat	cgactccttt	ccgtagcttg	9180
gggggtaaag	tcgcaagggt	gcggcggcgg	ggaaccccgg	ttcgagaccg	gccggatccg	9240
ccgctcccga	tgcgcctggc	cccgcatcca	cgacgtccgc	gccgagaccc	agccgcgacg	9300
ctccgcccca	atacggaggg	gagtcttttg	gtgtttttc	gtagatgcat	ccggtgctgc	9360
ggcagatgcg	accccagacg	cccactacca	ccgccgtggc	ggcagtaaac	ctgagcggag	9420
gcggtgacag	ggaggaggaa	gagctggctt	tagacctgga	agagggagag	gggctggccc	9480
ggctgggagc	gccatcccca	gagagacacc	ctagggttca	gctcgtgagg	gacgccaggc	9540
aggcttttgt	gccgaagcag	aacctgttta	gggaccgcag	cggtcaggag	gcggaggaga	9600
tgcgcgattg	caggtttcgg	gcgggcagag	agctcagggc	gggcttcgat	cgggagcggc	9660
tcctgagggc	ggaggatttc	gagcccgacg	agcgttctgg	ggtgagcccg	gcccgcgctc	9720
acgtatcggc	ggccaacctg	gtgagcgcgt	acgagcagac	ggtgaacgag	gagcgcaact	9780
tccaaaagag	ctttaacaat	cacgtgagga	ccctgatcgc	gagggaggag	gtgaccatcg	9840
ggctgatgca	tctgtgggac	ttcgtggagg	cctacgtgca	gaacccggct	agcaaacccc	9900
tgacggccca	gctgttcctg	atcgtgcagc	acagccgcga	caacgagacg	ttccgcgacg	9960
ccatgttgaa	catcgcggag	cccgagggtc	gctggctctt	ggatctgatt	aacatcctgc	10020
agagcatcgt	ggtgcaggag	aggggcctga	gtttagcgga	caaggtggcg	gccattaact	10080
attcgatgca	gagcctgggg	aagttctacg	ctcgcaagat	ctacaagagc	ccttacgtgc	10140
ccatagacaa	ggaggtgaag	atagacagct	tttacatgcg	catggcgctg	aaggtgctga	10200
cgctgagcga	cgacctcggc	gtgtaccgta	acgacaagat	ccacaaggcg	gtgagcgcca	10260
gccgccggcg	ggagctgagc	gacagggagc	tgatgcacag	cctgcagagg	gcgctggcgg	10320

gcgccgggga	cgaggagcgc	gaggcttact	tcgacatggg	agccgatctg	cagtggcgtc	10380
ccagcgcgcg	cgccttggag	gcggcgggtt	atcccgacga	ggaggatcgg	gacgatttgg	10440
aggaggcagg	cgagtacgag	gacgaagcct	gaccgggcag	gtgttgttt	agatgcagcg	10500
gccggcggac	gggaccaccg	cggatcccgc	acttttggca	tccatgcaga	gtcaaccttc	10560
gggcgtgacc	gcctccgatg	actgggcggc	ggccatggac	cgcatcatgg	cgctgaccac	10620
ccgcaacccc	gaggctttta	ggcagcaacc	ccaggccaac	cgtttttcgg	ccatcttgga	10680
agcggtggtg	ccgtcgcgca	ccaacccgac	gcacgagaaa	gtcctgacta	tcgtgaacgc	10740
cctggtagac	agcaaggcca	tccgccgtga	cgaggcgggc	ttgatttaca	acgctctttt	10800
ggaacgcgtg	gcgcgctaca	acagcactaa	cgtgcagacc	aatctggacc	gcctcaccac	10860
cgacgtgaag	gaggcgctgg	cgcagaagga	gcggtttctg	agggacagta	atctgggctc	10920
tctggtggca	ctgaacgcct	tcctgagctc	acagccggcc	aacgtgcccc	gcgggcagga	10980
ggattacgtg	agcttcatca	gcgctctgag	actgctggtg	tccgaggtgc	cccagagcga	11040
ggtgtaccag	tctgggccgg	attacttttt	ccagacgtcc	cgacagggct	tgcaaacggt	11100
gaacctgact	caggccttta	aaaacttgca	aggcatgtgg	ggggtcaagg	ccccggtggg	11160
cgatcgcgcc	actatctcca	gtctgctgac	ccccaacact	cgcctgctgc	tgctcttgat	11220
cgcaccgttt	accaacagta	gcactatcag	ccgtgactcg	tacctgggtc	atctcatcac	11280
tctgtaccgc	gaggccatcg	gccaggctca	gatcgacgag	catacgtatc	aggagattac	11340
taacgtgagc	cgtgccctgg	gtcaggaaga	taccggcagc	ctggaagcca	cgttgaactt	11400
tttgctaacc	aaccggaggc	aaaaaatacc	ctcccagttc	acgttaagcg	ccgaggagga	11460
gaggattctg	cgatacgtgc	agcagtccgt	gagcctgtac	ttgatgcgcg	agggcgccac	11520
cgcttccacg	gctttagaca	tgacggctcg	gaacatggaa	ccgtcctttt	actccgccca	11580
ccggccgttc	attaaccgtc	tgatggacta	cttccatcgc	gcggccgcca	tgaacgggga	11640
gtacttcacc	aatgccatcc	tgaatccgca	ttggatgccc	ccgtccggct	tctacaccgg	11700
ggagtttgac	ctgcccgaag	ccgacgacgg	ctttctgtgg	gacgacgtgt	ccgatagcat	11760
tttcacgccg	gctaatcgcc	gattccagaa	gaaggagggc	ggagacgagc	tcccctctc	11820
cagcgtggaa	gcggcctcaa	ggggagagag	tccctttcca	agtctgtctt	ccgccagtag	11880
cggtcgggta	acgcgtccac	ggttgccggg	ggagagcgac	tacctgaacg	accccttgct	11940
gcgaccggct	agaaagaaaa	attttcccaa	taacggggtg	gaaagcttgg	tggataaaat	12000

gaatcgttgg aaga	cgtacg cccag	gagca gegggagto	gg gaggacagtc agcc	gcggcc 12060
gctggtaccg ccgc	attggc gtcgc	cagag agaagacco	eg gaegaeteeg eaga	cgatag 12120
tagcgtgttg gacc	tgggag ggagc:	ggagc caacccctt	t gctcacttgc aacc	caaggg 12180
gcgctcgagt cgcc	tgtatt aataa	aaaag acgcggaaa	ac ttaccagage catg	gccaca 12240
gcgtgtgtgc tttc	tteete tettt	cttcc tcggcgcgg	gc aga atg aga aga Met Arg Arg 1	
			eg ccc cct tct tac co Pro Pro Ser Tyr	
			cg ctg gag gcg cct nr Leu Glu Ala Pro 35	
			gc aga aac agc atc .y Arg Asn Ser Ile 50	
			cc aag gtg tac ctg nr Lys Val Tyr Leu 65	
			at tac caa aac gat sn Tyr Gln Asn Asp 80	
			at gac ttc acc ccg sn Asp Phe Thr Pro	
			ag cgt tcc cgc tgg .u Arg Ser Arg Trp 115	
	Thr Ile Leu		eg ccc aac atc aac et Pro Asn Ile Asn 130	
			eg atg gta gaa aaa eu Met Val Glu Lys 145	
		Arg Tyr Glu Ti	gg ttc gag ttt acc pp Phe Glu Phe Thr 160	
			cc gat ctc atg aat Le Asp Leu Met Asn 75	

gcg Ala	atc Ile	gtg Val	gac Asp	aat Asn 185	Tyr	ctg Leu	caa Gln	gtg Val	ggg Gly 190	aga Arg	cag Gln	aac Asn	ej aaa	gtg Val 195	ctg Leu	12871
	agc Ser															12919
tgg Trp	gat Asp	ccc Pro 215	gtg Val	acc Thr	aag Lys	ctg Leu	gtg Val 220	atg Met	cca Pro	ggc Gly	gtg Val	tac Tyr 225	acc Thr	aac Asn	gag Glu	12967
gct Ala	ttt Phe 230	cac His	ccg Pro	gac Asp	atc Ile	gtg Val 235	ctg Leu	ctg Leu	ccg Pro	GJ À aaa	tgc Cys 240	ggt Gly	gtg Val	gac Asp	ttc Phe	13015
act Thr 245	cag Gln	agc Ser	cgt Arg	ttg Leu	agt Ser 250	aac Asn	ctg Leu	tta Leu	gga Gly	att Ile 255	aga Arg	aag Lys	cgc Arg	cgc Arg	ccc Pro 260	13063
ttc Phe	caa Gln	gag Glu	ggc ggc	ttt Phe 265	caa Gln	atc Ile	atg Met	tat Tyr	gag Glu 270	gac Asp	ctg Leu	gag Glu	gga Gly	ggt Gly 275	aat Asn	13111
	ccc Pro															13159
	aaa Lys															13207
	cag Gln 310															13255
	tac Tyr															13303
	ctg Leu															13351
	ata Ile															13399
	tcc Ser															13447
acc Thr	caa Gln 390	gtc Val	agc Ser	aac Asn	ttc Phe	ccg Pro 395	gtg Val	gtg Val	ggc Gly	acc Thr	gag Glu 400	ctg Leu	ctg Leu	ccc Pro	gtc Val	13495

cat gcc aag agc ttc tac aac gag cag gcc gtc tac tcg caa ctt att His Ala Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr Ser Gln Leu Ile 405 410 415 420	13543
cgc cag tcc acc gcg ctt acc cac gtg ttc aat cgc ttt ccc gag aac Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg Phe Pro Glu Asn 425 430 435	13591
cag att ctg gtg cgc cct ccc gct cct acc att acc acc gtc agt gaa Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val Ser Glu 440 445 450	13639
aac gtt ccc gcc ctc aca gat cac gga acc ctg ccg ctg cgc agc agtAsn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Arg Ser Ser455460	13687
atc agt gga gtt cag cgc gtg acc atc acc gac gcc aga cgt cga acc  Ile Ser Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr  470 475 480	13735
tgc ccc tac gtt tac aaa gcg ctt ggc gtg gtg gct cct aaa gtt ctt Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala Pro Lys Val Leu 485 490 495 500	13783
tct agt cgc acc ttc taa aaacatgtcc atcctcatct ctcccgataa Ser Ser Arg Thr Phe 505	13831
caacaccggc tggggactgg gctccggcaa gatgtacggc ggagccaaaa ggcgctccag	13891
tcagcaccca gttcgagttc ggggccactt ccgcgctcct tggggagctt acaagcgagg	13951
actctcgggt cgaacggctg tagacgatac catagatgcc gtgattgccg acgcccgccg	14011
gtacaacccc ggaccggtcg ctagcgccgc ctccaccgtg gattccgtga tcgacagcgt	14071
ggtagccggc gctcgggcct atgctcgccg caagaggcgg ctgcatcgga gacgtcgccc	14131
caccgccgcc atgctggcag ccagggccgt gctgaggcgg gcccggaggg caggcagaag	14191
ggctatgcgc cgcgctgccg ccaacgccgc cgccgggagg gcccgccgac aggctgcccg	14251
ccaggctgcc gctgccatcg ctagcatggc cagacccagg agagggaacg tgtactgggt	14311
gcgtgattct gtgacgggag tccgagtgcc ggtgcgcagc cgacctcccc gaagttagaa	14371
gatccaagct gcgaagacgg cggtactgag tctccctgtt gttatcagcc caacatgagc	14431
gatccaagct gcgaagacgg cggtactgag tctccctgtt gttatcagcc caacatgagc aagcgcaagt ttaaagaaga actgctgcag acgctggtgc ctgagatcta tggccctccg	14431 14491
aagcgcaagt ttaaagaaga actgctgcag acgctggtgc ctgagatcta tggccctccg	14491
aagcgcaagt ttaaagaaga actgctgcag acgctggtgc ctgagatcta tggccctccg gacgtgaagc cagacattaa gccccgcgat atcaagcgtg ttaaaaagcg ggaaaagaaa	14491 14551

tacggcgacg	aggacatatt	ggaacaggcg	gctcaacaga	tcggagaatt	tgcctacgga	14791
aagcgttcgc	gtcgcgaaga	cctggccatc	gccttagaca	gcggcaaccc	cacgcccagc	14851
ctcaaacccg	tgacgctgca	gcaggtgctt	cccgtgagcg	ccagcacgga	cagcaagagg	14911
gggattaaga	gagaaatgga	agatctgcat	cccaccatcc	aactcatggt	ccctaaacgg	14971
cagaggctgg	aagaggtcct	ggagaagatg	aaagtggacc	ccagcataga	gccggatgta	15031
aaagtcagac	ctattaagga	agtggccccc	ggtcttgggg	tgcaaacggt	ggacattcaa	15091
atccccgtca	ccaccgcttc	aaccgccgtg	gaagctatgg	aaacgcaaac	ggagacccct	15151
gccgcgatcg	gtaccaggga	agtggcgttg	caaacggagc	cttggtacga	atacgcagcc	15211
cctcggcgtc	agaggcgttc	cgctcgttac	ggccccgcca	acgccatcat	gccagaatat	15271
gcgctgcatc	cgtctattct	gcccactccc	ggataccggg	gtgtgacgta	tegecegtet	15331
ggaacccgcc	gccgaacccg	tcgccgccgc	cgctcccgtc	gegetetgge	ccccgtgtcg	15391
gtgcggcgtg	tgacccgccg	gggaaagaca	gtcgtcattc	ccaacccgcg	ttaccaccct	15451
agcatccttt	aataactctg	ccgttttgca	gatggctctg	acttgccgcg	tgcgccttcc	15511
cgttccgcac	tatcgaggaa	gatctcgtcg	taggagaggc	atgacgggca	gtggtcgccg	15571
gcgggctttg	cgcaggcgca	tgaaaggcgg	aattttaccc	gccctgatac	ccataattgc	15631
cgccgccatc	ggtgccatac	ccggcgttgc	ttcagtggcg	ttgcaagcag	ctcgtaataa	15691
ataaacaaag	gcttttgcac	ttatgacctg	gtcctgacta	ttttatgcag	aaagagcatg	15751
gaagacatca	attttacgtc	gctggctccg	cggcacggct	cgcggccgct	catgggcacc	15811
tggaacgaca	teggcaceag	tcagctcaac	gggggcgctt	tcaattgggg	gagcctttgg	15871
agcggcatta	aaaactttgg	ctccacgatt	aaatcctacg	gcagcaaagc	ctggaacagt	15931
agtgctggtc	agatgctccg	agataaactg	aaggacacca	acttccaaga	aaaagtggtc	15991
aatggggtgg	tgaccggcat	ccacggcgcg	gtagatctcg	ccaaccaagc	ggtgcagaaa	16051
gagattgaca	ggcgtttgga	aagctcgcgg	gtgccgccgc	agagaggga	tgaggtggag	16111
gtcgaggaag	tagaagtaga	ggaaaagctg	cccccgctgg	agaaagttcc	cggtgcgcct	16171
ccgagaccgc	agaagcggcc	caggccagaa	ctagaagaga	ctctggtgac	ggagagcaag	16231
gagectecet	cgtacgagca	agccttgaaa	gagggcgcct	ctccaccctc	ctacccgatg	16291
actaagccga	tcgcacccat	ggctcgaccg	gtgtacggca	aggattacaa	gcccgtcacg	16351
ctagagctgc	cccaccgcc	ccccacgcgc	ccgaccgtcc	acccatgae	gactccgtcg	16411

gcggccgcgg cggga	cccgt gtccgc	acca teegetgtg	c ctctgccage cgccc	gtcca 16471
gtggccgtgg ccact	gccag aaaccc	caga ggccagaga	g gagccaactg gcaaa	gcacg 16531
ctgaacagca tcgtg	ggcct gggagt	gaaa agcctgaaa	c geegeegttg etatt	attaa 16591
aaaagtgtag ctaaa	aagtc tcccgt	tgta tacgcctco	t atgttaccgc cagag	acgag 16651
tgactgtcgc cgcga	gegee gettte	aag atg gcc ac Met Ala Th	cc cca tcg atg atg ar Pro Ser Met Met 510	ccg 16704 Pro
cag tgg tct tac of Gln Trp Ser Tyr 1	atg cac atc Met His Ile 520	gcc ggc cag ga Ala Gly Gln As	c gcc tcg gag tac p Ala Ser Glu Tyr 525	ctg 16752 Leu
agt ccc ggc ctc Ser Pro Gly Leu 530	gtg cag ttt Val Gln Phe 535	gcc cgc gcc ac Ala Arg Ala Th 54	cc gac acc tac ttc nr Asp Thr Tyr Phe 10	agc 16800 Ser 545
Leu Gly Asn Lys	ttt aga aac Phe Arg Asn 550	ccc acc gtg go Pro Thr Val Al 555	cc ccc acc cac gat a Pro Thr His Asp 560	gtg 16848 Val
acc acg gac cgc Thr Thr Asp Arg 565	tcg cag agg Ser Gln Arg	ctg acc ctg co Leu Thr Leu A: 570	gc ttt gtg ccc gta cg Phe Val Pro Val 575	gac 16896 Asp
cgg gag gac acc Arg Glu Asp Thr 580	gcg tac tct Ala Tyr Ser	tac aaa gtg co Tyr Lys Val A 585	gc tac acg ttg gcc cg Tyr Thr Leu Ala 590	gta 16944 Val
ggg gac aac cga Gly Asp Asn Arg 595	gtg ctg gac Val Leu Asp 600	atg gcc agc ag Met Ala Ser Ti	cc tac ttt gac atc or Tyr Phe Asp Ile 605	cgg 16992 Arg
ggg gtg ctg gat Gly Val Leu Asp 610	cgg ggt ccc Arg Gly Pro 615	Ser Phe Lys P.	cc tat tcc ggc acc ro Tyr Ser Gly Thr 20	gct 17040 Ala 625
tac aac tcc ctg Tyr Asn Ser Leu	gcc ccc aag Ala Pro Lys 630	gga gct ccc a Gly Ala Pro A 635	ac ccc tcg gaa tgg sn Pro Ser Glu Trp 640	acg 17088 Thr
gac act tcc gac Asp Thr Ser Asp 645	aac aaa ctt Asn Lys Leu	aaa gca tat g Lys Ala Tyr A 650	ct cag gct ccc tac la Gln Ala Pro Tyr 655	cag 17136 Gln
agt caa gga ctt Ser Gln Gly Leu 660	aca aag gat Thr Lys Asp	ggt att cag g Gly Ile Gln V 665	tt ggg cta gtt gtg al Gly Leu Val Val 670	aca 17184 Thr
gag tca gga caa Glu Ser Gly Gln 675	aca ccc caa Thr Pro Gln 680	tat gca aac a Tyr Ala Asn L	aa gtg tac caa ccc ys Val Tyr Gln Pro 685	gag 17232 Glu

cca Pro 690	caa Gln	att Ile	Gly ggg	gaa Glu	aac Asn 695	caa Gln	tgg Trp	aat Asn	tta Leu	gaa Glu 700	caa Gln	gaa Glu	gat Asp	aaa Lys	gcg Ala 705	17280
gcg Ala	gga Gly	aga Arg	gtc Val	cta Leu 710	aag Lys	aaa Lys	gat Asp	acc Thr	cct Pro 715	atg Met	ttt Phe	ccc Pro	tgc Cys	tat Tyr 720	el <sup>à</sup> aaa	17328
tca Ser	tat Tyr	gcc Ala	agg Arg 725	ccc Pro	aca Thr	aac Asn	gaa Glu	caa Gln 730	gga Gly	G]A aaa	cag Gln	gca Ala	aaa Lys 735	aac Asn	caa Gln	17376
					ttt Phe											17424
					tat Tyr											17472
					aaa Lys 775											17520
					gct Ala											17568
					ggt Gly											17616
					cag Gln											17664
cag Gln	gac Asp 835	aga Arg	aac Asn	acc Thr	gag Glu	ttg Leu 840	tcc Ser	tac Tyr	cag Gln	ctg Leu	atg Met 845	ctg Leu	gac Asp	gca Ala	ctg Leu	17712
ggg Gly 850	gat Asp	ege Arg	agc Ser	cga Arg	tat Tyr 855	ttt Phe	tca Ser	atg Met	tgg Trp	aat Asn 860	cag Gln	gca Ala	gta Val	gac Asp	agc Ser 865	17760
					aga Arg											17808
					ttt Phe											17856
					cct Pro											17904

gca gac aat act Ala Asp Asn Thr 915	aca ttt ag Thr Phe Se 92	r Gln Arg G	ga gcg cag ly Ala Gln 925	lle Gly Ser	gga 17952 Gly
aac atg ttt gcc Asn Met Phe Ala 930	ctg gaa at Leu Glu Il 935	t aac cta c e Asn Leu G	ag gcc aac ln Ala Asn 940	ctc tgg cgc Leu Trp Arg	ggc 18000 Gly 945
ttc ttg tat tcc Phe Leu Tyr Ser	aat att gg Asn Ile Gl 950	y Leu Tyr L	tt cca gac eu Pro Asp 55	c tct ctg aaa Ser Leu Lys 960	atc 18048 Ile
acc ccc gac aac Thr Pro Asp Asn 965	atc acg ct Ile Thr Le	g cca gaa a u Pro Glu A 970	ac aaa aac sn Lys Asr	e act tat cag n Thr Tyr Gln 975	tac 18096 Tyr
atg aac ggt cgc Met Asn Gly Arg 980	gta acg co Val Thr Pr	a ccc ggg c o Pro Gly I 985	etc ata gad eu Ile Asp	c acc tat gta o Thr Tyr Val 990	aac 18144 Asn
gtg ggc gcg cgc Val Gly Ala Arg 995	Trp Ser Pr	c gat gtc o Asp Val 00	Met Asp Se	gc att aac c er Ile Asn P 005	
aac cac cac cg Asn His His Ar 1010	t aac gcg g Asn Ala 1015	ggc ttg cgc Gly Leu Arg	tac cgc Tyr Arg 1020	tcc atg ctc Ser Met Leu	ttg 18237 Leu
ggc aac ggc cg Gly Asn Gly Ar 1025	t tat gtg g Tyr Val 1030	cct ttt cac Pro Phe His	att cag Ile Gln 1035	gtg ccc caa Val Pro Gln	aaa 18282 Lys
ttc ttt gcc at Phe Phe Ala Il 1040	t aaa aac e Lys Asn 1045	ctg ctg ctt Leu Leu Leu	ctc ccc Leu Pro 1050	ggt tcc tat Gly Ser Tyr	acc 18327 Thr
tat gag tgg aa Tyr Glu Trp As 1055		aag gat gto Lys Asp Val	aac atg Asn Met 1065	atc ctg cag Ile Leu Gln	agc 18372 Ser
tcg ctg ggt aa Ser Leu Gly As 1070	t gac ctg n Asp Leu 1075	cga gtg gad Arg Val Asp	ggg gcc Gly Ala 1080	agc ata cgc Ser Ile Arg	
gac agc att aa Asp Ser Ile As 1085	c ctg tat n Leu Tyr 1090	gcc aac ttt Ala Asn Phe	ttt ccc Phe Pro 1095	atg gcc cac Met Ala His	aac 18462 Asn
acg gcc tct ac Thr Ala Ser Th 1100	c ctg gaa r Leu Glu 1105	gcc atg cto Ala Met Lev	g cgc aac 1 Arg Asn 1110	gac acc aat Asp Thr Asn	gac 18507 Asp
	c gac tac n Asp Tyr 1120	ctg tgc gcg Leu Cys Ala	g gct aac a Ala Asn 1125	atg ctg tac Met Leu Tyr	ccc 18552 Pro

atc Ile 1130	ccc Pro	gcc Ala	aac Asn	gcc Ala	acc Thr 1135	agc Ser	gtg Val	ccc Pro	att Ile	tct Ser 1140			tct Ser		18597
aac Asn 1145	tgg Trp	gct Ala	gcc Ala	ttc Phe	agg Arg 1150	Gly	tgg Trp	agt Ser	ttt Phe	act Thr 1155	cgc Arg	ctc Leu	aaa Lys	acc Thr	18642
aag Lys 1160	gag Glu	act Thr	ccc Pro	tcg Ser	ctg Leu 1165	ggc Gly	tcc Ser	ggt Gly	ttt Phe	gac Asp 1170	ccc Pro	tac Tyr	ttt Phe	gtt Val	18687
tac Tyr 1175	tcc Ser	Gly	tcc Ser	att Ile	ccc Pro 1180	tac Tyr	cta Leu	gat Asp	ggc Gly	acc Thr 1185	ttt Phe	tac Tyr	ctc Leu	aac Asn	18732
cac His 1190	act Thr	ttc Phe	aaa Lys	aag Lys	gtg Val 1195	tct Ser	att Ile	atg Met	ttt Phe	gac Asp 1200	tcc Ser	tcg Ser	gtt Val	agc Ser	18777
tgg Trp 1205	ccc Pro	ggc Gly	aac Asn	gac Asp	cgc Arg 1210	ctg Leu	cta Leu	acg Thr	ccc Pro	aac Asn 1215	gag Glu	ttc Phe	gaa Glu	att Ile	18822
aag Lys 1220	cgt Arg	tcc Ser	gtg Val	gac Asp	ggt Gly 1225	gaa Glu	ejà aaa	tac Tyr	aac Asn	gtg Val 1230	gcc Ala	cag Gln	agc Ser	aac Asn	18867
atg Met 1235	acc Thr	aag Lys	gac Asp	tgg Trp	ttt Phe 1240	cta Leu	att Ile	caa Gln	atg Met	ctc Leu 1245	agt Ser	cac His	tat Tyr	aat Asn	18912
ata Ile 1250	Gly	tac Tyr	cag Gln	Gly Gly	ttc Phe 1255	tat Tyr	gtg Val	ccc Pro	gag Glu	aac Asn 1260	tac Tyr	aag Lys	gac Asp	cgc Arg	18957
atg Met 1265	Tyr				cgc Arg 1270								cag Gln		19002
gta Val 1280					tat Tyr 1285										19047
tac Tyr 1295	Gln	cac His	aac Asn	aac Asn	tca Ser 1300	GJÀ āāā	ttc Phe	gtg Val	Gly	tac Tyr 1305	atg Met	gga Gly	ccc Pro	acc Thr	19092
atg Met 1310	Arg	gag Glu	gga Gly	cag Gln	gcc Ala 1315	tac Tyr	ccg Pro	gcc Ala	aac Asn	tat Tyr 1320	ccc Pro	tac Tyr	ccc Pro	ctg Leu	19137
atc Ile 1325	Gly	gag Glu	act Thr	gcc Ala	gta Val 1330	Pro	agc Ser	ctc Leu	acg Thr	cag Gln 1335	Lys	aag Lys	ttc Phe	ctc Leu	19182

tgc Cys 1340	gac Asp	cgg Arg	gtg Val	atg Met	tgg Trp 1345					tct Ser 1350		aac Asn		_	19227
tcg Ser 1355				ctc Leu	acc Thr 1360					aac Asn 1365	-	ctg Leu		-	19272
aac Asn 1370	tcc Ser	gct Ala	cac His	gcc Ala	ttg Leu 1375	gac Asp	atg Met	act Thr	ttt Phe	gag Glu 1380		gat Asp			19317
gat Asp 1385					ctc Leu 1390	tat Tyr	gtt Val	ctg Leu	ttt Phe	gaa Glu 1395		ttc Phe	_		19362
gtg Val 1400	Arg			cag Gln	ccg Pro 1405					atc Ile 1410		gcc Ala			19407
ctg Leu 1415	Arg				tct Ser 1420					acc Thr 1425	Thr	taa	agaa	agctgat	19456
gggt	tcca	gc g	aaca	ggag	t tgc	aggc	cat	tgtt	cgcg	ac ct	gggc.	tgcg	ggc	cctgctt	19516
tttg	ggca	cc t	tcga	caag	c gtt	ttcc	cgg (	attc	atgt	cc cc	ccac	aagc	cgg	cctgcgc	19576
catc	gtta	ac a	cggc	cgga	c ggg	agac.	agg	gggg <sub>'</sub>	gtgc	ac tg	gctc	gcct	tcg	cctggaa	19636
cccg	cgca	ac c	gcac	ctgc	t acc	tgtt	cga	ccct <sup>.</sup>	tttg	gt tt	ctcc	gacg	aaa	ggctgaa	19696
gcag	atct	ac c	aatt	cgag	t acg	aggg	gct	cctc	aagc	gc ag	cgct	ctgg	cct	ccacgcc	19756
cgac	cact	gc g	tcac	cctg	g aaa	agtc	cac	ccag	acgg	tc ca	gggg	cccc	tct	cggccgc	19816
ctgc	gggc	tt t	tctg	ttgc	a tgt	tttt	gca	cgcc	ttcg	tg ca	ctgg	cctc	aca	ccccat	19876
ggag	cgca	ac c	ccac	catg	g atc	tgct	cac	cgga	gtgc	cc aa	cagc	atgc	ttc	acagtcc	19936
ccag	gtcg	cc c	ccac	cctg	c gtc	gcaa	tca	ggac	cacc	tg ta	tcgc	tttc	tgg	ggaaaca	19996
ctct	gcct	at t	tccg	ccgc	c acc	ggca	gcg	catc	gaac	ag gc	cacg	gcct	tcg	aaagcat	20056
gago	caaa	ga g	tgta	atca	a taa	aaac	cgt	tttt	attt	ga ca	tgat	acgc	gct	tctggcg	20116
tttt	tatt	aa a	aatc	gaag	g gtt	cgag	gga	aaaa	tcct	cg tg	cccg	ctgg	gga	gggacac	20176
gttg	cggt	ac t	ggaa	tcgg	g cgc	tcca	acg	aaac	tcgg	gg at	cacc	agcc	gcg	gcagggc	20236
caco	tctt	.cc a	tgtt	ctgc	t tcc	aaaa	ctg	tcgc	acca	gc tg	cagg	gctc	cca	tcacgtc	20296
gggc	gctg	ag a	tctt	gaag	t cgc	agtt	agg	gccg	gagc	cc cc	gcgg	ctgt	tgc	ggaacac	20356
gggg	ttgg	ca c	actg	gaac	a cca	acac	gct	aaaa	ttgt	gg at	acta	gcca	ggg	ccgtcgg	20416
gtcg	ıgtca	.cc t	ccga	tgca	t cca	gatc	ctc	ggca	ttgc	tc aç	lààcà	aacg	ggg	tcagctt	20476

gcacatctgc	cgcccgatct	ggggtaccag	gtcgcgcttg	ttgaggcagt	cgcagcgcag	20536
agggatgagg	atgcgacgct	gcccgcgttg	catgatgggg	taactcgccg	ccaggaactc	20596
ctctatctga	cggaaggcca	tctgggcctt	gacgccctcg	gtgaaaaata	gcccacagga	20656
cttgctggaa	aacacgttat	tgccacagtt	gatgtcttcc	gcgcagcagc	gcgcatcttc	20716
gttcttcagc	tgaaccacgt	tgcgacccca	gcggttctga	accaccttgg	ctttcgtggg	20776
atgctccttc	agcgcccgct	gtccgttctc	gctggtcaca	tccatttcca	ccacgtgctc	20836
cttgcagacc	atctccactc	cgtggaaaca	gaacagaatg	ccctcctgtt	gggtattgcg	20896
atgctcccac	acggcgcacc	cggtggactc	ccagctcttg	tgtttcaccc	ccgcgtaggc	20956
ttccatgtaa	gccattagaa	atctgcccat	cagctcagtg	aaggtcttct	ggttggtgaa	21016
ggttagcggc	aggccgcggt	gttcctcgtt	caaccaagtt	tgacagatct	tgcggtacac	21076
ggctccctgg	tcgggcagaa	acttaaaagt	cgttctgctc	tcgttgtcca	cgtggaactt	21136
ctccatcaac	atcgtcatga	cttccatgcc	cttctcccag	gcagtcacca	geggegeget	21196
ctcggggttc	ttcaccaaca	cggcggtgga	ggggccctcg	ccggccccga	cgtccttcat	21256
ggacattttt	tgaaactcca	cggtgccgtc	cgcgcggcgt	actctgcgca	tcggagggta	21316
gctgaagccc	acctccatga	cggtgctttc	gccctcgctg	tcggagacga	tctccgggga	21376
gggcggcgga	acgggggcag	acttgcgagc	cttcttcttg	ggagggagcg	gaggcacctc	21436
ctgctcgcgc	tcgggactca	tctcccgcaa	gtagggggtg	atggagcttc	ctggttggtt	21496
ctgacggttg	gccattgtat	cctaggcaga	aagacatgga	gcttatgcgc	gaggaaactt	21556
taaccgcccc	gtcccccgtc	agcgacgaag	aggtcatcgt	cgaacaggac	ccgggctacg	21616
ttacgccgcc	cgaggatctg	gaggggccct	tagacgaccg	gcgcgacgct	agtgagcggc	21676
aggaaaatga	gaaagaggag	gaggagggct	gctacctcct	ggaaggcgac	gttttgctaa	21736
agcatttcgc	caggcagagc	accatactca	aggaggcctt	gcaagaccgc	tccgaggtgc	21796
ccttggacgt	cgccgcgctc	tcccaggcct	acgaggcgaa	ccttttctcg	ccccgagtgc	21856
ctccgaagag	acagcccaac	ggcacctgcg	agcccaaccc	gcgactcaac	ttctaccccg	21916
tgttcgccgt	gcccgaggcg	ctggccacct	accacatctt	tttcaaaaac	cagcgcattc	21976
ccctttcctg	ccgggccaac	cgcaccgcgg	ccgataggaa	gctaacactc	agaaacggag	22036
tcagcatacc	tgatatcacg	tcactggagg	aagtgcctaa	gatcttcgag	ggtctgggtc	22096
gagatgagaa	gcgggcggcg	aacgctctgc	agaaagaaca	gaaagagagt	cagaacgtgc	22156

tggtggagct	ggaggggac	aacgcgcgtc	tgaccgtcct	caaacgttgc	atagaagttt	22216
cccacttcgc	ctacccggcc	ctcaacctgc	cgcccaaagt	tatgaaatcg	gtcatggacc	22276
agctactcat	caagagagct	gagcccctga	atcccgacca	ccctgaggcg	gaaaactcag	22336
aggacggaaa	gcccgtcgtc	agcgacgagg	agctcgagcg	gtggctggaa	accagggacc	22396
cccagcagtt	gcaagagagg	cgcaagatga	tgatggcggc	cgtgctggtc	acggtggagc	22456
tagaatgcct	gcaacggttt	ttcagcgacg	tggagacgct	acgcaaaatc	ggggagtccc	22516
tgcactacac	cttccgccag	ggctacgttc	gccaggcctg	caaaatctcc	aacgtagagc	22576
tcagcaacct	ggtttcctac	atgggcatcc	tccacgagaa	ccggctgggg	cagagcgtgc	22636
tgcactgcac	cttgcaaggc	gaggcgcgaa	gggactacgt	ccgagactgc	gtctacctct	22696
tcctcaccct	cacctggcag	accgccatgg	gcgtgtggca	gcagtgcttg	gaagagaa	22756
acctcaaaga	gctggacaaa	ctcctctgcc	gccagcggcg	ggccctctgg	accggcttca	22816
gcgagcgcac	ggtcgcctgc	gccctggcag	acatcatttt	cccagaacgc	ctgatgaaaa	22876
ccttgcagaa	cggcctgccg	gatttcatca	gtcagagcat	cttgcaaaac	ttccgctcct	22936
tcgtcctgga	gcgctccggg	atcttgcccg	ccatgagctg	cgcgctgcct	tctgactttg	22996
tccccctttc	ctaccgcgag	tgccctcccc	cactgtggag	ccactgctac	ctcttccaac	23056
tggccaactt	tctggcctac	cactccgacc	tcatggaaga	cgtgagcgga	gaggggctgc	23116
tcgagtgcca	ctgccgctgc	aacctctgca	cccccacag	atcgctggcc	tgcaacaccg	23176
agctgctcag	cgaaacccag	gtcataggta	ccttcgagat	ccaggggccc	cagcagcaag	23236
agggtgcttc	cggcttgaag	ctcactccgg	cgctgtggac	ctcggcttac	ttacgcaaat	23296
ttgtagccga	ggactaccac	gcccacaaaa	ttcagtttta	cgaagaccaa	tctcgaccac	23356
cgaaagcccc	cctcacggcc	tgcgtcatca	cccagagcaa	aatcctggcc	caattgcaat	23416
ccatcaacca	agcgcgccga	gatttccttt	tgaaaaaggg	tcggggggtg	tacctggacc	23476
cccagaccgg	cgaggaactc	aacccgtcca	cactttccgt	cgaagcagcc	cccccgagac	23536
atgccaccca	agggaaccgc	caagcagctg	atcgctcggc	agagagcgaa	gaagcaagag	23596
ctgctccago	agcaggtgga	ggacgaggaa	gagctgtggg	acagccaggc	agaggaggtg	23656
tcagaggacg	aggaggagat	ggaaagctgg	gacagcctag	acgaggagga	cgagctttca	23716
gaggaagagg	cgaccgaaga	aaaaccacct	gcatccagcg	cgccttctct	gagccgacag	23776
ccgaagcccc	ggcccccgac	gcccccggcc	ggctcactca	aagccagccg	taggtgggac	23836
gccaccggat	ctccagcggc	agcggcaacg	gcagcgggta	aggccaaacg	cgagcggcgg	23896

gggtattgct	cctggcggac	ccacaaaagc	agtatcgtga	actgcttgca	acactgcggg	23956
ggaaacatct	cctttgcccg	acgctacctc	ctcttccatc	acggtgtggc	cttccctcgc	24016
aacgttctct	attattaccg	tcatctctac	agcccctacg	aaacgctcgg	agaaaaaagc	24076
taaggcctcc	tctgccgcga	ggaaaaactc	cgccgccgct	gccgccaagg	atccgccggc	24136
caccgaggag	ctgagaaagc	gcatctttcc	cactctgtat	gctatctttc	agcaaagccg	24196
cgggcagcac	cctcagcgcg	aactgaaaat	aaaaaaccgc	tccttccgct	cactcacccg	24256
cagctgtctg	taccacaaga	gagaagacca	gctgcagcgc	accctggacg	acgccgaagc	24316
actgttcagc	aaatactgct	cagcgtctct	taaagactaa	aagacccgcg	ctttttcccc	24376
ctcgggcgcc	aaaacccacg	tcatcgccag	catgagcaag	gagattccca	ccccttacat	24436
gtggagctat	cagccccaga	tgggcctggc	cgcgggggcc	gcccaggact	actccagcaa	24496
aatgaactgg	ctcagcgccg	gccccacat	gatctcacga	gttaacggca	tccgagccca	24556
ccgaaaccag	atcctcttag	aacaggcggc	aatcaccgcc	acaccccggc	gccaactcaa	24616
cccgcccagt	tggcccgccg	cccaggtgta	tcaggaaact	ccccgcccga	ccacagtcct	24676
cctgccacgc	gacgcggagg	ccgaagtcct	catgactaac	tctggggtac	aattagcggg	24736
cgggtccagg	tacgccaggt	acagaggtcg	ggccgctcct	tactctcccg	ggagtataaa	24796
gagggtgatc	attcgaggcc	gaggtatcca	gctcaacgac	gaggcggtga	gctcctcaac	24856
cggtctcaga	cctgacggag	tcttccagct	cggaggagcg	ggccgctctt	ccttcaccac	24916
tegecaggee	tacctgaccc	tgcagagctc	ttcctcgcag	ccgcgctccg	ggggaatcgg	24976
cactctccag	ttcgtggaag	agttcgtccc	ctccgtctac	ttcaacccgt	tttccggctc	25036
acctggacgc	tacccggacg	ccttcattcc	caactttgac	gcagtgagtg	aatccgtgga	25096
cggctacgac	tgatgacaga	tggtgcggcc	gtgagagctc	ggctgcgaca	tctgcatcac	25156
tgccgccagc	ctcgctgcta	cgctcgggag	gcgatcgtgt	tcagctactt	tgagctgccg	25216
gacgagcacc	ctcagggacc	ggctcacggg	ttgaaactcg	agattgagaa	cgcgcttgag	25276
tctcacctca	. tcgacgcctt	caccgcccgg	cctctcctgg	tagaaaccga	acgcgggatc	25336
actaccatca	ccctgttctg	catctgcccc	acgcccggat	tac atg aa Met Ly	g atc tgt s Ile Cys 1430	25391
gtt gtc at Val Val Il	c ttt gcg e Phe Ala 1435	ctc agt tta Leu Ser Leu		ct gaa ctt hr Glu Leu		25436

gta Val	cct Pro	tca Ser	acg Thr	cca Pro 1450	cgc Arg	gtt Val	gtt Val	tct Ser	cct Pro 1455	tgt Cys	gaa Glu	aaa Lys	acc Thr	cca Pro 1460	25481
gga Gly	gtc Val	ctt Leu	aac Asn	tta Leu 1465	cac His	ata Ile	gca Ala	aaa Lys	ccc Pro 1470	ttg Leu	tat Tyr	ttt Phe	acc Thr	ata Ile 1475	25526
gaa Glu	aaa Lys	caa Gln	cta Leu	gcc Ala 1480	ctt Leu	tca Ser	att Ile	gga Gly	aaa Lys 1485	ejā aaa	tta Leu	aca Thr	att Ile	tct Ser 1490	25571
gct Ala	aca Thr	gga Gly	cag Gln	ttg Leu 1495	gaa Glu	agc Ser	aca Thr	gca Ala	agc Ser 1500	gta Val	cag Gln	gac Asp	agc Ser	gct Ala 1505	25616
aca Thr	cca Pro	ccc Pro	cta Leu	cgt Arg 1510	ggt Gly	att Ile	tcc Ser	cct Pro	tta Leu 1515	aag Lys	ctg Leu	aca Thr	gac Asp	aac Asn 1520	25661
ggt Gly	tta Leu	aca Thr	tta Leu	agc Ser 1525	tat Tyr	tca Ser	gat Asp	ccc Pro	ctg Leu 1530	cgt Arg	gtg Val	gta Val	ggt Gly	gac Asp 1535	25706
caa Gln	ctt Leu	acg Thr	ttt Phe	aat Asn 1540	ttt Phe	act Thr	tct Ser	cca Pro	cta Leu 1545	cgt Arg	tac Tyr	gaa Glu	aat Asn	ggc Gly 1550	25751
				aac Asn 1555	tac Tyr	act Thr	tct Ser	ccc Pro	atg Met 1560	aca Thr	cta Leu	ata Ile	aac Asn	aac Asn 1565	25796
agt Ser	ctt Leu	gct Ala	att Ile	aac Asn 1570	gtc Val	aat Asn	acc Thr	tcc Ser	aaa Lys 1575	Gly	ctc Leu	agt Ser	agt Ser	gac Asp 1580	25841
				gct Ala 1585	gta Val	aat Asn	gtt Val	act Thr	cca Pro 1590	gat Asp	ttt Phe	aga Arg	ttt Phe	aac Asn 1595	25886
				tta Leu 1600					caa Gln 1605		cta Leu				25931
									ttt Phe 1620		gaa Glu				25976
			ctt Leu	-					gga Gly 1635		cac His				26021
_		_			Gly				acc Thr 1650	Met			_	acc Thr 1655	26066

cac His	act Thr	tct Ser	gtt Val	acc Thr 1660	gtt Val	cag Gln	ttt Phe	tcg Ser	ttt Phe 1665	gat Asp	gac Asp	agt Ser	ggt Gly	aaa Lys 1670	2	6111
				cca Pro 1675	ctt Leu	gcg Ala	aac Asn	aac Asn	act Thr 1680	tgg Trp	ggt Gly	gtt Val	cga Arg	caa Gln 1685	2	6156
agc Ser	gag Glu	agt Ser	ccg Pro	ttg Leu 1690	ccc Pro	aac Asn	cca Pro	tcc Ser	ttc Phe 1695	aac Asn	gct Ala	ctc Leu	acg Thr	ttt Phe 1700	2	6201
atg Met	cca Pro	aac Asn	agt Ser	acc Thr 1705	att Ile	tat Tyr	tct Ser	aga Arg	gga Gly 1710	gca Ala	agt Ser	aac Asn	gaa Glu	cct Pro 1715	2	6246
caa Gln	aac Asn	aat Asn	tat Tyr	tat Tyr 1720	gtc Val	cag Gln	acg Thr	tat Tyr	ctt Leu 1725	aga Arg	ggc	aac Asn	gtg Val	cga Arg 1730	2	6291
aag Lys	cca Pro	att Ile	cta Leu	cta Leu 1735	act Thr	gtt Val	acc Thr	tac Tyr	aac Asn 1740	tca Ser	gtt Val	aat Asn	tca Ser	gga Gly 1745	2	6336
tat Tyr	tcc Ser	tta Leu	act Thr	ttt Phe 1750	aaa Lys	tgg Trp	gat Asp	gct Ala	gtc Val 1755	gcc Ala	aat Asn	gaa Glu	aaa Lys	ttt Phe 1760	2	6381
gcc Ala	act Thr	cct Pro	aca Thr	tct Ser 1765	tcg Ser	ttt Phe	tgc Cys	tat Tyr	gtt Val 1770	gca Ala	gag Glu	caa Gln	taa		2	6423
aac	cctg	tta	cccc	accgt	c tc	gttt	tttt	cag	Met				aga Arg		2	6474
gat Asp 178	Gl	a ga u As	c tt p Ph	c aac e Asn	cca Pro 178	Va.	g ta l Ty	c cc r Pr	t tat o Tyr	gac Asp 179	Pr	c cc o Pr	a ta o Ty	c gct r Ala	2	6519
ccc Pro 179	Va			c ttc o Phe		Th.	t cc r Pr	g cc o Pr	t ttt o Phe	acc Thr 180	Se	c tc r Se	g ga r As	t ggg p Gly	2	26564
ttg Leu 181	Gl	g ga n Gl	a aa u Ly	a cca s Pro	ctt Leu 181	Gl	a gt y Va	g tt l Le	a agt u Ser	tta Leu 182	As	c ta n Ty	c ag r Ar	g gat g Asp	2	26609
ccc Pro 182	Il			a caa r Gln		Gl					Ьу			a aac y Asn	2	26654
ggc Gly 184	Le	c ac u Th	t ct r Le	a aac u Asn	aac Asn 184	Gl	g gg n Gl	a ca y Gl	g tta n Leu	aca Thr 185	Se			t ggc a Gly	2	26699

gaa Glu 1855	Val				ctc Leu 1860	Thr				aac Asn 1865			_	cta Leu	26744
gcc Ala 1870	Tyr				tta Leu 1875						Arg				26789
tca Ser 1885	His				ctt Leu 1890								gcg Ala	-	26834
caa Gln 1900	Val	tca Ser	gag Glu	cct Pro	att Ile 1905	ttt Phe	gta Val	aat Asn	gac Asp	gat Asp 1910	gac Asp	aag Lys	cta Leu	gcc Ala	26879
ctg Leu 1915	Gln				ccc Pro 1920										26924
tta Leu 1930					cct Pro 1935					gaa Glu 1940					26969
ctg Leu 1945					ccc Pro 1950					aat Asn 1955					27014
tta Leu 1960					ccc Pro 1965										27059
acc Thr 1975					cct Pro 1980					aac Asn 1985					27104
aca Thr 1990	cta Leu	tcc Ser	aca Thr	gtc Val	gag Glu 1995	cca Pro	tta Leu	act Thr	gta Val	aaa Lys 2000	aac Asn	gga Gly	aac Asn	cta Leu	27149
ggc Gly 2005					cgc Arg 2010										27194
tcg Ser 2020	ctt Leu	gct Ala	att Ile	acc Thr	ccc Pro 2025	ccg Pro	ctg Leu	cgt Arg	ttg Leu	ttt Phe 2030	aac Asn	agc Ser	gac Asp	ccc Pro	27239
gtt Val 2035					ttc Phe 2040										27284
ctc Leu 2050	ctc Leu	tcc Ser	tta Leu	aac Asn	atg Met 2055	gga Gly	gac Asp	gga Gly	gtt Val	aaa Lys 2060	ctt Leu	acc Thr	tat Tyr	aat Asn	27329

aaa Lys 2065	Leu				ttg Leu 2070					caa Gln 2075					27374
gcg Ala 2080	Ile				ctt Leu 2085					cct Pro 2090					27419
aac Asn 2095					aat Asn 2100					ctt Leu 2105					27464
gcc Ala 2110					gat Asp 2115								Gly		27509
act Thr 2125					gca Ala 2130									tta Leu	27554
caa Gln 2140					ggc Gly 2145							_	acc Thr		27599
aag Lys 2155	ccg Pro	caa Gln	acg Thr	tta Leu	tgg Trp 2160	acg Thr	act Thr	gca Ala	gat Asp	ccc Pro 2165			aac Asn		27644
tca Ser 2170					ttg Leu 2175								ctt Leu		27689
aaa Lys 2185					gtg Val 2190					gcc Ala 2195			gcc Ala		27734
aaa Lys 2200					aat Asn 2205								att Ile		27779
ata Ile 2215				-	aac Asn 2220					acc Thr 2225					27824
					acc Thr 2235										27869
cga Arg 2245					gct Ala 2250										27914
ttt Phe 2260	atg Met	ccc Pro	agc Ser	tca Ser	agc Ser 2265	agg Arg	tac Tyr	ccc Pro	gtg Val	aat Asn 2270	aaa Lys	gga Gly	gac Asp	aac Asn	27959

att Ile 2275					ttt Phe 2280	tca Ser	tac Tyr	acc Thr	tgt Cys	att Ile 228	e Lys	gga Gly			28004
gct Ala 2290					ttc Phe 2295		gta Val	aca Thr	tat Tyr	aat Asn 230	n His	gcc Ala			28049
ggg Gly 2305					ttc Phe 2310		tgg Trp	cgc Arg	gtt Val	gta Val 231	. Ala	: aat Asn			28094
ttt Phe 2320					tgt Cys 2325		ttt Phe	tca Ser	tac Tyr	ato 11e 233	e Thr	gaa Glu	taa		28136
aaaa	ccac	tt t	ttca <sup>.</sup>	tttta	a att	tctt <sup>.</sup>	ttt	attti	taca	cg a	aacagt	gaga	ctt	cctccac	28196
cctt	ccat	tt g	acag	cata	c acc	agcc	tct	cccc	cttc	at a	agcagt	aaac	tgt <sup>.</sup>	tgtgaat	28256
cagt	ccgg	ta t	ttgg	gagt <sup>.</sup>	t aaa	atcc	aaa	cagt	ctct	tt g	ggtgat	gaaa	cgt	cgatcag	28316
taat	ggac	ac a	aatc	cctg	g gac	aggt	ttt	ccaa	cgtt	tc ç	ggtgaa	aaac	tgc	acaccgc	28376
ccta	caaa	ac a	aaca	ggtt	c agg	ctct	cca	cggg.	ttat	ct o	cccga	atcaa	act	cagacag	28436
ggta	aagg	tg c	ggtg	gtgt	t cca	ctaa	acc	acgc	aggt	gg d	cgctgt	ctga	acc	tctcggt	28496
gcga	ctcc	tg t	gagg	ctgg	t aag	aagt	tag	attg	tcca	gt a	agcct	cacag	cat	gtatcat	28556
cagt	ctac	ga g	tgcg	tctg	g cgc	agca	gcg	catc	tgaa	tc 1	tcacto	gagat	tcc	ggcaaga	28616
atcg	caca	cc a	tcac	aatc	a ggt	tgtt	cat	gatc	ccat	ag (	ctgaa	cacgc	tcc	agccaaa	28676
gctc	attc	gc t	ccaa	cagc	g cca	ccgc	gtg	tccg	tcca	ac (	cttact	tttaa	cat	aaatcag	28736
gtgt	ctgc	cg c	gtac	aaac	a tgc	tacc	cac	atac	agaa	ct 1	taaag	gggca	ggc	ccctgtt	28796
cacc	acct	gt c	tgta	ccag	g gaa	acct	cac	attt	atca	gg (	gagcc	ataga	tgg	ccatttt	28856
aaac	caat	ta g	rctaa	tacc	g ccc	cacc	agc	tcta	cact	ga a	agaga	accgg	gag	agttaca	28916
atga	cagt	.ga a	taat	ccat	c tct	cata	acc	cctg	atgg	tc '	tgatg	aaaat	cta	gatctaa	28976
cgtg	gcac	aa c	aaat	acac	a ctt	tcat	ata	catt	ttca	ta :	acatg	tttt	ccc	aggccgt	29036
taaa	atac	aa t	ccca	atac	a cgg	gcca	ctc	ctgc	agta	ca	ataaa	gctaa	tac	aagatgg	29096
tata	ctcc	tc a	cctc	actg	a cac	tgtg	cat	gttc	atat	tt	tcaca	ttcta	agt	accgaga	29156
gttc	tect	ct a	cago	agca	c tgc	tgcg	ıgtc	ctca	.caag	gt	ggtag	ctggt	gat	gattgta	29216
gggg	ıgcca	ıgt c	tgca	gcga	t acc	gtct	gtc	gcgt	tgca	tc	gtaga	ccagg	aac	cgacgca:	. 29276
cctc	ctcg	ŗta c	cttgt	.ggta	g cag	gaacc	cacg	tccg	ctgc	ca	gcacg	tatad	acg	taacgcc	29336
ggto	cctg	ıcg t	cgct	cacg	c tcc	ctcc	ctca	atgo	aaag	rtg	caacc	actct	: tgt	aatccac	: 29396

acagatccct	ctcggcctcc	ggggtgatgc	acacctcaaa	cctacagatg	tctcggtaca	29456
gttccaaaca	cgtagtgagg	gcgagttcca	accaagacag	acagcctgat	ctatcccgac	29516
acactggagg	tggaggaaga	cacggaagag	gcatgttatt	ccaagcgatt	caccaacggg	29576
tcgaaatgaa	gatcccgaag	atgacaacgg	tcgcctccgg	agccctgatg	gaatttaaca	29636
gccagatcaa	acgttatgcg	attctccaag	ctatcgatcg	ccgcttccaa	aagagcctgg	29696
acccgcactt	ccacaaacac	cagcaaagca	aaagcactat	tatcaaactc	ttcaatcatc	29756
aagctgcagg	actgtacaat	gcctaagtaa	ttttcgtttc	tccactcgcg	aatgatgtcg	29816
cggcagatag	tctgaaggtt	catcccgtgc	agggtaaaaa	gctccgaaag	ggcgccctct	29876
acagccatgc	gtagacacac	catcatgact	gcaagatatc	gggctcctga	gacacctgca	29936
gcagatttaa	cagatcaagg	tcaggttgct	ctccgcgatc	acgaatctcc	atccgcaagg	29996
tcatttgcaa	aaaattaaat	aaatctatgc	cgactagatc	tgtcaactcc	gcattaggaa	30056
ccaaatcagg	tgtggctacg	cagcacaaaa	gttccaggga	tggtgccaaa	ctcactagaa	30116
ccgctcccga	gtaacaaaac	tgatgaatgg	gagtaacaca	gtgtaaaatg	tgcaaccaaa	30176
aatcactaag	gtgctccttt	aaaaagtcca	gtacttctat	attcagtccg	tgcaagtact	30236
gaagcaactg	tgcgggaata	tgcacaacaa	aaaaaatagg	gcggctcaga	tacatgttga	30296
cctaaaataa	aaagaatcat	taaactaaag	aagcttggcg	aacggtggga	taaatgacac	30356
gctccagcag	cagacaggca	accggctgtc	cccgggaacc	gcggtaaaat	tcatccgaat	30416
gattaaaaag	aacaacagaa	acttcccacc	atgtactcgg	ttggatctcc	tgagcacaca	30476
gcaatacccc	cctcacattc	atgtccgcca	cagaaaaaaa	acgtcccaga	tacccagcgg	30536
ggatatccaa	cgacagctgc	aaagacagca	aaacaatccc	tctgggagcg	atcacaaaat	30596
cctccggtga	aaaaagcaca	tacatattag	aataaccctg	ttgctggggc	aaaaaggccc	30656
ggcgtcccag	caaatgcaca	taaatatgtt	catcagccat	tgccccgtct	taccgcgtaa	30716
tcagccacga	aaaaatcgag	ctaaaattca	cccaacagcc	tatagctata	tatacactcc	30776
gcccaatgac	gctaataccg	caccacccac	gaccaaagtt	cacccacacc	cacaaaaccc	30836
gcgaaaatcc	agcgccgtca	gcacttccgc	aatttcagtc	tcacaacgtc	acttccgcgc	30896
gccttttcac	attcccacac	acacccgcgc	ccttcgcccc	gccctcgcgc	caccccgcgt	30956
caccgcacgt	caccccggcc	ccgcctcgct	cctccccgct	cattatcata	ttggcacgtt	31016
tccagaataa	ggtatattat	tgatgatg				31044

<210> 30 <211> 505

<212> PRT

<213> simian adenovirus SV-25

<400> 30

Met Arg Arg Ala Val Arg Val Thr Pro Ala Ala Tyr Glu Gly Pro Pro 1 10 15

Pro Ser Tyr Glu Ser Val Met Gly Ser Ala Asn Val Pro Ala Thr Leu 20 25 30

Glu Ala Pro Tyr Val Pro Pro Arg Tyr Leu Gly Pro Thr Glu Gly Arg 35 40 45

Asn Ser Ile Arg Tyr Ser Glu Leu Ala Pro Leu Tyr Asp Thr Thr Lys 50 55 60

Val Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Ser Leu Asn Tyr 65 70 75 80

Gln Asn Asp His Ser Asn Phe Leu Thr Thr Val Val Gln Asn Asn Asp 85 90 95

Phe Thr Pro Thr Glu Ala Gly Thr Gln Thr Ile Asn Phe Asp Glu Arg 100 105 110

Ser Arg Trp Gly Gly Gln Leu Lys Thr Ile Leu His Thr Asn Met Pro 115 120 125

Asn Ile Asn Glu Phe Met Ser Thr Asn Lys Phe Arg Ala Lys Leu Met 130 135 140

Val Glu Lys Ser Asn Ala Glu Thr Arg Gln Pro Arg Tyr Glu Trp Phe 145 150 155 160

Glu Phe Thr Ile Pro Glu Gly Asn Tyr Ser Glu Thr Met Thr Ile Asp 165 170 175

Leu Met Asn Asn Ala Ile Val Asp Asn Tyr Leu Gln Val Gly Arg Gln 180 185 190

Asn Gly Val Leu Glu Ser Asp Ile Gly Val Lys Phe Asp Thr Arg Asn 195 200 205

Phe Arg Leu Gly Trp Asp Pro Val Thr Lys Leu Val Met Pro Gly Val 210 215 220

Tyr Thr Asn Glu Ala Phe His Pro Asp Ile Val Leu Leu Pro Gly Cys 225 230 235 240

Gly Val Asp Phe Thr Gln Ser Arg Leu Ser Asn Leu Leu Gly Ile Arg 245 250 255

Lys Arg Arg Pro Phe Gln Glu Gly Phe Gln Ile Met Tyr Glu Asp Leu 260 265 Glu Gly Gly Asn Ile Pro Ala Leu Leu Asp Val Ser Lys Tyr Glu Ala 280 Ser Ile Gln Arg Ala Lys Ala Glu Gly Arg Glu Ile Arg Gly Asp Thr 295 Phe Ala Val Ala Pro Gln Asp Leu Glu Ile Val Pro Leu Thr Lys Asp 315 Ser Lys Asp Arg Ser Tyr Asn Ile Ile Asn Asn Thr Thr Asp Thr Leu 325 Tyr Arg Ser Trp Phe Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ser Trp Thr Ile Leu Thr Thr Thr Asp Val Thr Cys Gly Ser 355 360 Gln Gln Val Tyr Trp Ser Leu Pro Asp Met Met Gln Asp Pro Val Thr 375 Phe Arg Pro Ser Thr Gln Val Ser Asn Phe Pro Val Val Gly Thr Glu 395 390 Leu Leu Pro Val His Ala Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr 410 Ser Gln Leu Ile Arg Gln Ser Thr Ala Leu Thr His Val Phe Asn Arg 425 Phe Pro Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr 440 Thr Val Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro 455 Leu Arg Ser Ser Ile Ser Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Val Val Ala 490 Pro Lys Val Leu Ser Ser Arg Thr Phe 500 <210> 31 <211> 921 <212> PRT <213> simian adenovirus SV-25 <400> 31 Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala 10

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Asp Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu 55 Thr Leu Arg Phe Val Pro Val Asp Arg Glu Asp Thr Ala Tyr Ser Tyr Lys Val Arg Tyr Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Leu Asp Arg Gly Pro Ser Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly Ala Pro Asn Pro Ser Glu Trp Thr Asp Thr Ser Asp Asn Lys Leu Lys 135 Ala Tyr Ala Gln Ala Pro Tyr Gln Ser Gln Gly Leu Thr Lys Asp Gly Ile Gln Val Gly Leu Val Val Thr Glu Ser Gly Gln Thr Pro Gln Tyr 170 Ala Asn Lys Val Tyr Gln Pro Glu Pro Gln Ile Gly Glu Asn Gln Trp 185 Asn Leu Glu Glu Glu Asp Lys Ala Ala Gly Arg Val Leu Lys Lys Asp 200 Thr Pro Met Phe Pro Cys Tyr Gly Ser Tyr Ala Arg Pro Thr Asn Glu Gln Gly Gly Gln Ala Lys Asn Gln Glu Val Asp Leu Gln Phe Phe Ala Thr Pro Gly Asp Thr Gln Asn Thr Ala Lys Val Val Leu Tyr Ala Glu 250 Asn Val Asn Leu Glu Thr Pro Asp Thr His Leu Val Phe Lys Pro Asp 265 Asp Asp Ser Thr Ser Ser Lys Leu Leu Leu Gly Gln Gln Ala Ala Pro 280 Asn Arg Pro Asn Tyr Ile Gly Phe Arg Asp Asn Phe Ile Gly Leu Met 295 300

Tyr 305	Tyr	Asn	Ser	Thr	Gly 310	Asn	Met	Gly	Val	Leu 315	Ala	Gly	Gln	Ala	Ser 320
Gln	Leu	Asn	Ala	Val 325	Val	Asp	Leu	Gln	Asp 330	Arg	Asn	Thr	Glu	Leu 335	Ser
Tyr	Gln	Leu	Met 340	Leu	Asp	Ala	Leu	Gly 345	Asp	Arg	Ser	Arg	Туr 350	Phe	Ser
Met	Trp	Asn 355	Gln	Ala	Val	Asp	Ser 360	Tyr	Asp	Pro	Asp	Val 365	Arg	Ile	Ile
Glu	Asn 370	His	Gly	Val	Glu	Asp 375	Glu	Leu	Pro	Asn	Tyr 380	Cys	Phe	Pro	Leu
Gly 385	Gly	Met	Val	Val	Thr 390	Asp	Asn	Tyr	Asn	Ser 395	Val	Thr	Pro	Gln	Asn 400
Gly	Gly	Ser	Gly	Asn 405	Thr	Trp	Gln	Ala	Asp 410	Asn	Thr	Thr	Phe	Ser 415	Gln
Arg	Gly	Ala	Gln 420	Ile	Gly	Ser	Gly	Asn 425	Met	Phe	Ala	Leu	Glu 430	Ile	Asn
Leu	Gln	Ala 435	Asn	Leu	Trp	Arg	Gly 440	Phe	Leu	Tyr	Ser	Asn 445	Ile	Gly	Leu
Tyr	Leu 450	Pro	Asp	Ser	Leu	Lys 455	Ile	Thr	Pro	Asp	Asn 460	Ile	Thr	Leu	Pro
Glu 465	Asn	Lys	Asn	Thr	Tyr 470	Gln	Tyr	Met	Asn	Gly 475	Arg	Val	Thr	Pro	Pro 480
Gly	Leu	Ile	Asp	Thr 485	Tyr	Val	Asn	Val	Gly 490	Ala	Arg	Trp	Ser	Pro 495	Asp
Val	Met	Asp	Ser 500	Ile	Asn	Pro	Phe	Asn 505	His	His	Arg	Asn	Ala 510	Gly	Leu
Arg	Tyr	Arg 515	Ser	Met	Leu	Leu	Gly 520	Asn	Gly	Arg	Tyr	Val 525	Pro	Phe	His
Ile	Gln 530	Val	Pro	Gln	Lys	Phe 535	Phe	Ala	Ile	Lys	Asn 540	Leu	Leu	Leu	Leu
Pro 545	Gly	Ser	Туг	Thr	Туг 550	Glu	Trp	Asn	Phe	Arg 555	Lys	Asp	Val	Asn	Met 560
Ile	Leu	Gln	Ser	Ser 565	Leu	Gly	Asn	Asp	Leu 570	Arg	Val	Asp	Gly	Ala 575	Ser
Ile	Arg	Phe	Asp 580		Ile	Asn	Leu	Tyr 585	Ala	Asn	Phe	Phe	Pro 590	Met	Ala
His	Asn	Thr 595		Ser	Thr	Leu	Glu 600	Ala	Met	Leu	Arg	Asn 605	Asp	Thr	Asn

Asp	Gln 610	Ser	Phe	Asn	Asp	Tyr 615	Leu	Cys	Ala	Ala	Asn 620	Met	Leu,	Tyr	Pro
Ile 625	Pro	Ala	Asn	Ala	Thr 630	Ser	Val	Pro	Ile	Ser 635	Ile	Pro	Ser	Arg	Asn 640
Trp	Ala	Ala	Phe	Arg 645	Gly	Trp	Ser	Phe	Thr 650	Arg	Leu	Lys	Thr	Lys 655	Glu
Thr	Pro	Ser	Leu 660	Gly	Ser	Gly	Phe	Asp 665	Pro	Tyr	Phe	Val	Tyr 670	Ser	Gly
Ser	Ile	Pro 675	Tyr	Leu	Asp	Gly	Thr 680	Phe	Tyr	Leu	Asn	His 685	Thr	Phe	Lys
Lys	Val 690	Ser	Ile	Met	Phe	Asp 695	Ser	Ser	Val	Ser	Trp 700	Pro	Gly	Asn	Asp
Arg 705	Leu	Leu	Thr	Pro	Asn 710	Glu	Phe	Glu	Ile	Lys 715	Arg	Ser	Val	Asp	Gly 720
Glu	Gly	Tyr	Asn	Val 725	Ala	Gln	Ser	Asn	Met 730	Thr	Lys	Asp	Trp	Phe 735	Leu
Ile	Gln	Met	Leu 740	Ser	His	Туг	Asn	Ile 745	Gly	Tyr	Gln	Gly	Phe 750	Tyr	Val
Pro	Glu	Asn 755	Tyr	Lys	Asp	Arg	Met 760	Tyr	Ser	Phe	Phe	Arg 765	Asn	Phe	Gln
Pro	Met 770	Ser	Arg	Gln	Val	Val 775	Asp	Thr	Val	Thr	Tyr 780	Thr	Asp	Tyr	Lys
Asp 785	Val	Lys	Leu	Pro	Туг 790	Gln	His	Asn	Asn	Ser 795	Gly	Phe	Val	Gly	Tyr 800
Met	Gly	Pro	Thr	Met 805	Arg	Glu	Gly	Gln	Ala 810	Tyr	Pro	Ala	Asn	Tyr 815	Pro
Tyr	Pro	Leu	Ile 820	Gly	Glu	Thr	Ala	Val 825	Pro	Ser	Leu	Thr	Gln 830	Lys	Lys
Phe	Leu	Cys 835	Asp	Arg	Val	Met	Trp 840	Arg	Ile	Pro	Phe	Ser 845	Ser	Asn	Phe
Met	Ser 850	Met	Gly	Ser	Leu	Thr 855	Asp	Leu	Gly	Gln	Asn 860	Met	Leu	Tyr	Ala
Asn 865	Ser	Ala	His	Ala	Leu 870	Asp	Met	Thr	Phe	Glu 875	Val	Asp	Pro	Met	Asp 880
Glu	Pro	Thr	Leu	Leu 885	Tyr	Val	Leu	Phe	Glu 890	Val	Phe	Asp	Val	Val 895	Arg
Ile	His	Gln	Pro 900	His	Arg	Gly	Val	Ile 905	Glu	Ala	Val	Tyr	Leu 910	Arg	Thr

Pro Phe Ser Ala Gly Asn Ala Thr Thr 915 920

<210> 32

<211> 347

<212> PRT

<213> simian adenovirus SV-25

<400> 32

Met Lys Ile Cys Val Val Ile Phe Ala Leu Ser Leu Ile Lys Thr Glu
1 5 10 15

Leu Phe Ala Val Pro Ser Thr Pro Arg Val Val Ser Pro Cys Glu Lys
20 25 30

Thr Pro Gly Val Leu Asn Leu His Ile Ala Lys Pro Leu Tyr Phe Thr 35 40 45

Ile Glu Lys Gln Leu Ala Leu Ser Ile Gly Lys Gly Leu Thr Ile Ser
50 55 60

Ala Thr Gly Gln Leu Glu Ser Thr Ala Ser Val Gln Asp Ser Ala Thr 65 70 75 80

Pro Pro Leu Arg Gly Ile Ser Pro Leu Lys Leu Thr Asp Asn Gly Leu 85 90 95

Thr Leu Ser Tyr Ser Asp Pro Leu Arg Val Val Gly Asp Gln Leu Thr 100 105 110

Phe Asn Phe Thr Ser Pro Leu Arg Tyr Glu Asn Gly Ser Leu Thr Phe 115 120 125

Asn Tyr Thr Ser Pro Met Thr Leu Ile Asn Asn Ser Leu Ala Ile Asn 130 135 140

Val Asn Thr Ser Lys Gly Leu Ser Ser Asp Asn Gly Thr Leu Ala Val 145 150 155 160

Asn Val Thr Pro Asp Phe Arg Phe Asn Ser Ser Gly Ala Leu Thr Phe 165 170 175

Gly Ile Gln Ser Leu Trp Thr Phe Pro Thr Lys Thr Pro Asn Cys Thr 180 185 190

Val Phe Thr Glu Ser Asp Ser Leu Leu Ser Leu Cys Leu Thr Lys Cys 195 200 205

Gly Ala His Val Leu Gly Ser Val Ser Leu Ser Gly Val Ala Gly Thr 210 215 220

Met Leu Lys Met Thr His Thr Ser Val Thr Val Gln Phe Ser Phe Asp 225 230 235 240

Asp Ser Gly Lys Leu Ile Phe Ser Pro Leu Ala Asn Asn Thr Trp Gly 245 250 255

Val Arg Gln Ser Glu Ser Pro Leu Pro Asn Pro Ser Phe Asn Ala Leu 260 265 270

Thr Phe Met Pro Asn Ser Thr Ile Tyr Ser Arg Gly Ala Ser Asn Glu 275 280 285

Pro Gln Asn Asn Tyr Tyr Val Gln Thr Tyr Leu Arg Gly Asn Val Arg 290 295 300

Lys Pro Ile Leu Leu Thr Val Thr Tyr Asn Ser Val Asn Ser Gly Tyr 305 310 315 320

Ser Leu Thr Phe Lys Trp Asp Ala Val Ala Asn Glu Lys Phe Ala Thr 325 330 335

Pro Thr Ser Ser Phe Cys Tyr Val Ala Glu Gln 340 345

<210> 33

<211> 559

<212> PRT

<213> simian adenovirus SV-25

<400> 33

Met Lys Arg Ala Arg Val Asp Glu Asp Phe Asn Pro Val Tyr Pro Tyr 1 5 10 15

Asp Pro Pro Tyr Ala Pro Val Met Pro Phe Ile Thr Pro Pro Phe Thr 20 25 30

Ser Ser Asp Gly Leu Gln Glu Lys Pro Leu Gly Val Leu Ser Leu Asn 35 40 45

Tyr Arg Asp Pro Ile Thr Thr Gln Asn Gly Ser Leu Thr Leu Lys Leu 50 60

Gly Asn Gly Leu Thr Leu Asn Asn Gln Gly Gln Leu Thr Ser Thr Ala 65 70 75 80

Gly Glu Val Glu Pro Pro Leu Thr Asn Ala Asn Asn Lys Leu Ala Leu 85 90 95

Ala Tyr Ser Glu Pro Leu Ala Val Lys Ser Asn Arg Leu Thr Leu Ser 100 105 110

His Thr Ala Pro Leu Val Ile Ala Asn Asn Ser Leu Ala Leu Gln Val 115 120 125

Ser Glu Pro Ile Phe Val Asn Asp Asp Asp Lys Leu Ala Leu Gln Thr 130 135 140

Ala 145	Ala	Pro	Leu	Val	Thr 150	Asn	Ala	Gly	Thr	Leu 155	Arg	Leu	Gln	Ser	Ala 160
Ala	Pro	Leu	Gly	Leu 165	Val	Glu	Asn	Thr	Leu 170	Lys	Leu	Leu	Phe	Ser 175	Lys
Pro	Leu	Tyr	Leu 180	Gln	Asn	Asp	Phe	Leu 185	Ala	Leu	Ala	Ile	Glu 190	Arg	Pro
Leu	Ala	Val 195	Ala	Ala	Ala	Gly	Thr 200	Leu	Thr	Leu	Gln	Leu 205	Thr	Pro	Pro
Leu	Lys 210	Thr	Asn	Asp	Asp	Gly 215	Leu	Thr	Leu	Ser	Thr 220	Val	Glu	Pro	Leu
Thr 225	Val	Lys	Asn	Gly	Asn 230	Leu	Gly	Leu	Gln	Ile 235	Ser	Arg	Pro	Leu	Val 240
Val	Gln	Asn	Asn	Gly 245	Leu	Ser	Leu	Ala	Ile 250	Thr	Pro	Pro	Leu	Arg 255	Leu
Phe	Asn	Ser	Asp 260	Pro	Val	Leu	Gly	Leu 265	Gly	Phe	Thr	Phe	Pro 270	Leu	Ala
Val	Thr	Asn 275	Asn	Leu	Leu	Ser	Leu 280	Asn	Met	Gly	Asp	Gly 285	Val	Lys	Leu
Thr	Tyr 290	Asn	Lys	Leu	Thr	Ala 295	Asn	Leu	Gly	Arg	Asp 300	Leu	Gln	Phe	Glu
Asn 305	Gly	Ala	Ile	Ala	Val 310	Thr	Leu	Thr	Ala	Glu 315	Leu	Pro	Leu	Gln	Tyr 320
Thr	Asn	Lys	Leu	Gln 325	Leu	Asn	Ile	Gly	Ala 330	Gly	Leu	Arg	Tyr	Asn 335	Gly
Ala	Ser	Arg	Lys 340	Leu	Asp	Val	Asn	Ile 345	Asn	Gln	Asn	Lys	Gly 350	Leu	Thr
Trp	Asp	Asn 355	Asp	Ala	Val	Ile	Pro 360	Lys	Leu	Gly	Ser	Gly 365	Leu	Gln	Phe
Asp	Pro 370	Asn	Gly	Asn	Ile	Ala 375	Val	Ile	Pro	Glu	Thr 380	Val	Lys	Pro	Gln
Thr 385	Leu	Trp	Thr	Thr	Ala 390	Asp	Pro	Ser	Pro	Asn 395	Cys	Ser	Val	Tyr	Gln 400
Asp	Leu	Asp	Ala	Arg 405	Leu	Trp	Leu	Ala	Leu 410	Val	Lys	Ser	Gly	Asp 415	Met
Val	His	Gly	Ser 420	Ile	Ala	Leu	Lys	Ala 425	Leu	Lys	Gly	Thr	Leu 430	Leu	Asn
Pro	Thr	Ala 435	Ser	Tyr	Ile	Ser	Ile 440	Val	Ile	Tyr	Phe	Tyr 445	Ser	Asn	Gly

Val Arg Arg Thr Asn Tyr Pro Thr Phe Asp Asn Glu Gly Thr Leu Ala Asn Ser Ala Thr Trp Gly Tyr Arg Gln Gly Gln Ser Ala Asn Thr Asn 475 Val Thr Asn Ala Thr Glu Phe Met Pro Ser Ser Ser Arg Tyr Pro Val Asn Lys Gly Asp Asn Ile Gln Asn Gln Ser Phe Ser Tyr Thr Cys Ile 510 505 Lys Gly Asp Phe Ala Met Pro Val Pro Phe Arg Val Thr Tyr Asn His Ala Leu Glu Gly Tyr Ser Leu Lys Phe Thr Trp Arg Val Val Ala Asn 540 Gln Ala Phe Asp Ile Pro Cys Cys Ser Phe Ser Tyr Ile Thr Glu 555 <210> 34 <211> 34115 <212> DNA <213> simian adenovirus SV-39 <220> <221> CDS <222> (13448)..(14959) <223> L2 Penton <220> <221> CDS <222> (17785)..(20538) <223> L3 Hexon <220> <221> CDS <222> (29515)..(31116) <223> L5 Fiber #1 <400> 34 catcatcaat ataacaccgc aagatggcga ccgagttaac atgcaaatga ggtgggcgga 60 gttacgcgac ctttgtcttg ggaacgcgga agtgggcgcg gcgggtttcg gggaggagcg 120 cggggcgggg cgggcgtgtc gcgcggcggt gacgcgccgg ggacccggaa attgagtagt 180 ttttattcat tttgcaagtt tttctgtaca ttttggcgcg aaaactgaaa cgaggaagtg 240 aaaagtgaaa aatgccgagg tagtcaccgg gtggagatct gacctttgcc gtgtggagtt 300 tacccgctga cgtgtgggtt tcggtctcta ttttttcact gtggttttcc gggtacggtc 360

aaaggtcccc	attttatgac	tccacgtcag	ctgatcgcta	gggtatttaa	tgcgcctcag	420
accgtcaaga	ggccactctt	gagtgccggc	gagaagagtt	ttctcctccg	cgttccgcca	480
actgtgaaaa	aatgaggaac	ttcttgctat	ctccggggct	gccagcgacc	gtagccgccg	540
agctgttgga	ggacattgtt	accggagctc	tgggagacga	tcctcaggtg	atttctcact	600
tttgtgaaga	ttttagtctt	catgatctct	atgatattga	tccgggtgtt	gaggggcaag	660
aggatgaatg	gctggagtct	gtggatgggt	tttttccgga	cgctatgctg	ctagaggctg	720
atttgccacc	acctcacaac	tctcacactg	agcccgagtc	agctgctatt	cctgaattgt	780
catcaggtga	acttgacttg	gcttgttacg	agactatgcc	tccggagtcg	gatgaggagg	840
acagcgggat	cagcgatccc	acggctttta	tggtctctaa	ggcgattgct	atactaaaag	900
aagatgatga	tggcgatgat	ggatttcgac	tggacgctcc	ggcggtgccg	gggagagact	960
gtaagtcctg	tgaataccac	cgggatcgta	ccggagaccc	gtctatgttg	tgttctctgt	1020
gttatctccg	tcttaacgct	gcttttgtct	acagtaagtg	ttttgtgctt	ttttaccctg	1080
tggctttgtt	gagtttattt	ttttctgtgt	ctcatagggt	gttgtttatt	ataggtcctg	1140
tttcagatgt	ggaggaacct	gatagtacta	ctggaaatga	ggaggaaaag	ccctccccgc	1200
cgaaactaac	tcagcgctgc	agacctaata	ttttgagacc	ctcggcccag	cgtgtgtcat	1260
cccggaaacg	tgctgctgtt	aattgcatag	aagatttatt	ggaagagccc	actgaacctt	1320
tggacttgtc	cttaaagcga	ccccgcccgc	agtagggcgc	ggtgccagtt	ttttctctct	1380
agcttccggg	tgactcagtg	caataaaaat	tttcttggca	acaggtgtat	gtgtttactt	1440
tacgggcggg	aagggattag	gggagtataa	agctggaggg	gaaaaatctg	aggctgtcag	1500
atcgagtgag	aagttccatg	gacttgtacg	agagcctaga	gaatctaagt	tctttgcgac	1560
gtttgctgga	ggaggcctcc	gacagaacct	cttacatttg	gaggtttctg	ttcggttccc	1620
ctctgagtcg	ctttttgcac	cgggtgaagc	gagagcacct	gacggaattt	gatgggcttt	1680
tagagcagct	gcctggactg	tttgattctt	tgaatctcgg	ccaccggacg	ctgctagagg	1740
agaggctttt	tccacaattg	gacttttcct	ctccaggccg	tctgtgttca	gegettgett	1800
ttgctgtaca	tctgttggac	agatggaacg	agcagacgca	gctcagcccg	ggttacactc	1860
tggacttcct	gacgctatgc	ctatggaagt	tcggaatcag	gagggggagg	aagctgtacg	1920
ggcgcttggt	ggagaggcat	ccgtctctgc	gccagcagcg	tctgcaagct	caagtgctgc	1980
tgaggcggga	ggatctggaa	gccatttcgg	aggaggagag	cggcatggaa	gagaagaatc	2040
cgagagcggg	gctggaccct	ccggcggagg	agtaggggg	ataccggacc	cttttcctga	2100

gti	tggctttg	ggggcggtgg	ggggcgcttc	tgtggtacgt	gaggatgaag	aggggcgcca	2160
ac	gcggtcag	aagagggagc	attttgagtc	ctcgactttc	ttggctgatg	taaccgtggc	2220
cci	tgatggcg	aaaaacaggc	tggaggtggt	gtggtacccg	gaagtatggg	aggactttga	2280
gaa	agggggac	ttgcacctgc	tggaaaaata	taactttgag	caggtgaaaa	catactggat	2340
gaa	acccggat	gaggactggg	aggtggtttt	gaaccgatac	ggcaaggtag	ctctgcgtcc	2400
cg	actgtcgc	taccaggttc	gcgacaaggt	ggtcctgcga	cgcaacgtgt	acctgttggg	2460
ca	acggcgcc	accgtggaga	tggtggaccc	cagaaggggt	ggttttgtgg	ccaatatgca	2520
ag.	aaatgtgc	cctggggtgg	tgggcttgtc	tggggtgact	tttcatagtg	tgaggtttag	2580
cg	gtagcaat	tttgggggtg	tggttattac	cgcgaacact	cctgtggtcc	tgcataattg	2640
ct	acttttt	ggcttcagca	acacctgtgt	ggaaatgagg	gtgggaggca	aagtgcgcgg	2700
gt	gttccttt	tacgcttgct	ggaagggggt	ggtgagccag	ggtaaggcta	aagtgtctgt	2760
tc	acaagtgt	atgttggaga	gatgcacctt	gggcatttcc	agtgagggct	tectecaege	2820
ca	gcgacaac	gtggcttctg	acaacggctg	cgcctttctt	atcaagggag	ggggtcgcat	2880
ct	gtcacaac	atgatatgcg	gccctgggga	tgtcccccca	aagccttacc	agatggttac	2940
ct	gcacagat	ggcaaggtgc	gcatgctcaa	gcctgtgcac	attgtgggcc	accggcgcca	3000
cc	gctggcca	gagtttgaac	acaatgtgat	gacccgctgt	agcttgtacc	tgggaggcag	3060
gc	gaggagtt	ttcttgccca	gacagtgtaa	cctggcccac	tgcaacgtga	tcatggaaca	3120
at	ccgccgct	acccaggttt	gctttggagg	aatatttgat	ataagcatgg	tggtgtataa	3180
ga	teetgege	tacgacgact	gtcgggctcg	tactcgaacc	tgcgactgcg	gagcctctca	3240
cc	tgtgtaac	ctgactgtga	tggggatggt	gactgaggag	gtgcgactgg	accactgtca	3300
gc	actcttgc	ctgcgggagg	agttttcttc	ctcggacgag	gaggactagg	taggtggttg	3360
gg	gcgtggcc	agcgagaggg	tgggctataa	aggggaggtg	tcggctgacg	ctgtcttctg	3420
tt	tttcaggt	accatgagcg	gatcaagcag	ccagaccgcg	ctgagcttcg	acggggccgt	3480
gt	acagcccc	tttctgacgg	ggcgcttgcc	tgcctgggcc	ggagtgcgtc	agaatgttac	3540
сg	gttcgacc	gtggacggac	gtcccgtgga	tccatctaac	gctgcttcta	tgcgctacgc	3600
ta	ctatcago	acatctactc	tggacagcgc	cgctgccgcc	gcagccgcca	cctcagccgc	3660
to	tctccgcc	gccaagatca	tggctattaa	cccaagcctt	tacagccctg	tatccgtgga	3720
ca	cctcagcc	: ctggagcttt	accggcgaga	tctagctcaa	gtggtggacc	aactcgcagc	3780

cgtgagccaa cagttgcagc tggtgtcgac ccgagtggag caactttccc gccctcccca	3840
gtaaccgcaa aaattcaata aacagaattt aataaacagc acttgagaaa agtttaaact	3900
tgtggttgac tttattcctg gatagctggg gggagggaac ggcgggaacg gtaagacctg	3960
gtccatcgtt cccggtcgtt gagaacacgg tggatttttt ccaagacccg atagaggtgg	4020
gtctgaacgt tgagatacat gggcatgagc ccgtctcggg ggtggaggta ggcccactgc	4080
agggcctcgt tttcaggggt ggtgttgtaa atgatccagt cgtaggcccc ccgctgggcg	4140
tggtgctgga agatgtcctt cagcagcaag ctgatggcaa cgggaagacc cttggtgtag	4200
gtgttgacaa agcggttgag ttgggagggg tgcatgcggg gactgatgag gtgcattttg	4260
geetggatet tgaggttgge tatgttgeeg eecagatege geetgggatt eatgttatge	4320
aagaccacca gcaccgagta accggtgcag cgggggaatt tgtcgtgcag cttggaaggg	4380
aaagcgtgga agaatttgga gacccctcgg tgcccgccta ggttttccat gcactcatcc	4440
atgatgatgg cgatgggccc ccgggaggca gcctgggcaa aaacgttgcg ggggtccgtg	4500
acatcgtagt tgtggtcctg ggtgagttca tcataggaca ttttgacaaa gcgcgggcag	4560
agggtcccag actggggaat gatggttcca tccggtccgg	4620
atttgcattt cccaggcttt gatttcagag ggagggatca tgtcaacctg gggggcgatg	4680
aaaaaaatgg tctctggggc gggggtgatg agctgggtgg aaagcaggtt gcgcaagagc	4740
tgtgacttgc cgcagccggt gggcccgtag atgacagcta tgacgggttg cagggtgtag	4800
tttagagagc tacaactgcc atcatccttc aaaagcgggg ccacactgtt taaaagttct	4860
ctaacatgta agttttcccg cactaagtcc tgcaggagac gtgaccctcc tagggagaga	4920
agttcaggaa gcgaagcaaa gtttttaagt ggcttgaggc catcggccaa gggcaagttc	4980
ctgagagttt gactgagcag ttccagccgg tcccagagct cggttacgtg ctctacggca	5040
tctcgatcca gcagacctcc tcgtttcggg ggttggggcg gctctggctg tagggaatga	5100
ggcggtgggc gtccagctgg gccatggtgc ggtccctcca tgggcgcagg gttctcttca	5160
gggtggtctc ggtcacggtg aatgggtggg ccccgggctg ggcgctggcc agggtgcgct	5220
tgaggctgag gcggctggtg gcgaaccgtt gcttttcgtc tccctgcaag tcagccaaat	5280
agcaacggac catgagctca tagtccaggc tctctgcggc atgtcctttg gcgcgaagct	5340
tgcctttgga aacgtgcccg cagtttgagc agagcaagca ttttagcgcg tagagttttg	5400
gcgccaagaa cacggattcc ggggaataag catccccacc gcagttggag caaacggttt	5460
cgcattccac cagccaggtc agctgaggat cttttgggtc aaaaaccaag cgcccgccgt	5520

tttttttgat	gcgcttccta	cctcgggtct	ccatgaggcg	gtgcccgcgt	tcggtgacga	5580
agaggctgtc	ggtgtctccg	tagacggagg	tcagggcgcg	ctcctccagg	ggggtcccgc	5640
ggtcctcggc	gtagagaaac	tcgcaccact	ctgacataaa	cgcccgggtc	caggctagga	5700
cgaatgaggc	gatgtgggaa	gggtaccggt	cgttatcgat	gagggggtcg	gttttttcca	5760
aggtgtgcag	gcacatgtcc	ccctcgtccg	cttccaaaaa	tgtgattggc	ttgtaggtgt	5820
aagtcacgtg	atcctgtcct	tccgcggggg	tataaaaggg	ggcgtttccc	ccctcctcgt	5880
cactctcttc	cggttcgctg	tcgccaaagg	ccagctgttg	gggtacgtaa	acgcgggtga	5940
aggcgggcat	gacctgtgcg	ctgaggttgt	cagtttctat	atacgaggaa	gatttgatgg	6000
cgagcgcccc	cgtggagatg	cccttgaggt	gctcggggcc	catttggtca	gaaaacacaa	6060
tctgtcggtt	atcaagcttg	gtggcaaaag	acccgtagag	ggcgttggag	agcaacttgg	6120
cgatggagcg	ctgggtttgg	ttttttccc	ggtcggcttt	ttccttggcc	gcgatgttga	6180
gctggacgta	ctccctggcc	acgcacttcc	agccgggaaa	aacggccgtg	cgctcgtccg	6240
gcaccagcct	cacgctccat	ccgcggttgt	gcagggtgat	gacgtcgatg	ctggtggcca	6300
cctctccgcg	caggggctcg	ttggtccagc	agaggcgacc	gcccttgcga	gagcagaagg	6360
ggggcagggg	gtcaagcagg	cgctcgtccg	gggggtcggc	gtcgatggta	aagatggcgg	6420
gcagcaggtg	tttgtcaaag	taatcgatct	gatgcccggg	gcaacgcagg	gcggtttccc	6480
agtcccgcac	cgccaaggcg	cgctcgtatg	gactgagggg	ggcgccccag	ggcatgggat	6540
gcgtcagggc	cgaggcgtac	atgccgcaga	tgtcatagac	gtaaaggggc	tcctccagga	6600
cgccgaggta	ggtggggtag	cagcgccccc	cgcggatgct	ggcccgtacg	tagtcgtaga	6660
gctcgtgcga	gggggccaga	aggtggcggc	tgaggtgagc	gcgctggggc	ttttcatctc	6720
ggaagaggat	ctgcctgaag	atggcgtggg	agttggagga	gatggtgggc	cgctgaaaaa	6780
tgttgaagcg	ggcgtcgggc	agacccacgg	cctcgccgat	aaagtgggcg	taggactctt	6840
gcagcttttc	: caccagggag	gcggtgacca	gcacgtccag	agcgcagtag	tccagggttt	6900
cccgcacgat	gtcataatgc	tcttcctttt	tttccttcca	gaggtctcgg	ttgaagagat	6960
actcttcgcg	gtctttccag	tactcttgga	gaggaaaccc	gttttcgtct	ccacggtaag	7020
agcccaacat	gtaaaactgg	ttgacggcct	gatagggaca	gcatccctto	: tccacgggca	7080
gcgagtaggc	cagggcggcc	ttgcgcaggg	g aggtgtgagt	: cagggcaaag	gtgtcgcgga	7140
ccataacttt	: tacaaactgg	tacttaaagt	cccggtcgtc	gcacatgcct	: cgctcccagt	7200

ctgagtagtc	tgtgcgcttt	ttgtgcttgg	ggttaggcag	ggagtaggtg	acgtcgttaa	7260
agaggatttt	gccacatctg	ggcataaagt	tgcgagagat	tctgaagggg	ccgggcacct	7320
ccgagcggtt	gttgatgact	tgggcagcca	ggagaatttc	gtcgaagccg	ttgatgttgt	7380
gccccacgac	gtagaactct	atgaaacgcg	gagcgccgcg	cagcaggggg	cacttttcaa	7440
gttgctggaa	agtaagttcc	cgcggctcga	cgccgtgttc	cgtgcggctc	cagtcctcca	7500
ccgggtttcg	ctccacaaaa	tcctgccaga	tgtggtcgac	tagcaagagc	tgcagtcggt	7560
cgcgaaattc	gcggaatttt	ctgccgatgg	cttgcttctg	ggggttcaag	caaaaaagg	7620
tgtctgcgtg	gtcgcgccag	gcgtcccagc	cgagctcgcg	agccagattc	agggccagca	7680
gcaccagagc	cggctcaccg	gtgattttca	tgacgaggag	aaagggcacc	agctgttttc	7740
cgaacgcgcc	catccaggtg	taggtctcca	cgtcgtaggt	gagaaacaga	cgttcggtcc	7800
gcgggtgcga	tcccaggggg	aaaaacttga	tgggctgcca	ccattgggag	ctctgggcgt	7860
ggatgtgatg	gaagtaaaag	teceggegge	gcgtggaaca	ttcgtgctgg	tttttgtaaa	7920
agcggccgca	gtggtcgcag	cgcgagacgg	agtgaaggct	gtgaatcagg	tgaatcttgc	7980
gtcgctgagg	gggccccaga	gccaaaaagc	ggagcgggaa	cgaccgcgcg	gccacttcgg	8040
cgtccgcagg	caagatggat	gagggttcca	ccgttccccg	cccgcggacc	gaccagactt	8100
ccgccagctg	cggcttcagt	tcttgcacca	gctctcgcag	cgtttcgtcg	ctgggcgaat	8160
cgtgaatacg	gaagttgtcg	ggtagaggcg	ggaggcggtg	gacttccagg	aggtgtgtga	8220
gggccggcag	gagatgcagg	tggtacttga	tttcccacgg	atgacggtcg	cgggcgtcca	8280
aggcgaagag	atgaccgtgg	ggccgcggcg	ccaccagcgt	tccgcggggg	gtctttatcg	8340
gcggcgggga	cgggctcccg	gcggcagcgg	cggctcggga	cccgcgggca	agtcgggcag	8400
cggcacgtcg	gcgtggagct	cgggcagggg	ctggtgctgc	gcgcggagct	gactggcaaa	8460
ggctatcacc	: cggcgattga	cgtcctggat	ccggcggcgc	tgcgtgaaga	ccaccggacc	8520
cgtggtcttg	aacctgaaag	agagttcgac	agaatcaatc	tcggcatcgt	taaccgcggc	8580
ctggcgcagg	atttcggcca	cgtccccgga	gttgtcttga	tacgcgattt	ctgccatgaa	8640
ctggtcgatt	tectettect	gcaagtctcc	gtgaccggcg	cgttcgacgg	tggccgcgag	8700
atcgttggag	atgcggccca	tgagctggga	aaaggcattg	atgccgacct	cgttccacac	8760
tcggctgtac	accacctctc	: cgtgaacgtc	: gcgggcgcgc	atcaccacct	gggcgagatt	8820
gagttccac	g tggcgggcga	aaaccggata	gtttcggagg	cgctgataca	gatagttgag	8880
ggtggtggc	g gcgtgctcgg	ccacaaaaa	ı atacatgato	cagcggcgga	gggtcagctc	8940

gttgatgtcg	cccagcgcct	ccaggcgttc	catggcctcg	taaaagtcca	cggcaaagtt	9000
gaaaaattgg	ctgttcctgg	ccgagaccgt	gagctcttct	tccaagagcc	gaatgagatc	9060
cgccacggtg	gccctgactt	cgcgttcgaa	agccccgggt	gcctcctcca	cctcttcctc	9120
ctcgacttct	tcgaccgctt	cgggcacctc	ctcttcctcg	accaccacct	caggcggggc	9180
teggeggege	cggcggcgga	cgggcaggcg	gtcgacgaaa	cgctcgatca	tttcccccct	9240
ccgtcgacgc	atggtctcgg	tgacggcgcg	accctgttcg	cgaggacgca	gggtgaaggc	9300
gccgccgccg	agcggaggta	acagggagat	cadaaaacaa	tcgtggggga	gactgacggc	9360
gctaactatg	catctgatca	atgtttgcgt	agtgacctcg	ggtcggagcg	agctcagcgc	9420
ttgaaaatcc	acgggatcgg	aaaaccgttc	caggaacgcg	tctagccaat	cacagtcgca	9480
aggtaagctg	aggaccgtct	cgggggcttg	tctgttctgt	cttcccgcgg	tggtgctgct	9540
gatgaggtag	ttgaagtagg	cgctcttgag	gcggcggatg	gtggacagga	gaaccacgtc	9600
tttgcgccca	gcttgctgta	tccgcaggcg	gtcggccatg	ccccacactt	ctccttgaca	9660
gcggcggagg	tccttgtagt	attcttgcat	cagcctttcc	acgggcacct	cgtcttcttc	9720
ttccgctcgg	ccggacgaga	gccgcgtcag	gccgtacccg	cgctgcccct	gtggttggag	9780
cagggccagg	tcggccacga	cgcgctcggc	cagcacggcc	tgctggatgc	gggtgagggt	9840
gtcctgaaag	tcgtcgagat	ccacaaagcg	gtggtacgcg	ccagtgttga	tggtgtaggt	9900
gcagttgctc	atgacggacc	agtttacggt	ctgggtgcca	tggcccacgg	tttccaggta	9960
gcggagacgc	gagtaggccc	gcgtctcgaa	gatgtagtcg	ttgcaggtcc	gcagcaggta	10020
ctggtagccc	accagcagat	gcggcggcgg	ctggcggtag	aggggccacc	gctgggtggc	10080
gggggcgttg	ggggcgagat	cttccaacat	gaggcggtga	tagccgtaga	tgtagcgcga	10140
catccaagtg	atgccgctgg	ccgtggtgct	ggcgcgggcg	tagtcgcgaa	cgcggttcca	10200
gatgtttcgc	agcggctgga	agtactcgat	ggtggggcga	ctctgccccg	tgaggcgggc	10260
gcagtcggcg	atgctctacg	gggaaaaaga	agggccagtg	aacaaccgcc	ttccgtagcc	10320
ggaggagaac	gcaagggggt	caaagaccac	cgaggctcgg	gttcgaaacc	cgggtggcgg	10380
cccgaatacg	gagggcggtt	ttttgctttt	ttctcagatg	catcccgtgc	tgcggcagat	10440
gcgtccgaac	gcggggtccc	agtccccggc	ggtgcctgcg	gccgtgacgg	cggcttctac	10500
ggccacgtcg	cgctccaccc	cgcctaccac	ggcccaggcg	gcggtggctc	tgcgcggcgc	10560
aggggaaccc	gaagcagagg	cggtgttgga	cgtggaggag	ggccaggggt	tggctcggct	10620

gggggccctg	agtcccgagc	ggcacccgcg	cgtggctctg	aagcgcgacg	cggcggaggc	10680
gtacgtgccg	cggagcaatc	tgtttcgcga	ccgcagcggc	gaggaggccg	aggagatgcg	10740
agacttgcgt	tttcgggcgg	ggagggagtt	gcgtcacggg	ctggaccggc	agagggttct	10800
gagagaggag	gactttgagg	cggacgagcg	cacgggggtg	agtcccgcgc	gggctcacgt	10860
ggcggccgcc	aacctggtga	gcgcgtacga	gcagacggtc	aaggaggaga	tgaacttcca	10920
gaagagcttc	aatcatcacg	tgcgcacgct	gattgcgcgc	gaagaggtgg	ccatcggcct	10980
catgcatctg	tgggattttg	tggaggcgta	cgttcagaac	cccagcagca	agccgctgac	11040
ggctcagctg	ttcctcatcg	tgcaacatag	tcgagacaac	gaaacgttca	gggaggccat	11100
gctgaacatt	gcagagcctg	aggggcgctg	gctcttggat	ctcattaaca	tcttgcagag	11160
tatcgtagtg	caggagcgct	cgctgagcct	ggccgacaag	gtggctgcca	tcaactacag	11220
catgctgtcg	ctgggcaaat	tttacgcccg	caagatctac	aagtctccgt	tcgtccccat	11280
agacaaggag	gtgaagatag	acagctttta	catgcgcatg	gcgctcaagg	tgctgactct	11340
aagcgacgac	ctgggggtgt	accgcaacga	ccgcatacac	aaggcggtga	gcgccagccg	11400
ccggcgcgag	ctgagcgacc	gcgagctttt	gcacagcctg	catcgggcgt	tgactggtgc	11460
cggcagcgcc	gaggcggccg	agtactttga	cgccggagcg	gacttgcgct	ggcagccatc	11520
ccgacgcgcg	ctggaggcgg	ctggcgtcgg	ggagtacggg	gtcgaggacg	acgatgaagc	11580
ggacgacgag	ttgggcattg	acttgtagcc	gtttttcgtt	agatatgtcg	gcgaacgagc	11640
cgtctgcggc	cgccatggtg	acggcggcgg	gcgcgccca	ggacccggcc	acgcgcgcgg	11700
cgctgcagag	tcagccttcc	ggagtgacgc	ccgcggacga	ctggtccgag	gccatgcgtc	11760
gcatcctggc	gctgacggcg	cgcaaccccg	aggcttttcg	gcagcagccg	caggcaaacc	11820
ggtttgcggc	cattttggaa	gcggtggtgc	cctccagacc	caaccccacc	cacgaaaagg	11880
tgctggccat	cgtcaacgcc	ctggcggaga	ccaaggccat	ccgcccagac	gaggccgggc	11940
aggtttacaa	cgcgctgcta	gaaagggtgg	gacgctacaa	cagctccaac	gtgcagacca	12000
atctggaccg	cttggtgacg	gacgtgaagg	aggccgtagc	ccagcgagag	cggtttttca	12060
aggaagccaa	tctgggctcg	ctggtggccc	tcaacgcctt	cctgagcacg	ctgccggcga	12120
acgtgccccg	cggtcaggag	gactacgtga	actttctgag	cgccctccgc	ctgatggtgg	12180
ccgaggtgcc	gcagagcgag	gtgtaccagt	ctggccccaa	ctactacttc	cagacctccc	12240
ggcagggcct	gcagacggta	aacctgacgc	aggcctttca	gaacctgcag	ggcctttggg	12300
gggtgcgcgc	tccgctgggc	gaccgcagca	cggtgtccag	cctgctgacc	cccaatgccc	12360

ggctgctctt gcttctcatt go	ctccgttca ccgacagcgg	ttccatcagc cgcgactctt	12420
acctgggaca cctgctcacc ct	tgtaccggg aggccatcgg	gcaggcgcgg gtggacgagc	12480
agacgtacca ggaaatcacc ag	gcgtgagcc gcgcgctggg	gcaggaggac acgggcagct	12540
tggaggcgac tctgaacttc c	tgctgacca accggcggca	gcgcctacct ccccagtacg	12600
cgctgaacgc ggaggaggag c	gcatcctgc gtttcgtgca	gcagagcacc gcgctgtact	12660
tgatgcggga aggcgcctct c	ccagcgctt cgctggacat	gacggcggcc aacatggagc	12720
catcgttcta cgccgccaac c	gtcccttcg tcaaccggct	aatggactat ttgcatcggg	12780
cggcggccct gaacccggaa t	actttacta acgtcatcct	gaacgaccgt tggctgccac	12840
ctcccggctt ctacacgggg g	agttcgacc tcccggaggc	caacgacggt ttcatgtggg	12900
acgacgtgga cagcgtgttc c	tgcccggca agaaggaggc	gggtgactct cagagccacc	12960
gcgcgagcct cgcagacctg g	gggcgaccg ggcccgcgtc	teegetgeet egeetgeega	13020
gcgccagcag cgccagcgtg g	ggcgggtga gccgtccgcg	cctcagcggt gaggaggact	13080
ggtggaacga tccgctgctc c	gtccggccc gcaacaaaa	cttccccaac aacgggatag	13140
aggatttggt agacaaaatg a	accgttgga agacgtatgc	ccaggagcat cgggagtggc	13200
aggcgaggca acccatgggc c	ctgttctgc cgccctctcg	gcgcccgcgc agggacgaag	13260
acgccgacga ttcagccgat g	acagcagcg tgttggatct	gggcgggagc gggaacccct	13320
ttgcccacct gcaacctcgc g	gegtgggte ggeggtggeg	ctaggaaaaa aaattattaa	13380
aagcacttac cagagccatg g	rtaagaagag caacaaaggt	gtgtcctgct ttcttcccgg	13440
tagcaaa atg cgt cgg gcg Met Arg Arg Ala 1	g gtg gca gtt ccc tcc Nal Ala Val Pro Ser 5	gcg gca atg gcg tta Ala Ala Met Ala Leu 10	13489
ggc ccg ccc cct tct tac Gly Pro Pro Pro Ser Tyr 15 20	gaa agc gtg atg gca Glu Ser Val Met Ala 25	gcg gcc acc ctg caa Ala Ala Thr Leu Gln 30	13537
gcg ccg ttg gag aat cct Ala Pro Leu Glu Asn Pro 35	tac gtg ccg ccg cga Tyr Val Pro Pro Arg 40	tac ctg gag cct acg Tyr Leu Glu Pro Thr 45	13585
ggc ggg aga aac agc att Gly Gly Arg Asn Ser Ile 50	c cgt tac tcg gag ctg e Arg Tyr Ser Glu Leu 55	acg ccc ctg tac gac Thr Pro Leu Tyr Asp 60	13633
acc acc cgc ctg tac ctg Thr Thr Arg Leu Tyr Leu 65	g gtg gac aac aag tca 1 Val Asp Asn Lys Ser 70	gca gat atc gcc acc Ala Asp Ile Ala Thr 75	13681

ttg Leu	aac Asn 80	tac Tyr	cag Gln	aac Asn	gac Asp	cac His 85	agc Ser	aac Asn	ttt Phe	ctc Leu	acg Thr 90	tcc Ser	gtg Val	gtg Val	cag Gln	13729
aac Asn 95	agc Ser	gac Asp	tac Tyr	acg Thr	ccc Pro 100	gcc Ala	gaa Glu	gcg Ala	agc Ser	acg Thr 105	cag Gln	acc Thr	att Ile	aac Asn	ttg Leu 110	13777
gac Asp	gac Asp	cgc Arg	tcg Ser	cgc Arg 115	tgg Trp	Gly	GJÀ ààà	gac Asp	ttg Leu 120	aaa Lys	acc Thr	att Ile	ctg Leu	cac His 125	act Thr	13825
aac 'Asn	atg Met	ccc Pro	aac Asn 130	gtg Val	aac Asn	gag Glu	ttc Phe	atg Met 135	ttt Phe	acc Thr	aac Asn	tcg Ser	ttc Phe 140	agg Arg	gct Ala	13873
aaa Lys	ctt Leu	atg Met 145	gtg Val	gcg Ala	cac His	gag Glu	gcc Ala 150	gac Asp	aag Lys	gac Asp	ccg Pro	gtt Val 155	tat Tyr	gag Glu	tgg Trp	13921
gtg Val	cag Gln 160	ctg Leu	acg Thr	ctg Leu	ccg Pro	gag Glu 165	ej gaa	aac Asn	ttt Phe	tca Ser	gag Glu 170	att Ile	atg Met	acc Thr	ata Ile	13969
gac Asp 175	ctg Leu	atg Met	aac Asn	aac Asn	gcc Ala 180	att Ile	atc Ile	gac Asp	cac His	tac Tyr 185	ctg Leu	gcg Ala	gta Val	gcc Ala	aga Arg 190	14017
cag Gln	cag Gln	GJA aaa	gtg Val	aaa Lys 195	gaa Glu	agc Ser	gag Glu	atc Ile	ggc Gly 200	gtc Val	aag Lys	ttt Phe	gac Asp	acg Thr 205	cgc Arg	14065
aac Asn	ttt Phe	cgt Arg	ctg Leu 210	Gly	tgg Trp	gac Asp	ccg Pro	gag Glu 215	acg Thr	GJA aaa	ctt Leu	gtg Val	atg Met 220	ccg Pro	ejā āāā	14113
gtg Val	tac Tyr	acg Thr 225	aac Asn	gaa Glu	gct Ala	ttc Phe	cat His 230	Pro	gac Asp	gtg Val	gtc Val	ctc Leu 235	ttg Leu	ccg Pro	Gly ggc	14161
tgc Cys	ggg Gly 240	gtg Val	gac Asp	ttt Phe	acc Thr	tac Tyr 245	agc Ser	cgg Arg	tta Leu	aac Asn	aac Asn 250	ctg Leu	cta Leu	Gly	ata Ile	14209
cgc Arg 255	Lys	aga Arg	atg Met	ccc Pro	ttt Phe 260	cag Gln	gaa Glu	Gly	ttt Phe	cag Gln 265	Ile	ctg Leu	tac Tyr	gag Glu	gac Asp 270	14257
ctg Leu	gag Glu	ggc	ggt Gly	aac Asn 275	Ile	ccg Pro	gcc Ala	ctg Leu	ctg Leu 280	Asp	gtg Val	ccg Pro	gcg Ala	tac Tyr 285	gag Glu	14305
gag Glu	agc Ser	atc Ile	gcc Ala 290	Asn	gca Ala	agg Arg	gag Glu	g gcg Ala 295	Ala	atc Ile	agg Arg	Gly	gat Asp 300	Asn	ttc Phe	14353

gcg Ala	gcg Ala	cag Gln 305	ccc Pro	cag Gln	gcg Ala	gct Ala	cca Pro 310	acc Thr	ata Ile	aaa Lys	ccc Pro	gtt Val 315	ttg Leu	gaa Glu	gac Asp	14401
tcc Ser	aaa Lys 320	GJ À GGG	cgg Arg	agc Ser	tac Tyr	aac Asn 325	gta Val	ata Ile	gcc Ala	aac Asn	acc Thr 330	aac Asn	aac Asn	acg Thr	gct Ala	14449
tac Tyr 335	agg Arg	agc Ser	tgg Trp	tat Tyr	ctg Leu 340	gct Ala	tat Tyr	aac Asn	tac Tyr	ggc Gly 345	gac Asp	ccg Pro	gag Glu	aag Lys	350 ggg	14497
gtt Val	agg Arg	gcc Ala	tgg Trp	acc Thr 355	ctg Leu	ctc Leu	acc Thr	act Thr	ccg Pro 360	gac Asp	gtg Val	acg Thr	tgc Cys	ggt Gly 365	tca Ser	14545
gag Glu	cag Gln	gtc Val	tac Tyr 370	tgg Trp	tcg Ser	ctg Leu	cct Pro	gac Asp 375	atg Met	tac Tyr	gtg Val	gac Asp	cct Pro 380	gtg Val	acg Thr	14593
ttt Phe	cgc Arg	tcc Ser 385	acg Thr	cag Gln	caa Gln	gtt Val	agc Ser 390	aac Asn	tac Tyr	cca Pro	gtg Val	gtg Val 395	gga Gly	gcg Ala	gag Glu	14641
ctt Leu	atg Met 400	ccg Pro	att Ile	cac His	agc Ser	aag Lys 405	agc Ser	ttt Phe	tac Tyr	aac Asn	gag Glu 410	cag Gln	gcc Ala	gtc Val	tac Tyr	14689
tca Ser 415	cag Gln	ctc Leu	att Ile	cgt Arg	cag Gln 420	acc Thr	acc Thr	gcc Ala	cta Leu	acg Thr 425	cac His	gtt Val	ttc Phe	aac Asn	cgc Arg 430	14737
ttc Phe	ccc Pro	gag Glu	aac Asn	caa Gln 435	atc Ile	cta Leu	gtg Val	cga Arg	cct Pro 440	cca Pro	gcg Ala	ccc Pro	acc Thr	atc Ile 445	acc Thr	14785
acc Thr	gtc Val	agc Ser	gag Glu 450	aac Asn	gtg Val	ccc Pro	gct Ala	cta Leu 455	acc Thr	gat Asp	cac His	GJ Ā āāā	acg Thr 460	ctg Leu	cct Pro	14833
ttg Leu	cag Gln	aac Asn 465	agc Ser	atc Ile	cgc Arg	gga Gly	gtt Val 470	cag Gln	cga Arg	gtt Val	acc Thr	atc Ile 475	acg Thr	gac Asp	gcc Ala	14881
cgt Arg	cgt Arg 480	Arg	acc Thr	tgt Cys	ccc Pro	tac Tyr 485	Val	tac Tyr	aaa Lys	gcc Ala	ttg Leu 490	Gly	atc Ile	gtg Val	gcc Ala	14929
ccg Pro 495	cgc Arg	gtc Val	ctg Leu	tcg Ser	agt Ser 500	cgc Arg	act Thr	ttc Phe	tag	atg	tcca	tcc	tcat	ctct	cc	14979
cag	caac	aat	accg	gttg	aa a	tctg	ggcg	t ga	ccaa	aạtg	tac	ggag	gcg	ccaa	acgacg	15039
gtc	ccca	caa	catc	ccgt	gc g	agtg	cgcg	d da	actt	taga	gcc	ccat	ggg	ggtc	gcacac	15099
gcg	cggg	cgc	accg	gccg	aa c	cacc	gtcg	a cg	acgt	gatc	gat	agcg	tgg	tggc	cgacgc	15159

ccgcaactac	cagcccgctc	gatccacggt	ggacgaagtc	atcgacggcg	tggtggccga	15219
cgccagggcc	tacgcccgca	gaaagtctcg	tctgcgccgc	cgccgttcgc	taaagcgccc	15279
cacggccgcc	atgaaagccg	ctcgctctct	gctgcgtcgc	gcacgtatcg	tgggtcgccg	15339
cgccgccaga	cgcgcagccg	ccaacgccgc	cgccggccga	gtgcgccgcc	gggccgccca	15399
gcaggccgcc	gccgccatct	ccagtctatc	cgcccccga	cgcgggaatg	tgtactgggt	15459
cagggactcg	gccaccggcg	tgcgagttcc	cgtgagaacc	cgtcctcctc	gtccctgaat	15519
aaaaagttct	aagcccaatc	ggtgttccgt	tgtgtgttca	gctcgtcatg	accaaacgca	15579
agtttaaaga	ggagctgctg	caagcgctgg	tccccgaaat	ctatgcgccg	gcgccggacg	15639
tgaaaccgcg	tcgcgtgaaa	cgcgtgaaga	agcaggaaaa	gctagagaca	aaagaggagg	15699
cggtggcgtt	gggagacggg	gaggtggagt	ttgtgcgctc	gttcgcgccg	cgtcggcgag	15759
tgaattggaa	ggggcgcaag	gtgcaacggg	tgctgcgtcc	cggcacggtg	gtgtctttca	15819
ccccgggtga	aaaatccgcc	tggaagggca	taaagcgcgt	gtacgatgag	gtgtacgggg	15879
acgaagacat	tctggagcag	gcgctggata	gaagcgggga	gtttgcttac	ggcaagaggg	15939
cgaggacggg	cgagatcgcc	atcccgctgg	acacttccaa	cccacccc	agtctgaaac	15999
ccgtgacgct	gcaacaggtg	ttgccggtga	gcgccccctc	gcgacgcggc	ataaaacgcg	16059
agggcggcga	gctgcagccc	accatgcagc	tcctggttcc	caagaggcag	aaactagagg	16119
acgtactgga	catgataaaa	atggagcccg	acgtgcagcc	cgatattaaa	atccgtccca	16179
tcaaagaagt	ggcgccggga	atgggcgtgc	agaccgtgga	catccagatt	cccatgacca	16239
gcgccgcaca	ggcggtagag	gccatgcaga	ccgacgtggg	gatgatgacg	gacctgcccg	16299
cagctgctgc	cgccgtggcc	agcgccgcga	cgcaaacgga	agccggcatg	cagaccgacc	16359
cgtggacgga	ggcgcccgtg	cagccggcca	gaagacgcgt	cagacggacg	tacggccccg	16419
tttctggcat	aatgccggag	tacgcgctgc	atccttccat	catccccacc	cccggctacc	16479
gggggcgcac	ctaccgtccg	cgacgcagca	ccactcgccg	ccgtcgccgc	acggcacgag	16539
tegecacege	cagagtgaga	cgcgtaacga	cacgtcgcgg	ccgccgcttg	accctgcccg	16599
tggtgcgcta	ccatcccagc	attctttaaa	aaaccgctcc	tacgttgcag	atgggcaagc	16659
ttacttgtcg	actccgtatg	gccgtgcccg	gctaccgagg	aagatcccgc	cgacgacgga	16719
ctttgggagg	cagcggtttg	cgccgccgtc	gggcggttca	ccggcgcctc	aagggaggca	16779
ttctgccggc	cctgatcccc	ataatcgccg	cagccatcgg	ggccattccc	ggaatcgcca	16839

gcgtagcggt gcaggctagc cagcgccact gattttacta accctgtcgg tcgcgccgtc	16899
tctttcggca gactcaacgc ccagcatgga agacatcaat ttctcctctc tggccccgcg	16959
gcacggcacg cggccgtata tggggacgtg gagcgagatc ggcacgaacc agatgaacgg	17019
gggcgctttc aattggagcg gtgtgtggag cggcttgaaa aatttcggtt ccactctgaa	17079
aacttacggc aaccgggtgt ggaactccag cacggggcag atgctgaggg acaagctaaa	17139
ggacacgcag tttcagcaaa aggtggtgga cggcatcgct tcgggcctca acggcgccgt	17199
cgacctggcc aaccaggcca ttcaaaagga aattaacagc cgcctggagc cgcggccgca	17259
ggtggaggag aacctgcccc ctctggaggc gctgcccccc aagggagaga agcgcccgcg	17319
gcccgacatg gaggagacgc tagttactaa gagcgaggag ccgccatcat acgaggaggc	17379
ggtgggtagc tcgcagctgc cgtccctcac gctgaagccc accacctatc ccatgaccaa	17439
gcccatcgcc tccatggcgc gccccgtggg agtcgacccg cccatcgacg cggtggccac	17499
tttggacctg ccgcgccccg aacccggcaa ccgcgtgcct cccgtcccca tcgctccgcc	17559
ggtttctcgc cccgccatcc gccccgtcgc cgtggccact ccccgctatc cgagccgcaa	17619
cgccaactgg cagaccaccc tcaacagtat tgtcggactg ggggtgaagt ctctgaagcg	17679
ccgtcgctgt ttttaaagca caatttatta aacgagtagc cctgtcttaa tccatcgttg	17739
tatgtgtgcc tatatcacgc gttcagagcc tgaccgtccg tcaag atg gcc act ccg Met Ala Thr Pro 505	17796
tcg atg atg ccg cag tgg tcg tac atg cac atc gcc ggg cag gac gcc Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala Gly Gln Asp Ala 510 515 520	17844
tcg gag tac ctg agc ccg ggt ctg gtg cag ttt gcc cgt gcg acg gaa Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala Arg Ala Thr Glu 525 530 535	17892
acc tac ttc tca ctg ggc aac aag ttc agg aac ccc acc gtg gcg ccc Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro Thr Val Ala Pro 540 545 550 555	17940
acc cac gac gtc acc acc gat cgg tcc cag cga ctg aca atc cgc ttc Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu Thr Ile Arg Phe 560 565 570	17988
gtc ccc gtg gac aag gaa gac acc gct tac tcc tac aaa acc cgc ttc Val Pro Val Asp Lys Glu Asp Thr Ala Tyr Ser Tyr Lys Thr Arg Phe 575 580 585	18036

ttt Phe	gac Asp 605	atc Ile	cgc Arg	ggc Gly	gtg Val	atc Ile 610	gac Asp	cgc Arg	gga Gly	cct Pro	agc Ser 615	ttc Phe	aag Lys	cct Pro	tac Tyr	18132
tcc Ser 620	Gly	acg Thr	gct Ala	tac Tyr	aac Asn 625	tca Ser	ctg Leu	gct Ala	ccc Pro	aaa Lys 630	ej aaa	gcg Ala	ccc Pro	aac Asn	aac Asn 635	18180
agc Ser	caa Gln	tgg Trp	aac Asn	gcc Ala 640	aca Thr	gat Asp	aac Asn	GJA āāā	aac Asn 645	aag Lys	cca Pro	gtg Val	tgt Cys	ttt Phe 650	gct Ala	18228
cag Gln	gca Ala	gct Ala	ttt Phe 655	ata Ile	ggt Gly	caa Gln	agc Ser	att Ile 660	aca Thr	aaa Lys	gac Asp	gga Gly	gtg Val 665	caa Gln	ata Ile	18276
cag Gln	aac Asn	tca Ser 670	gaa Glu	aat Asn	caa Gln	cag Gln	gct Ala 675	gct Ala	gcc Ala	gac Asp	aaa Lys	act Thr 680	tac Tyr	caa Gln	cca Pro	18324
gag Glu	cct Pro 685	caa Gln	att Ile	gga Gly	gtt Val	tcc Ser 690	acc Thr	tgg Trp	gat Asp	acc Thr	aac Asn 695	gtt Val	acc Thr	agt Ser	aac Asn	18372
gct Ala 700	gcc Ala	gga Gly	cga Arg	gtg Val	tta Leu 705	aaa Lys	gcc Ala	acc Thr	act Thr	ccc Pro 710	atg Met	ctg Leu	cca Pro	tgt Cys	tac Tyr 715	18420
ggt Gly	tca Ser	tat Tyr	gcc Ala	aat Asn 720	ccc Pro	act Thr	aat Asn	cca Pro	aac Asn 725	GJA aaa	ggt Gly	cag Gln	gca Ala	aaa Lys 730	aca Thr	18468
gaa Glu	gga Gly	gac Asp	att Ile 735	tcg Ser	cta Leu	aac Asn	ttt Phe	ttc Phe 740	Thr	aca Thr	act Thr	gcg Ala	gca Ala 745	gca Ala	gac Asp	18516
aat Asn	aat Asn	ccc Pro 750	Lys	gtg Val	gtt Val	ctt Leu	tac Tyr 755	Ser	gaa Glu	gat Asp	gta Val	aac Asn 760	ctt Leu	caa Gln	gcc Ala	18564
ccc Pro	gat Asp 765	Thr	cac His	tta Leu	gta Val	tat Tyr 770	Lys	cca Pro	acg Thr	gtg Val	gga Gly 775	Glu	aac Asn	gtt Val	atc Ile	18612
gcc Ala 780	Ala	gaa Glu	gcc Ala	ctg Leu	cta Leu 785	Thr	cag Gln	cag Gln	gcg Ala	tgt Cys 790	Pro	aac Asn	aga Arg	gca Ala	aac Asn 795	18660
tac Tyr	ata Ile	ggt Gly	ttc Phe	cga Arg 800	Asp	aac Asn	ttt Phe	atc Ile	ggt: ggt: Gly	Leu	atg Met	tat Tyr	tat Tyr	aac Asn 810	agc Ser	18708
aca Thr	: Gly	aac Asn	atg Met 815	Gly	gtt Val	ctg Leu	gca Ala	ggt Gly 820	7 Gln	gcc Ala	tcg Ser	cag Gln	tta Leu 825	. Asn	gca Ala	18756

gtt Val	gta Val	gac Asp 830	ctg Leu	caa Gln	gat Asp	cga Arg	aac Asn 835	acg Thr	gaa Glu	ctg Leu	tcc Ser	tat Tyr 840	cag Gln	cta Leu	atg Met	18804
cta Leu	gat Asp 845	gct Ala	ctg Leu	ggt Gly	gac Asp	aga Arg 850	act Thr	cga Arg	tat Tyr	ttc Phe	tca Ser 855	atg Met	tgg Trp	aat Asn	cag Gln	18852
gcc Ala 860	gtg Val	gac Asp	agc Ser	tac Tyr	gat Asp 865	cca Pro	gac Asp	gtt Val	agg Arg	att Ile 870	atc Ile	gag Glu	aac Asn	cat His	ggg Gly 875	18900
gtg Val	gaa Glu	gac Asp	gag Glu	ctg Leu 880	ccc Pro	aat Asn	tac Tyr	tgt Cys	ttt Phe 885	cca Pro	ctc Leu	cca Pro	ggc Gly	atg Met 890	ggt Gly	18948
att Ile	ttt Phe	aac Asn	tcc Ser 895	tac Tyr	aag Lys	ej aaa	gta Val	aaa Lys 900	cca Pro	caa Gln	aat Asn	Gly	ggt Gly 905	aat Asn	ggt Gly	18996
aac Asn	tgg Trp	gaa Glu 910	gca Ala	aac Asn	GJÀ ààà	gac Asp	cta Leu 915	tca Ser	aat Asn	gcc Ala	aat Asn	gag Glu 920	atc Ile	gct Ala	tta Leu	19044
gga Gly	aac Asn 925	att Ile	ttt Phe	gcc Ala	atg Met	gaa Glu 930	att Ile	aac Asn	ctc Leu	cac His	gca Ala 935	aac Asn	ctg Leu	tgg Trp	cgc Arg	19092
agc Ser 940	ttc Phe	ttg Leu	tac Tyr	agc Ser	aat Asn 945	gtg Val	gcg Ala	ctg Leu	tac Tyr	ctg Leu 950	Pro	gac Asp	agc Ser	tat Tyr	aaa Lys 955	19140
ttc Phe	act Thr	ccc Pro	gct Ala	aac Asn 960	atc Ile	act Thr	ctg Leu	ccc Pro	gcc Ala 965	Asn	caa Gln	aac Asn	acc Thr	tac Tyr 970	Glu	19188
tat Tyr	atc Ile	aac Asn	ggg Gly 975	cgc Arg	gtc Val	act Thr	tct Ser	cca Pro 980	Thr	ctg Leu	gtg Val	gac Asp	acc Thr 985	Phe	gtt Val	19236
aac Asn	att Ile	gga Gly 990	Ala	cga Arg	tgg Trp	tcg Ser	ccg Pro 995	Asp	ccc Pro	atg Met	gac Asp	aac Asn 100	٧a		c ccc n Pro	19284
	aac Asn 100	Hi.	t ca s Hi	c cg s Ar	g aa g As	n Al	g g a G 10	gc c	tc c eu A	gt t rg T	yr A	gc rg .015	tcc Ser	atg Met	ctg Leu	19329
ctg Leu	gga Gly 102	As	t gg n Gl	a cg y Ar	c gt g Va	l Va	g c 1 F 25	ct tro P	tc c	ac a Mis I	le G	aa In .030	gtg Val			19374
	ttt Phe 103	Ph			t aa e Ly	s As		etc c eu I	etg o	ctt t Leu I	Seu E	cc Pro .045	ggc Gly	tcc Ser	tac Tyr	19419

	tac Tyr 1050	gag Glu	tgg Trp	agc Ser	ttc Phe	aga Arg 1055	aaa Lys	gac Asp	gtg Val	aac Asn	atg Met 1060	att Ile	ctg Leu	cag Gln	19464
agc Ser	acc Thr 1065	ctg Leu	ggc	aat Asn	gat Asp	ctt Leu 1070	cga Arg	gtg Val	gac Asp	GJA GGG	gcc Ala 1075	agc Ser	gtc Val	cgc Arg	19509
	gac Asp 1080	agc Ser	gtc Val	aac Asn	ttg Leu	tac Tyr 1085	gcc Ala	aac Asn	ttt Phe	ttc Phe	ccc Pro 1090	atg Met	gcg Ala	cac His	19554
	acc Thr 1095	gct Ala	tct Ser	acc Thr	ttg Leu	gaa Glu 1100	gcc Ala	atg Met	ctg Leu	cga Arg	aac Asn 1105	gac Asp	acc Thr	aac Asn	19599
gac Asp	cag Gln 1110	tcg Ser	ttt Phe	aac Asn	gac Asp	tac Tyr 1115	ctc Leu	agc Ser	gcg Ala	gcc Ala	aac Asn 1120	atg Met	ctt Leu	tat Tyr	19644
	att Ile 1125	ccg Pro	gcc Ala	aac Asn	gcc Ala	acc Thr 1130	aac Asn	gtt Val	ccc Pro	att Ile	tcc Ser 1135	att Ile	ccc Pro	tcc Ser	19689
	aac Asn 1140	Trp	gcg Ala	gcc Ala	ttc Phe	cgg Arg 1145	gga Gly	tgg Trp	agc Ser	ttc Phe	acc Thr 1150	Arg	ctt Leu	aaa Lys	19734
_	aag Lys 1155	Glu	acg Thr	cct Pro	tcc Ser	ttg Leu 1160	Gly	tcc Ser	ggc	ttt Phe	gac Asp 1165	ccc Pro	tac Tyr	ttt Phe	19779
	tac Tyr 1170	Ser	ggc	acc Thr	att Ile	cct Pro 1175	Tyr	ctg Leu	gac Asp	ggc	agc Ser 1180	Phe	tac Tyr	ctc Leu	19824
	cac His 1185	Thr	ttc Phe	aaa Lys	cgt Arg	ctg Leu 1190	Ser	atc Ile	atg Met	ttc Phe	gat Asp 1195	Ser	tcc Ser	gta Val	19869
_	tgg Trp 1200	Pro	ggc	aac Asn	gac Asp	cgc Arg 1205	Leu	ctg Leu	acg Thr	ccg Pro	aac Asn 1210	Glu	ttc Phe	gaa Glu	19914
att Ile	aag Lys 1215	Arg	att Ile	gtg Val	gac Asp	ggg Gly 1220	Glu	ggc	tac Tyr	aac Asn	gtg Val 1225	Ala	caa Gln	agt Ser	19959
	atg Met 1230	Thr				ttt Phe 1235	Leu	att Ile	caa Gln	ı atg ı Met	ctc Leu 1240	Ser	cac His	tac Tyr	20004
	atc Ile 1245	Gly				ttc Phe 1250	Tyr	gtt Val	ccc Pro	gag Glu	g ggc Gly 1255	Туг	: aag : Lys	gat Asp	20049

cgg Arg	atg Met 1260	tat Tyr	tct Ser	ttc Phe	ttc Phe	cga Arg 1265	aac Asn	ttt Phe	cag Gln	ccc Pro	atg Met 1270	agc Ser	cgc Arg	cag Gln	20094
gtg Val	ccg Pro 1275	gat Asp	ccc Pro	acc Thr	gct Ala	gcc Ala 1280	ggc	tat Tyr	caa Gln	gcc Ala	gtt Val 1285	ccc Pro	ctg Leu	ccc Pro	20139
aga Arg	caa Gln 1290	cac His	aac Asn	aac Asn	tcg Ser	ggc Gly 1295	ttt Phe	gtg Val	GJÀ ààà	tac Tyr	atg Met 1300	ggc	ccg Pro	acc Thr	20184
	cgc Arg 1305	gaa Glu	gga Gly	cag Gln	cca Pro	tac Tyr 1310	ccg Pro	gcc Ala	aac Asn	tac Tyr	ccc Pro 1315	tat Tyr	ccc Pro	ctg Leu	20229
atc Ile	ggc Gly 1320	Ala	acc Thr	gcc Ala	gtc Val	ccc Pro 1325	gcc Ala	att Ile	acc Thr	cag Gln	aaa Lys 1330	Lys	ttt Phe	ttg Leu	20274
tgc Cys	gac Asp 1335	cgc Arg	gtc Val	atg Met	tgg Trp	cgc Arg 1340	ata Ile	cct Pro	ttt Phe	tcc Ser	agc Ser 1345	aac Asn	ttt Phe	atg Met	20319
tca Ser	atg Met 1350	Gly	gcc Ala	ctg Leu	acc Thr	gac Asp 1355	Leu	gga Gly	cag Gln	aac Asn	atg Met 1360	Leu	tac Tyr	gct Ala	20364
	tcc Ser 1365	Ala	cat His	gcc Ala	ctg Leu	gat Asp 1370	Met	act Thr	ttt Phe	gag Glu	gtg Val 1375	Asp	ccc Pro	atg Met	20409
aac Asn	gag Glu 1380	Pro	acg Thr	ttg Leu	ctg Leu	tac Tyr 1385	Met	ctt Leu	ttt Phe	gag	gtg Val 1390	Phe	gac Asp	gtg Val	20454
gtc Val	aga Arg 1395	Val	cac His	cag Gln	ccg Pro	cac His 1400	Arg	ggt	att Ile	atc Ile	gag Glu 1405	Ala	gtg Val	tac Tyr	20499
_	cgc Arg 1410	Thr	ccc	ttc Phe	tct Ser	gcg Ala 1415	Gly	aat Asn	gcc Ala	acc Thr	aca Thr 1420		gcc	gctgaac	20548
tag	ctggt	tt t	tacc	ccag	a to	ccatg	ggc	tcca	.cgga	ag a	cgaac	tgcg	ggc	cattgtg:	20608
cga	.gacct	gg g	ctgo	ggac	c ct	actto	ctg	ggca	cctt	tg a	caago	ggtt	tcc	cgggttc:	20668
gtg	tatac	ctc g	caaa	ctcg	c gt	gegeg	ratc	gtga	atac	cg c	cggcc	gaga	gac	cggagga	20728
gag	cattg	ggc t	agct	ctgg	ıg ct	ggaac	ccc	cgct	cgto	ca c	gtttt	tcct	gtt	cgacccc	20788
ttt	.ggctt	tt c	agac	caac	g ct	tgaag	gcag	atct	atgo	cat t	tgaat	atga	ggç	ıtctactc	20848
aag	rcgaac	geg c	gcto	ıgcct	c ct	ccgcc	gat	cact	gtct	aa o	ccctgg	gtaaa	gaç	gcactcag	20908
acg	gttca	agg g	gadat	caca	ıg c	accac	ctgt	ggc	ettt	tt g	gttgca	atgtt	ttt	gcacgcc	20968

tttgtgaact	ggccggacac	ccccatggaa	aacaacccca	ccatggacct	cctgactggc	21028
gttcccaact	ccatgctcca	aagccccagc	gtgcagacca	ccctcctcca	aaaccagaaa	21088
aatctgtacg	cctttctgca	caagcactct	ccctactttc	gccgccatcg	ggaacaaata	21148
gaaaatgcaa	ccgcgtttaa	caaaactctg	taacgtttaa	taaatgaact	ttttattgaa	21208
ctggaaaacg	ggtttgtgat	ttttaaaaat	caaaggggtt	gagctggaca	tccatgtggg	21268
aggccggaag	ggtggtgttc	ttgtactggt	acttgggcag	ccacttaaac	tctggaatca	21328
caaacttggg	cagcggtatt	tctgggaagt	tgtcgtgcca	cagctggcgg	gtcagctgaa	21388
gtgcctgcag	aacatcgggg	gcggagatct	tgaagtcgca	gtttatctgg	ttcacggcac	21448
gcgcgttgcg	gtacatggga	ttggcacact	gaaacaccag	caggctggga	ttcttgatgc	21508
tagccagggc	cacggcgtcg	gtcacgtcac	cggtgtcttc	tatgttggac	agcgaaaaag	21568
gcgtgacttt	gcaaagctgg	cgtcccgcgc	gaggcacgca	atctcccagg	tagttgcact	21628
cacageggat	gggcagaaga	agatgcttgt	ggccgcgggt	catgtaggga	taggccgctg	21688
ccataaaagc	ttcgatctgc	ctgaaagcct	gcttggcctt	gtgcccttcg	gtataaaaaa	21748
caccgcagga	cttgttggaa	aaggtattac	tggcgcaagc	ggcatcgtga	aagcaagcgc	21808
gtgcgtcttc	gtttcgtaac	tgcaccacgc	tgcggcccca	ccggttctga	atcaccttgg	21868
ccctgccggg	gttttccttg	agagcgcgct	ggccggcttc	gctgcccaca	tccatttcca	21928
cgacatgctc	cttgttaatc	atggccagac	cgtggaggca	gcgcagctcc	tcgtcatcgt	21988
cggtgcagtg	atgctcccac	acgacgcagc	cagtgggctc	ccacttgggc	ttggaggcct	22048
cggcaatgcc	agaatacagg	agaacgtagt	ggtgcagaaa	acgtcccatc	atggtgccaa	22108
aggttttctg	gctgctgaag	gtcatcgggc	agtacctcca	gtcctcgtta	agccaagtgt	22168
tgcagatctt	cctgaagacc	gtgtactgat	cgggcataaa	gtggaactca	ttgcgctcgg	22228
tcttgtcgat	cttatacttt	tccatcagac	tatgcataat	ctccatgccc	ttttcccagg	22288
cgcaaacaat	cttggtgcta	cacgggttag	gtatggccaa	agtggttggc	ctctgaggcg	22348
gcgcttgttc	ttcctcttga	gccctctccc	gactgacggg	ggttgaaaga	gggtgcccct	22408
tggggaacgg	cttgaacacg	gtctggcccg	aggcgtcccg	aagaatctgc	atcgggggat	22468
tgctggccgt	catggcgatg	atctgacccc	ggggctcctc	cacttcgtcc	tcctcgggac	22528
tttcctcgtg	cttttcgggg	gacggtacgg	gagtaggggg	aagagcgcgg	cgcgccttct	22588
tcttgggcgg	cagttccgga	gcctgctctt	gacgactggc	cattgtcttc	tcctaggcaa	22648

gaaaaacaag	atggaagact	ctttctcctc	ctcctcgtca	acgtcagaaa	gcgagtcttc	22708	
caccttaagc	gccgagaact	cccagcgcat	agaatccgat	gtgggctacg	agactccccc	22768	
	tegeegeece					22828	
agacgtactg	ctgaagcaca	tcaggcggca	gagcgttatc	gtgcaagatg	ctctcaccga	22888	
	gttccgctgg					22948	
ctccccaaag	actccccca	agaggcaggc	taacggcacc	tgcgagccta	accctcgact	23008	
	cctgcctttg					23068	
aaaccacaaa	atccctctct	cgtgccgcgc	caaccgcacc	aaagccgatc	gcgtgctgcg	23128	
actggaggaa	ggggctcgca	tacctgagat	tgcgtgtctg	gaggaagtcc	caaaaatctt	23188	
tgaaggtctg	ggccgcgacg	aaaagcgagc	agcaaacgct	ctggaagaga	acgcagagag	23248	
	gccttggtag					23308	
gtccatagaa	gtcacgcact	tcgcctaccc	cgccgttaac	ctccctccaa	aagttatgac	23368	
agcggtcatg	gactcgctgc	tcataaagcg	cgctcagccc	ttagacccag	agcacgaaaa	23428	
caacagtgac	gaaggaaaac	cggtggtttc	tgatgaggag	ttgagcaagt	ggctgtcctc	23488	
caacgacccc	gccacgttgg	aggaacgaag	aaaaaccatg	atggccgtgg	tgctagttac	23548	
cgtgcaatta	gaatgtctgc	agaggttctt	ttcccaccca	gagaccctga	gaaaagtgga	23608	
ggaaacgctg	cactacacat	ttaggcacgg	ctacgtgaag	caagcctgca	agatttccaa	23668	
cgtagaactt	agcaacctca	tctcctacct	ggggatcttg	r cacgaaaacc	gcctcggaca	23728	
aaacgtgctg	cacagcacac	tgaaaggaga	agcccgccga	gactatgtgc	: gagactgcgt	23788	
gttcctagcg	ctagtgtaca	cctggcagag	cggaatggga	gtctggcago	: agtgcctgga	23848	
ggacgaaaac	ctcaaagagc	ttgaaaagct	getggtgege	tccagaaggg	g cactgtggac	23908	
cagttttgac	gagcgcaccg	ccgcgcgaga	cctagctgat	attattttt	c ctcccaagct	23968	
ggtgcagact	ctccgggaag	gactgccaga	tttatgagt	caaagcatct	tgcaaaactt	24028	
ccgctctttc	atcttggaac	gctcgggaat	cttgcccgc	c actagetge	g ccctacccac	24088	
agattttgtg	g cctctccact	accgcgaato	g cccaccgccq	g ctgtggccgt	acacttactt	24148	
gcttaaacto	g gccaacttto	: taatgttcc	a ctctgacct	g gcagaagac	g ttagcggcga		
ggggctgcta	a gaatgccact	gccgctgcaa	a cctgtgcac	c ccccaccgc	t ctctagtatg	24268	
caacactcc	c ctgctcaato	g agacccagat	t catcggtac	c tttgaaatc	c agggaccctc	24328	
cgacgcgga	a aacggcaag	c aggggtctg	g gctaaaact	c acagccgga	c tgtggacctc	24388	

c	egectacttg (	cgcaaatttg '	taccagaaga	ctatcacgcc	caccaaatta	aattttacga	24448
ā	aaaccaatca a	aaaccaccca	aaagcgagtt	aacggcttgc	gtcattacgc	agagcagcat	24508
ā	agttgggcag	ttgcaagcca	ttaacaaagc	gcggcaagag	tttctcctaa	aaaaaggaaa	24568
			agaccggcga				24628
	ttgtgtgccc	catgccgccc	aaaaagaaca	cctcgcagtg	gaacatgcca	gagacggagg	24688
	aagaggagtg	gagcagtgtg	agcaacagcg	aaacggagga	agagccgtgg	cccgaggggt	24748
	gcaacgggga	agaggacacg	gagggacggc	gaagtcttcg	ccgaagaact	ctcgccgctg	24808
			cgcctcggcc				24868
			taagagaaac				24928
			cttatcgtgc				24988
	acccgtagat	acttgctttt	taacaaaggg	gtggccgtcc	cccgtaacgt	cctccactac	25048
	taccgtcact	cttacagctc	cgaagcggac	ggctaagaaa	acgcagcagt	tgccggcggg	25108
			gagaaccccc				25168
	tcccaccctc	tacgctatct	ttcagcaaag	ccgggggcag	cagcaagaac	tgaaaataaa	25228
	aaaccgcacg	ctgaggtcgc	ttacccgaag	ctgcctctat	cacaagagcg	aagagcagct	25288
	gcagcgaacc	ctggaggacg	cagaagcgct	gttccagaag	tactgcgcga	ccaccctaaa	25348
	taactaaaaa	agcccgcgcg	cgggacttca	aaccgtctga	cgtcaccagc	cgcgcgccaa	25408
	aatgagcaaa	gagattccca	cgccttacat	gtggagttac	cagccgcaga	tgggattagc	25468
	cgccggcgcc	gcccaggatt	actccacgaa	aatgaactgg	ctcagcgccg	ggccccacat	25528
	gatttcccgc	gtaaacgaca	ttcgcgccca	ccgcaatcag	ctattgṭtag	aacaggctgc	25588
	tctgaccgcc	acgccccgta	ataacctgaa	ccctcccago	: tggccagctg	g ccctggtgta	25648
	ccaggaaacg	cctccaccca	ccagcgtact	tttgccccgt	gacgcccago	g cggaagtcca	25708
	gatgactaac	gegggegege	: aattagcggg	cggatcccgg	, tttcggtaca	a gagttcacgg	25768
						g gtgtccagct	25828
	caacgacgag	acagtgagct	: cttcgcttgg	g tctacgacca	a gacggagtgt	tccagctcgc	25888
	gggctcgggc	: cgctcttcgt	tcacgcctcg	g ccaggcatad	c ctgactctg	c agagetetge	25948
	ctctcagcct	cgctcgggag	g gaatcggaco	c ccttcagttt	t gtggaggag	t ttgtgccctc	26008
	ggtctacttt	: cagcctttct	ccggatcgc	c cggccagta	c ccggacgag	t tcatccccaa	26068

cttcgacgcg	gtgagtgact	ctgtggacgg	ttatgactga	tgtcgagccc	gcttcagtgc	26128
tagtggaaca	agcgcggctc	aatcacctgg	ttcgttgccg	ccgccgctgc	tgcgtggctc	26188
gcgacttgag	cttagctctc	aagtttgtaa	aaaacccgtc	cgaaaccggg	agcgctgtgc	26248
acgggttgga	gctagtgggt	cctgagaagg	ccaccatcca	cgttctcaga	aactttgtgg	26308
aaaaacccat	tttggttaaa	cgagatcagg	ggccttttgt	aatcagctta	ctctgcacct	26368
gtaaccatgt	tgaccttcac	gactatttta	tggatcattt	gtgcgctgaa	ttcaataagt	26428
aaagcgaatt	cttaccaaga	ttatgatgtc	catgactgtt	cctcgccact	atacgatgtt	26488
gtgccagtaa	actctcttgt	cgacatctat	ctgaactgtt	ccttttggtc	cgcacagctt	26548
acttggtact	acggtgacac	cgtcctttct	ggctcactgg	gcagctcaca	cggaataaca	26608
cttcacctct	tttcgccgtt	tcgatacgga	aactacagct	gtcgtgccgg	tacctgcctc	26668
cacgttttca	atcttcagcc	ctgtccaccg	accaaacttg	tatttgtcga	ctctaagcac	26728
ttacagctca	actgcagcat	tctaggcccc	agtatcttgt	ggacatacaa	taaaatcagg	26788
ttggtggaat	ttgtctacta	cccacccagc	gcccgcggtt	ttggggaaat	tcctttccag	26848
atctactaca	actatcttgc	cacacattat	gcaagtcaac	agcaactaaa	cttgcaagca	26908
cccttcacgc	caggagagta	ctcctgtcac	gtaggctcct	gcacagaaac	ttttattctc	26968
ttcaacagat	cttctgccat	tgaacgcttc	actactaact	actttagaaa	ccaagttgtg	27028
cttttcactg	acgaaacccc	taacgtcacc	ctggactgtg	catgttttc	tcatgacacc	27088
gtaacttgga	ctcttaacaa	. tactctctgg	ctcgcgttcg	ataaccaaag	cttgattgtt	27148
aaaaattttg	atttaacctt	tactaaaccc	tatactagag	aaatagttat	ctttgctcct	27208
tttaatccaa	aaactacctt	: agcctgtcag	gttttgttta	agccttgcca	aacaaacttt	27268
aagtttgttt	atttgcctcc	gcaatctgtc	aaactcatag	aaaaatacaa	caaagcgccc	27328
gtcttggctc	ctaaaacctt	ctaccactgg	ctaacctaca	cggggctgtt	tgcactaatt	27388
gttttttcc	: taattaacat	tttatatgt	: ttcttgcctt	cctccttctt	ttcgcgaaca	27448
ccgttgccgc	: agaaagacct	ctccttatta	ctgtagcgct	tgctatacaa	aaccaagagt	27508
ggtcaaccgt	gctctcaato	c tattttcaat	ttttcatttt	gtccttaata	ctttctctta	27568
ttgtcgttaa	caatgatct	g gagcattggt	ctcgcctttt	: tttggctgct	tagtgcaaaa	27628
					gatacctgaa	27688
					a cggcaaccac	27748
tcattctcac	g gacagaccc	t ttgcatccaa	a gaaacttatt	ttaaatcaga	a actacaatac	27808

atgccaagg tttcagacaa aagcaattt ccattcctat taattacta taaactgcac aatcacctt gggttttaaa aagttaccg tctctaacat gcgaaataa ttgaagccga tcgttgttt gcctttgctt tattgctct cgctgtgctc	ctgtgagttt taaaaatcgc cctaaaattt aagcaagcag atatgaacca tgttattggg	agctcccagt cttcacacca tctccacaca tttggctttt gactacttta	ttctttctga ccataatcta tgccttcgca actatccttt cttacattgc	aacctactgt caatcacaca atttctcacg ccacgaactg	27928 27988 28048 28108 28168 28228
taattacta taaactgcac aatcacctt gggttttaaa aagttaccg tctctaacat gcgaaataa ttgaagccga tcgttgttt gcctttgctt tattgctct cgctgtgctc	taaaaatcgc cctaaaattt aagcaagcag atatgaacca tgttattggg	cttcacacca tctccacaca tttggctttt gactacttta	ccataatcta tgccttcgca actatccttt cttacattgc	caatcacaca atttctcacg ccacgaactg	28048 28108 28168
aatcacctt gggttttaaa aagttaccg tctctaacat gcgaaataa ttgaagccga tcgttgttt gcctttgctt tattgctct cgctgtgctc	cctaaaattt aagcaagcag atatgaacca tgttattggg	tctccacaca tttggctttt gactacttta	tgccttcgca actatccttt cttacattgc	atttctcacg ccacgaactg	28108 28168
aagttaccg tetetaacat gegaaataa ttgaageega tegttgttt geetttgett tattgetet egetgtgete	aagcaagcag atatgaacca tgttattggg	tttggctttt gactacttta	actatccttt cttacattgc	ccacgaactg	28168
gcgaaataa ttgaagccga tcgttgttt gcctttgctt tattgctct cgctgtgctc	atatgaacca tgttattggg	gactacttta	cttacattgc		
tegttgttt geetttgett	tgttattggg			cattggtgta	28228
tattgetet egetgtgete		aaatatattt			20220
		393-3 3	atttgtacat	tcagagaaaa	28288
	ctgcggttac	aaagcagaag	aaagaattaa	aatctctaca	28348
tttattaat gttttccaga	aatggcaaaa	ctaacgctcc	tacttttgct	tctcacgccg	28408
tgacgcttt ttaccatcac	tttttctgcc	gccgccacac	tcgaacctca	atgtttgcca	28468
cggttgaag tctactttgt	ctacgtgttg	ctgtgctgcg	ttagcgtttg	cagtataaca	28528
gttttacct ttgtttttct	: tcagtgcatt	gactacttct	gggtcagact	ctactaccgc	28588
gacacgcgc ctcagtatca	aaatcaacaa	attgccagac	tactcggtct	gccatgattg	28648
cttgtattt taccctgatt	ttttttcacc	ttacttgcgc	ttgtgatttt	cacttcactc	28708
attttggaa aacgcaatgo	: ttcgacccgc	gcctctccaa	cgactggatg	atggctcttg	28768
caattgccac gcttggggc	g tttggacttt	ttagtggttt	tgctttgcat	tacaaattta	28828
agactccatg gacacatgg	c tttctttcag	attttccagt	tacacctact	ccgccgcctc	28888
cccggccat cgacgtgcc	caggttccct	caccttctcc	atctgtctgc	agctactttc	28948
atctgtaatg gccgaccta	g aatttgacgg	g agtgcaatct	gagcaaaggg	g ctatacactt	29008
ccaacgccag tcggaccgc	g aacgcaaaaa	a cagagagctg	caaaccatac	c aaaacaccca	29068
ccaatgtaaa cgcgggata	t tttgtattgt	: aaaacaagct	aagctccact	acgagettet	29128
atctggcaac gaccacgag					29188
cttaattgga gtttccccc	a ttaaagttad	c tcaaaccaaq	g ggtgaaacca	a agggaaccat	29248
aaggtgctca tgtcacctg	t cagaatgcct	t ttacactcta	a gttaaaacco	c tatgtggctt	29308
acatgattct atccccttt	a attaaataaa	a cttactttaa	a atctgcaato	c acttcttcgt	29368
ccttgttttt gtcgccatc					
				t tcgctttcaa	
cettgtattt taccetgatt aattttggaa aacgcaatgo caattgccac gettggggeg agactccatg gacacatggo ceceggecat egacgtgcc atctgtaatg gecgaceta cecaacgccag teggacege ceaatgtaaa egegggata atctggcaac gaccacgag cttaattgga gtttccccc aaggtgetca tgtcaectg acatgattct atccettt	ttttttcacc ttcgacccgc tttggacttt tttctttcag caggttccct gaatttgacgg gaacgcaaaaa ttttgtattgt ctccaatacgt attaaagttac t cagaatgcct a attaaataaa cagcagcacca	ttacttgcgc gcctctccaa ttagtggttt attttccagt caccttctcc agtgcaatct cagagagctg aaaacaagct ggtcgatcag ttacaccaag ttacactcta acttactctaa	ttgtgatttt cgactggatg tgctttgcat tacacctact atctgtctgc gagcaaaggg caaaccatac cagcgtcaaa ggtgaaacca agttaaaacca atctgcaatcact cttcccaactc	cacttcactc atggctcttg tacaaattta ccgccgcctc agctactttc ctatacactt aaaacaccca acgagcttct acgggaaccat tatgtggctt tatgtggctt tatgtggctt tcatagcata	28708 28768 28828 28888 28948 29008 29068 29128 29188 29248 29308 29368 29428

gctctcc	cac ga	tttt	catt	gcag	gat a N	atg a Met I	aaa d Lys <i>I</i>	ege q Arg <i>P</i>	Ala Ly	aa g /s \ 125	ytg ( /al (	gaa q Slu (	gaa gga Glu Gly	29541
	e ccc n Pro													29586
	ccc Pro													29631
ggg gto Gly Vai 1460														29676
	g gct s Ala													29721
gat gg Asp Gl 1490	t aaa y Lys	cta Leu	gtg Val	ggg Gly 1495	gag Glu	gga Gly	caa Gln	gca Ala	att Ile 1500	ctt Leu	gca Ala	aac Asn	ctg Leu	29766
ccg ct Pro Le 1505	t caa u Gln				Asn									29811
aca ct Thr Le	t gcc u Ala											cta Leu		29856
tct tc Ser Se 1535	a tcg r Ser								act Thr 1545			ctt Leu		29901
	g gac y Asp								aaa Lys 1560				gct Ala	29946
ctt ca Leu Gl: 1565	a gcg n Ala								aac Asn 1575					29991
	c gtg n Val													30036
	t ccc l Pro													30081
	c agc e Ser													30126

gaa Glu 1625					ctc Leu 1630								ctc Leu		30171
tcc Ser 1640					tct Ser 1645						_		aga Arg		30216
gag Glu 1655					acg Thr 1660								ggc Gly		30261
cta Leu 1670	_			_	ggc Gly 1675	Leu		_						ctg Leu	30306
caa Gln 1685	gta Val	aca Thr	gac Asp	acc Thr	aat Asn 1690	gct Ala	ctc Leu	aca Thr	tta Leu	aga Arg 1695	tat Tyr	ctc Leu	gct Ala	cca Pro	30351
ctg Leu 1700					tcg Ser 1705	Ğĺγ									30396
aac Asn 1715					cta Leu 1720										30441
aca Thr 1730					gga Gly 1735										30486
ttt Phe 1745					gga Gly 1750										30531
gta Val 1760					ggt Gly 1765									gta Val	30576
gcc Ala 1775	acg Thr	gga Gly	acc Thr	gca Ala	ttt Phe 1780	acg Thr	caa Gln	aca Thr	ctg Leu	tgg Trp 1785	act Thr	acg Thr	gct Ala	gat Asp	30621
ccg Pro 1790					aca Thr 1795										30666
act Thr 1805					att Ile 1810										30711
tcc Ser 1820					aaa Lys 1825										30756

gct acc gtt aca Ala Thr Val Thr 1835		Leu Asn					30801
ttg agc tcc tct Leu Ser Ser Ser 1850			tac tgg Tyr Trp	~ ~ ~	_		30846
ccc tca att gac Pro Ser Ile Asp 1865		Pro Ile					30891
cca aac tca ctg Pro Asn Ser Leu 1880		Pro Pro					30936
tgt aac atg tac Cys Asn Met Tyr 1895	-	Thr Phe	tta cga Leu Arg				30981
cca ata gtt tta Pro Ile Val Leu 1910		Thr Phe				ggg ttt Gly Phe	31026
tcc att aga ttt Ser Ile Arg Phe 1925		Thr Asn				gca ttt Ala Phe	31071
gca atg ccc cca Ala Met Pro Pro 1940		Phe Ser			a caa ı Gln		31116
actatgtaac cctca	ccgtt aac	ccgcctc	cgcccttc	ca ttttat	cttta	taaaccaccc	31176
gatccacctt ttcag	cagta aac	aattgca	tgtcagta	gg ggcagt	caaaa	cttttgggag	31236
ttaaaatcca cacag	gttct tca	caagcta	agcgaaaa	tc agttad	cactt	ataaaaccat	31296
cgctaacatc ggaca	aagac aag	catgagt	ccaaagct	tc cggtt	ctgga	tcagattttt	31356
gttcattaac agcgg	gagaa aca	gcttctg	gaggattt	tc catcto	ccatc	tccttcatca	31416
gttccaccat gtcca	ccgtg gtc	atctggg	acgagaac	ga cagtt	gtcat	acacctcata	31476
agtcaccggt cgatg	acgaa cgt	acagatc	tcgaagaa	tg tcctg1	cgcc	gcctttcggc	31536
agcactgggc cgaag	gcgaa agc	gcccatg	tttaacaa	tg gccag	caccg	cccgcttcat	31596
caggcgccta gttct	tttag cgc	aacagcg	catgcgca	gc tcgct	aagac	tggcgcaaga	31656
aacacagcac agaac	cacca gat	tgttcat	gatcccat	aa gcgtg	ctgac	accagcccat	31716
actaacaaat tgttt	cacta ttc	tagcatg	aatgtcat	at ctgate	gttca	agtaaattaa	31776
atggcgcccc cttat	gtaaa cac	ttcccac	gtacaaca	ce teetti	tggca	tctgataatt	31836
aaccacctcc cgata	ccaaa tac	atctctg	attaatag	ta gaaaa	gtaca	ctacccgatt	31896

aaaccaagtt	gccaacataa	tccccctgc	catacactgc	aaagaacctg	gacggctaca	31956
atgacagtgc	aaagtccaca	cctcgttgcc	atggataact	gaggaacgcc	ttaagtcaat	32016
agtggcacaa	ctaatacaaa	catgtaaata	gtgtttcaac	aagtgccact	cgtatgaggt	32076
gagtatcatg	tcccagggaa	cgggccactc	cataaacact	gcaaaaccaa	cacatcctac	32136
catcccccgc	acggcactca	catcgtgcat	ggtgttcata	tcacagtccg	gaagctgagg	32196
acaaggaaaa	gtctcgggag	cattttcata	gggcggtagt	gggtactcct	tgtaggggtt	32256
cagtcggcac	cggtatctcc	tcaccttctg	ggccataaca	cacaagttga	gatctgattt	32316
caaggtactt	tctgaatgaa	aaccaagtgc	tttcccaaca	atgtatccga	tgtcttcggt	32376
ccccgcgtcg	gtagcgctcc	ttgcagtaca	cacggaacaa	ccactcacgc	aggcccagaa	32436
gacagttttc	cgcggacggt	gacaagttaa	tcccctcag	tctcagagcc	aatatagttt	32496
cttccacagt	agcataggcc	aaacccaacc	aggaaacaca	agctggcacg	tcccgttcaa	32556
cgggaggaca	aggaagcaga	ggcagaggca	taggcaaagc	aacagaattt	ttattccaac	32616
tggtcacgta	gcacttcaaa	caccaggtca	cgtaaatggc	agcgatcttg	ggtttcctga	32676
tggaacataa	cagcaagatc	aaacatgaga	cgattctcaa	ggtgattaac	cacagctgga	32736
attaaatcct	ccacgcgcac	atttagaaac	accagcaata	caaaagcccg	gttttctccg	32796
ggatctatca	tagcagcaca	gtcatcaatt	agtcccaagt	aattttcccg	tttccaatct	32856
gttataattt	gcagaataat	gccctgtaaa	tccaagccgg	ccatggcgaa	aagctcagat	32916
aatgcacttt	ccacgtgcat	tcgtaaacac	accctcatct	tgtcaatcca	aaaagtcttc	32976
ttcttgagaa	acctgtagta	aattaagaat	cgccaggtta	ggctcgatgc	ctacatcccg	33036
gagcttcatt	ctcagcatgc	actgcaaatg	atccagcaga	tcagaacagc	aattagcagc	33096
cagctcatcc	ccggtttcca	gttccggagt	tcccacggca	attatcactc	gaaacgtggg	33156
acaaatcgaa	ataacatgag	ctcccacgtg	agcaaaagcc	gtagggccag	tgcaataatc	33216
acagaaccag	cggaaaaaag	attgcagctc	atgtttcaaa	aagctctgca	gatcaaaatt	33276
cagctcatgo	aaataacaca	gtaaagtttg	cggtatagta	accgaaaacc	acacgggtcg	33336
acgttcaaac	atctcggctt	acctaaaaaa	gaagcacatt	tttaaaccac	agtcgcttcc	33396
tgaacaggag	gaaatatggt	gcggcgtaaa	accagacgcg	ccaccggatc	tccggcagag	33456
ccctgataat	acagccagct	gtggttaaac	agcaaaacct	ttaattcggc	aacggttgag	33516
gtctccacat	aatcagcgcc	cacaaaaatc	ccatctcgaa	cttgctcgcg	tagggagcta	33576

aaatggccag tatagcc	cca tggcacccga	acgctaatct	gcaagtatat	gagagccacc	33636
ccattcggcg ggatcaca	aaa atcagtcgga	gaaaacaacg	tatacacccc	ggactgcaaa	33696
agctgttcag gcaaacgo	ccc ctgcggtccc	tctcggtaca	ccagcaaagc	ctcgggtaaa	33756
gcagccatgc caagcgct	ta ccgtgccaag	agcgactcag	acgaaaaagt	gtactgaggc	33816
gctcagagca gcggctat	at actctacctg	tgacgtcaag	aaccgaaagt	caaaagttca	33876
cccggcgcgc ccgaaaa	aac ccgcgaaaat	ccacccaaaa	agcccgcgaa	aaacacttcc	33936
gtataaaatt tccgggt	cac eggegegtea	ccgccgcgcg	acacgcccgc	cccgccccgc	33996
gctcctcccc gaaaccc	gcc gcgcccactt	ccgcgttccc	aagacaaagg	tcgcgtaact	34056
ccgcccacct catttgc	atg ttaactcggt	cgccatcttg	cggtgttata	ttgatgatg	34115

<sup>&</sup>lt;210> 35

<400> 35

Met Arg Arg Ala Val Ala Val Pro Ser Ala Ala Met Ala Leu Gly Pro 1 5 10 15

Pro Pro Ser Tyr Glu Ser Val Met Ala Ala Ala Thr Leu Gln Ala Pro 20 25 30

Leu Glu Asn Pro Tyr Val Pro Pro Arg Tyr Leu Glu Pro Thr Gly Gly 40 45

Arg Asn Ser Ile Arg Tyr Ser Glu Leu Thr Pro Leu Tyr Asp Thr Thr 50 55 60

Arg Leu Tyr Leu Val Asp Asn Lys Ser Ala Asp Ile Ala Thr Leu Asn 65 70 75 80

Tyr Gln Asn Asp His Ser Asn Phe Leu Thr Ser Val Val Gln Asn Ser 85 90 95

Asp Tyr Thr Pro Ala Glu Ala Ser Thr Gln Thr Ile Asn Leu Asp Asp 100 105 110

Arg Ser Arg Trp Gly Gly Asp Leu Lys Thr Ile Leu His Thr Asn Met 115 120 125

Pro Asn Val Asn Glu Phe Met Phe Thr Asn Ser Phe Arg Ala Lys Leu 130 135 140

Met Val Ala His Glu Ala Asp Lys Asp Pro Val Tyr Glu Trp Val Gln 145 150 155 160

<sup>&</sup>lt;211> 503

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> simian adenovirus SV-39

Leu Thr Leu Pro Glu Gly Asn Phe Ser Glu Ile Met Thr Ile Asp Leu 170 Met Asn Asn Ala Ile Ile Asp His Tyr Leu Ala Val Ala Arg Gln Gln Gly Val Lys Glu Ser Glu Ile Gly Val Lys Phe Asp Thr Arg Asn Phe 200 Arg Leu Gly Trp Asp Pro Glu Thr Gly Leu Val Met Pro Gly Val Tyr Thr Asn Glu Ala Phe His Pro Asp Val Val Leu Leu Pro Gly Cys Gly 235 230 Val Asp Phe Thr Tyr Ser Arg Leu Asn Asn Leu Leu Gly Ile Arg Lys 245 Arg Met Pro Phe Gln Glu Gly Phe Gln Ile Leu Tyr Glu Asp Leu Glu 265 Gly Gly Asn Ile Pro Ala Leu Leu Asp Val Pro Ala Tyr Glu Glu Ser 280 275 Ile Ala Asn Ala Arg Glu Ala Ala Ile Arg Gly Asp Asn Phe Ala Ala Gln Pro Gln Ala Ala Pro Thr Ile Lys Pro Val Leu Glu Asp Ser Lys 305 310 Gly Arg Ser Tyr Asn Val Ile Ala Asn Thr Asn Asn Thr Ala Tyr Arg Ser Trp Tyr Leu Ala Tyr Asn Tyr Gly Asp Pro Glu Lys Gly Val Arg Ala Trp Thr Leu Leu Thr Thr Pro Asp Val Thr Cys Gly Ser Glu Gln 360 Val Tyr Trp Ser Leu Pro Asp Met Tyr Val Asp Pro Val Thr Phe Arg 375 370 Ser Thr Gln Gln Val Ser Asn Tyr Pro Val Val Gly Ala Glu Leu Met 390 Pro Ile His Ser Lys Ser Phe Tyr Asn Glu Gln Ala Val Tyr Ser Gln 410 405 Leu Ile Arg Gln Thr Thr Ala Leu Thr His Val Phe Asn Arg Phe Pro 420 425 Glu Asn Gln Ile Leu Val Arg Pro Pro Ala Pro Thr Ile Thr Thr Val 440 435 Ser Glu Asn Val Pro Ala Leu Thr Asp His Gly Thr Leu Pro Leu Gln 455 460 450

As Ser Ile Arg Gly Val Gln Arg Val Thr Ile Thr Asp Ala Arg Arg 465 470 475 480

Arg Thr Cys Pro Tyr Val Tyr Lys Ala Leu Gly Ile Val Ala Pro Arg 485 490 495

Val Leu Ser Ser Arg Thr Phe 500

<210> 36

<211> 917

<212> PRT

<213> simian adenovirus SV-39

<400> 36

Met Ala Thr Pro Ser Met Met Pro Gln Trp Ser Tyr Met His Ile Ala 1 5 10 15

Gly Gln Asp Ala Ser Glu Tyr Leu Ser Pro Gly Leu Val Gln Phe Ala 20 25 30

Arg Ala Thr Glu Thr Tyr Phe Ser Leu Gly Asn Lys Phe Arg Asn Pro 35 40 45

Thr Val Ala Pro Thr His Asp Val Thr Thr Asp Arg Ser Gln Arg Leu
50 60

Thr Ile Arg Phe Val Pro Val Asp Lys Glu Asp Thr Ala Tyr Ser Tyr 65 70 75 80

Lys Thr Arg Phe Thr Leu Ala Val Gly Asp Asn Arg Val Leu Asp Met 85 90 95

Ala Ser Thr Tyr Phe Asp Ile Arg Gly Val Ile Asp Arg Gly Pro Ser 100 105 110

Phe Lys Pro Tyr Ser Gly Thr Ala Tyr Asn Ser Leu Ala Pro Lys Gly 115 120 125

Ala Pro Asn Asn Ser Gln Trp Asn Ala Thr Asp Asn Gly Asn Lys Pro 130 135 140

Val Cys Phe Ala Gln Ala Ala Phe Ile Gly Gln Ser Ile Thr Lys Asp 145 150 155 160

Gly Val Gln Ile Gln Asn Ser Glu Asn Gln Gln Ala Ala Asp Lys 165 170 175

Thr Tyr Gln Pro Glu Pro Gln Ile Gly Val Ser Thr Trp Asp Thr Asn 180 185 190

Val Thr Ser Asn Ala Ala Gly Arg Val Leu Lys Ala Thr Thr Pro Met 195 200 205

Leu	Pro 210	Cys	Tyr	Gly	Ser	Tyr 215	Ala	Asn	Pro	Thr	Asn 220	Pro	Asn	Gly	Gly
Gln 225	Ala	Lys	Thr	Glu	Gly 230	Asp	Ile	Ser	Leu	Asn 235	Phe	Phe	Thr	Thr	Thr 240
Ala	Ala	Ala	Asp	Asn 245	Asn	Pro	Lys	Val	Val 250	Leu	Tyr	Ser	Glu	Asp 255	Val
Asn	Leu	Gln	Ala 260	Pro	Asp	Thr	His	Leu 265	Val	Tyr	Lys	Pro	Thr 270	Val	Gly
Glu	Asn	Val 275	Ile	Ala	Àla	Glu	Ala 280	Leu	Leu	Thr	Gln	Gln 285	Ala	Cys	Pro
Asn	Arg 290	Ala	Asn	Tyr	Ile	Gly 295	Phe	Arg	Asp	Asn	Phe 300	Ile	Gly	Leu	Met
Tyr 305	Tyr	Asn	Ser	Thr	Gly 310	Asn	Met	Gly	Val	Leu 315	Ala	Gly	Gln	Ala	Ser 320
Gln	Leu	Asn	Ala	Val 325	Val	Asp	Leu	Gln	Asp 330	Arg	Asn	Thr	Glu	Leu 335	Ser
Tyr	Gln	Leu	Met 340	Leu	Asp	Ala	Leu	Gly 345	Asp	Arg	Thr	Arg	Tyr 350	Phe	Ser
Met	Trp	Asn 355	Gln	Ala	Val	Asp	Ser 360	Tyr	Asp	Pro	Asp	Val 365	Arg	Ile	Ile
Glu	Asn 370	His	Gly	Val	Glu	Asp 375		Leu	Pro	Asn	Туг 380	Cys	Phe	Pro	Leu
Pro 385	Gly	Met	Gly	Ile	Phe 390	Asn	Ser	Туr	Lys	Gly 395	Val	Lys	Pro	Gln	Asn 400
Gly	Gly	Asn	Gly	Asn 405		Glu	Ala	Asn	Gly 410	Asp	Leu	Ser	Asn	Ala 415	Asn
Glu	Ile	Ala	Leu 420		Asn	Ile	Phe	Ala 425		Glu	Ile	Asn	Leu 430	His	Ala
Asn	Leu	Trp 435	Arg	Ser	Phe	Leu	Tyr 440	Ser	Asn	Val	Ala	Leu 445	Туг	Leu	Pro
Asp	Ser 450		Lys	Phe	. Thr	Prc 455		. Asn	Ile	Thr	Leu 460	Pro	Ala	Asn	Gln
Asn 465		туг	Glu	туг	11e 470		Gly	Arg	Val	Thr 475	Ser	Pro	Thr	Leu	Val 480
Asp	Thr	Phe	· · Val	. Asn 485		: Gly	/ Ala	Arg	Trp 490		Pro	Asp	) Pro	Met 495	. Asp
Asn	. Val	. Asr	Prc 500		e Asn	n His	s His	Arc 505		n Ala	ı Gly	Leu	1 Arg 510	Туг	Arg

Ser Met Leu Leu Gly Asn Gly Arg Val Val Pro Phe His Ile Gln Val 520 Pro Gln Lys Phe Phe Ala Ile Lys Asn Leu Leu Leu Pro Gly Ser 540 Tyr Thr Tyr Glu Trp Ser Phe Arg Lys Asp Val Asn Met Ile Leu Gln 555 Ser Thr Leu Gly Asn Asp Leu Arg Val Asp Gly Ala Ser Val Arg Ile 570 Asp Ser Val Asn Leu Tyr Ala Asn Phe Phe Pro Met Ala His Asn Thr 585 Ala Ser Thr Leu Glu Ala Met Leu Arg Asn Asp Thr Asn Asp Gln Ser 600 Phe Asn Asp Tyr Leu Ser Ala Ala Asn Met Leu Tyr Pro Ile Pro Ala 620 Asn Ala Thr Asn Val Pro Ile Ser Ile Pro Ser Arg Asn Trp Ala Ala 635 Phe Arg Gly Trp Ser Phe Thr Arg Leu Lys Ala Lys Glu Thr Pro Ser 650 Leu Gly Ser Gly Phe Asp Pro Tyr Phe Val Tyr Ser Gly Thr Ile Pro Tyr Leu Asp Gly Ser Phe Tyr Leu Asn His Thr Phe Lys Arg Leu Ser 680 Ile Met Phe Asp Ser Ser Val Ser Trp Pro Gly Asn Asp Arg Leu Leu 695 Thr Pro Asn Glu Phe Glu Ile Lys Arg Ile Val Asp Gly Glu Gly Tyr 715 Asn Val Ala Gln Ser Asn Met Thr Lys Asp Trp Phe Leu Ile Gln Met 730 Leu Ser His Tyr Asn Ile Gly Tyr Gln Gly Phe Tyr Val Pro Glu Gly Tyr Lys Asp Arg Met Tyr Ser Phe Phe Arg Asn Phe Gln Pro Met Ser Arg Gln Val Pro Asp Pro Thr Ala Ala Gly Tyr Gln Ala Val Pro Leu Pro Arg Gln His Asn Asn Ser Gly Phe Val Gly Tyr Met Gly Pro Thr 795 Met Arg Glu Gly Gln Pro Tyr Pro Ala Asn Tyr Pro Tyr Pro Leu Ile 805 810

Gly Ala Thr Ala Val Pro Ala Ile Thr Gln Lys Lys Phe Leu Cys Asp 825

Arg Val Met Trp Arg Ile Pro Phe Ser Ser Asn Phe Met Ser Met Gly 840

Ala Leu Thr Asp Leu Gly Gln Asn Met Leu Tyr Ala Asn Ser Ala His 855

Ala Leu Asp Met Thr Phe Glu Val Asp Pro Met Asn Glu Pro Thr Leu 870 875

Leu Tyr Met Leu Phe Glu Val Phe Asp Val Val Arg Val His Gln Pro 890

His Arg Gly Ile Ile Glu Ala Val Tyr Leu Arg Thr Pro Phe Ser Ala 905

Gly Asn Ala Thr Thr 915

<210> 37

<211> 533 <212> PRT

<213> simian adenovirus SV-39

<400> 37

Met Lys Arg Ala Lys Val Glu Glu Gly Phe Asn Pro Val Tyr Pro Tyr 1.0

Gly Tyr Ser Thr Pro Thr Asp Val Ala Pro Pro Phe Val Ala Ser Asp

Gly Leu Gln Glu Asn Pro Pro Gly Val Leu Ser Leu Lys Ile Ser Lys

Pro Leu Thr Phe Asn Ala Ser Lys Ala Leu Ser Leu Ala Ile Gly Pro

Gly Leu Lys Ile Gln Asp Gly Lys Leu Val Gly Glu Gly Gln Ala Ile

Leu Ala Asn Leu Pro Leu Gln Ile Thr Asn Asn Thr Ile Ser Leu Arg 90

Phe Gly Asn Thr Leu Ala Leu Asn Asp Asn Asn Glu Leu Gln Thr Thr

Leu Lys Ser Ser Ser Pro Leu Lys Ile Thr Asp Gln Thr Leu Ser Leu

Asn Ile Gly Asp Ser Leu Ala Ile Lys Asp Asp Lys Leu Glu Ser Ala 140

Leu 145	Gln	Ala	Thr	Leu	Pro 150	Leu	Ser	·Ile	Ser	Asn 155	Asn	Thr	Ile	Ser	Leu 160
Asn	Val	Gly	Thr	Gly 165	Leu	Thr	Ile	Asn	Gly 170	Asn	Val	Leu	Gln	Ala 175	Val
Pro	Leu	Asn	Ala 180	Leu	Ser	Pro	Leu	Thr 185	Ile	Ser	Asn	Asn	Asn 190	Ile	Ser
Leu	Arg	Tyr 195	Gly	Ser	Ser	Leu	Thr 200	Val	Leu	Asn	Asn	Glu 205	Leu	Gln	Ser
Asn	Leu 210	Thr	Val	His	Ser	Pro 215	Leu	Lys	Leu	Asn	Ser 220	Asn	Asn	Ser	Ile
Ser 225	Leu	Asn	Thr	Leu	Ser 230	Pro	Phe	Arg	Ile	Glu 235	Asn	Gly	Phe	Leu	Thr 240
Leu	Туг	Leu	Gly	Thr 245	Lys	Ser	Gly	Leu	Leu 250	Val	Gln	Asn	Ser	Gly 255	Leu
Lys	Val	Gln	Ala 260	Gly	Tyr	Gly	Leu	Gln 265	Val	Thr	Asp	Thr	Asn 270	Ala	Leu
Thr	Leu	Arg 275	Tyr	Leu	Ala	Pro	Leu 280	Thr	Ile	Pro	Asp	Ser 285	Gly	Ser	Glu
Gln	Gly 290	Ile	Leu	Lys	Val	Asn 295	Thr	Gly	Gln	Gly	Leu 300	Ser	Val	Asn	Gln
Ala 305	Gly	Ala	Leu	Glu	Thr 310	Ser	Leu	Gly	Gly	Gly 315	Leu	Lys	Tyr	Ala	Asp 320
Asn	Lys	Ile	Thr	Phe 325	Asp	Thr	Gly	Asn	Gly 330	Leu	Thr	Leu	Ser	Glu 335	Asn
Lys	Leu	Ala	Val 340	Ala	Ala	Gly	Ser	Gly 345	Leu	Thr	Phe	Arg	Asp 350	Gly	Ala
Leu	Val	Ala 355	Thr	Gly	Thr	Ala	Phe 360	Thr	Gln	Thr	Leu	Trp 365	Thr	Thr	Ala
Asp	Pro 370	Ser	Pro	Asn	Cys	Thr 375	Ile	Ile	Gln	Asp	Arg 380	Asp	Thr	Lys	Phe
Thr 385	Leu	Ala	Leu	Thr	Ile 390	Ser	Gly	Ser	Gln	Val 395	Leu	Gly	Thr	Val	Ser 400
Ile	Ile	Gly	Val	Lys 405	Gly	Pro	Leu	Ser	Ser 410	Ser	Ile	Pro	Ser	Ala 415	Thr
Val	Thr	Val	Gln 420	Leu	Asn	Phe	Asp	Ser 425	Asn	Gly	Ala	Leu	Leu 430	Ser	Ser
Ser	Ser	Leu 435	Lys	Gly	Tyr	Trp	Gly 440	Туг	Arg	Gln	Gly	Pro 445	Ser	Ile	Asp

Pro Tyr Pro Ile Ile Asn Ala Leu Asn Phe Met Pro Asn Ser Leu Ala Tyr Pro Pro Gly Gln Glu Ile Gln Ala Lys Cys Asn Met Tyr Val Ser Thr Phe Leu Arg Gly Asn Pro Gln Arg Pro Ile Val Leu Asn Ile Thr Phe Asn Asn Gln Thr Ser Gly Phe Ser Ile Arg Phe Thr Trp Thr Asn Leu Thr Thr Gly Glu Ala Phe Ala Met Pro Pro Cys Thr Phe Ser Tyr 520 Ile Ala Glu Gln Gln 530 <210> 38 <211> 50 <212> DNA <213> Artificial sequence <220> <223> oligomer SV25T <400> 38 50 aatttaaata cgtagcgcac tagtcgcgct aagcgcggat atcatttaaa <210> 39 <211> 49 <212> DNA <213> Artificial sequence <220> <223> oligomer SV25B <400> 39 tatttaaatg atatccgcgc ttaagcgcga ctagtgcgct acgtattta 49